

# Copper oxides database

Francesco Biccari\*

1 August 2010

## 1 Introduction

The Copper Oxides project (<http://copperoxides.altervista.org>) is a project with the intent to collect and spread the knowledge of the copper oxides, very challenging and long studied materials with several applications.

The project provides a BibTeX database, `CopperOxides.bib`, of all the known works, papers and books devoted to the oxides of copper.

This document is a printable version, ordered alphabetically on the first author surname, of that database. Currently the database counts 911 records and it is not, obviously, complete. The active links of this document point directly to the electronic resource. The DOI (Digital Object Identifier) has been used when available.

## 2 Keys conventions

The BibTeX keys of `CopperOxides.bib` follow this scheme, in order:

**Surname\_year** Where Surname is the surname of the first author and year is the publication year of the work. If the author is not present, the surname of the first editor is used instead. The suffix Jr. is omitted in the key. For composed surname the spaces are eliminated while the dash are left unaltered. The only allowed characters in the key are the ASCII characters (ö becomes o,...)

**\_book** Added if the work is a book (BOOK) or a book extract (INBOOK).

**\_proc** Added if the work is a proceeding book (PROCEEDINGS) or a book proceedings extract (INPROCEEDINGS).

**\_PhDthesis** Added if the work is a PhD thesis (PHDTHESES).

**\_Mthesis** Added if the work is a Master thesis (MASTERTHESIS).

**\_tr** Added if the work is a technical report (TECHREPORT).

**\_unpub** Added if the work has not been published (UNPUBLISHED).

**\_patent** Added if the work is a patent (PATENT).

**\_err** Added if the work is an erratum of a previous paper. In this case the root of the key is the same to that one of the work which the erratum refers to.

---

\* Author email: [biccari@gmail.com](mailto:biccari@gmail.com)

**\_B, \_C, ...** An uppercase letter is added if a work would have the same key of a previous key already present in the database. For compatibility the letter starts from B and not from A.

**\_other** Other suffix can be used in particular cases.

### 3 Database @PREAMBLE directive

The BibTeX database `CopperOxides.bib` has the following preamble.

```
" \makeatletter
\@ifundefined{url}{\newcommand{\url}[1]{\texttt{\#1}}}{}
\@ifundefined{bibcyr}{\newcommand{\bibcyr}[1]{---}}{}
\ProvideTextCommandDefault{\textmu}{\ensuremath{\mu}}
\makeatother "
```

The command `\bibcyr` is for Cyrillic text while the command `\textmu` is used for regular greek letter  $\mu$  (for example for micro suffix).

## Content of the CopperOxides.bib database in alphabetical order

Copper(I) oxide — Wikipedia, The Free Encyclopedia (2010). Available from: [http://en.wikipedia.org/wiki/Copper\(I\)\\_oxide](http://en.wikipedia.org/wiki/Copper(I)_oxide).

Copper(II) oxide — Wikipedia: The Free Encyclopedia (2010). Available from: [http://en.wikipedia.org/wiki/Copper\(II\)\\_oxide](http://en.wikipedia.org/wiki/Copper(II)_oxide).

Cuprite — Mindat directory (2010). Available from: <http://www.mindat.org/min-1172.html>.

Cuprite — Webmineral (2010). Available from: <http://www.webmineral.com/data/Cuprite.shtml>.

Cuprite — Wikipedia: The Free Encyclopedia (2010). Available from: <http://en.wikipedia.org/wiki/Cuprite>.

ABU-ZEID, M. E., RAKHSHANI, A. E., AL-JASSAR, A. A., AND YOUSSEF, Y. A. Determination of the thickness and refractive index of Cu<sub>2</sub>O thin film using thermal and optical interferometry. *Physica Status Solidi (a)*, **93** (1986), 613. doi:[10.1002/pssa.2210930226](https://doi.org/10.1002/pssa.2210930226).

ADACHI, H. AND TAKANO, M. Cluster model investigation of the electronic state and chemical bond in cuprous and cupric oxide. *Physica C*, **157** (1989), 169. doi:[10.1016/0921-4534\(89\)90484-X](https://doi.org/10.1016/0921-4534(89)90484-X).

AGEKYAN, V. F., VASIL'EV, N. N., AND STEPANOV, Y. A. Screening of excitons in cuprous oxide. *JETP Letters*, **33** (1981), 14. Original paper in Russian: Zhurnal eksperimental'noi i teoreticheskoi fiziki Pis'Ma V Redaktsiyu (ZhETF Pis. Red.), Vol. 21 (1975), p. 278–281. Available from: [http://www.jetletters.ac.ru/ps/1500/article\\_22919.shtml](http://www.jetletters.ac.ru/ps/1500/article_22919.shtml).

AGEKYAN, V. T. Spectroscopic properties of semiconductor crystals with direct forbidden energy gap. *Physica Status Solidi (a)*, **43** (1977), 11. doi:[10.1002/pssa.2210430102](https://doi.org/10.1002/pssa.2210430102).

AGEKYAN, V. T., KUZ'MINA, I. P., LOBACHEV, A. N., PREDTECHENSKII, B. S., STAROSTINA, L. S., AND KHAIDUKOV, N. M. Optical properties of cuprous oxide crystals grown by various methods. *Journal of Applied Spectroscopy*, **22** (1975), 562. doi:[10.1007/BF00614717](https://doi.org/10.1007/BF00614717).

AGEKYAN, V. T., MONOZON, B. S., AND SHIRYAPOV, I. P. The fine structure of Wannier-Mott excitons in a cubic crystal and its behaviour in an electric field. *Physica Status Solidi (b)*, **66** (1974), 359. doi:[10.1002/pssb.2220660140](https://doi.org/10.1002/pssb.2220660140).

AGEKYAN, V. T. AND STEPANOV, Y. A. Exchange interaction in exciton excited *s* states. *JETP Letters*, **21** (1975), 127. Original paper in Russian: Zhurnal eksperimental'noi i teoreticheskoi fiziki Pis'Ma V Redaktsiyu (ZhETF Pis. Red.), Vol. 21 (1975), p. 278–281. Available from: [http://www.jetletters.ac.ru/ps/1464/article\\_22306.shtml](http://www.jetletters.ac.ru/ps/1464/article_22306.shtml).

AGGARWAL, S. AND DIECKMANN, R. Contributions of bulk and near-boundary regions to the variation of the oxygen content in Cu<sub>2-δ</sub>O (1997). *Journal of Physics and Chemistry of Solids*, (revision to be completed). Available from: <http://people.ccmr.cornell.edu/~dieck/publi.html>.

AGGARWAL, S., TÖPFER, J., TSAI, T.-L., AND DIECKMANN, R. Point defects and transport in binary and ternary, non-stoichiometric oxides. *Solid State Ionics*, **101–103** (1997), 321. doi:[10.1016/S0167-2738\(97\)84048-9](https://doi.org/10.1016/S0167-2738(97)84048-9).

AKHAVAN, O., TOHIDI, H., AND MOSHFEGH, A. Z. Synthesis and electrochromic study of sol-gel cuprous oxide nanoparticles accumulated on silica thin film. *Thin Solid Films*, **517** (2009), 6700. doi:[10.1016/j.tsf.2009.05.016](https://doi.org/10.1016/j.tsf.2009.05.016).

AKIMOTO, K., ISHIZUKA, S., YANAGITA, M., NAWA, Y., PAUL, G. K., AND SAKURAI, T. Thin film deposition of Cu<sub>2</sub>O and application for solar cells. *Solar Energy*, **80** (2006), 715. doi:[10.1016/j.solener.2005.10.012](https://doi.org/10.1016/j.solener.2005.10.012).

AL-KUHAILI, M. F. Characterization of copper oxide thin films deposited by the thermal evaporation of cuprous oxide (Cu<sub>2</sub>O). *Vacuum*, **82** (2008), 623. doi:[10.1016/j.vacuum.2007.10.004](https://doi.org/10.1016/j.vacuum.2007.10.004).

ALTARAWNEH, M., RADNY, M. W., SMITH, P. V., MACKIE, J. C., KENNEDY, E. M., DLUGOGORSKI, B. Z., SOON, A., AND STAMPFL, C. Adsorption of 2-chlorophenol on Cu<sub>2</sub>O(111)-Cu<sub>2</sub>S: A first-principles density functional

- study. *Applied Surface Science*, **256** (2010), 4764. doi:[10.1016/j.apsusc.2010.01.101](https://doi.org/10.1016/j.apsusc.2010.01.101).
- AMEKURA, H. AND MASUMI, T. Reconfirmation with discussion of anomalies in photoconductivity of Cu<sub>2</sub>O at low temperatures. *Journal of the Physical Society of Japan*, **64** (1995), 2684. doi:[10.1143/JPSJ.64.2684](https://doi.org/10.1143/JPSJ.64.2684).
- AMEKURA, H., UMEDA, N., TAKEDA, Y., AND KISHIMOTO, N. Optical transitions of Cu<sub>2</sub>O nanocrystals in SiO<sub>2</sub> fabricated by ion implantation and two-step annealing. *Applied Physics Letters*, **89** (2006), 223120. doi:[10.1063/1.2399343](https://doi.org/10.1063/1.2399343).
- ANDERSON, J. S. AND GREENWOOD, N. N. The semiconducting properties of cuprous oxide. *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, **215** (1952), 353. Available from: <http://www.jstor.org/stable/99170>.
- ANDRIEVSKII, A. I. AND PIDORYA, M. M. Calculation of the Debye temperature of Cu<sub>2</sub>O from elastic constants. *Russian Physics Journal*, **10** (1967), 67. Original paper in Russian: Izvestiya VUZ. Fizika, Vol. 10 (1967), 123–124. doi:[10.1007/BF00843561](https://doi.org/10.1007/BF00843561).
- ANDRIEVSKII, A. I., VOLOSHCHENKO, V. I., AND MISHCHENKO, M. T. *Doklady Akademii Nauk SSSR*, **90** (1953), 521.
- ANGELLO, S. J. Hall effect and conductivity of cuprous oxide. *Physical Review*, **62** (1942), 371. doi:[10.1103/PhysRev.62.371](https://doi.org/10.1103/PhysRev.62.371).
- ANTONY, J., QIANG, Y., FAHEEM, M., MEYER, D., MCCREADY, D. E., AND ENGELHARD, M. H. Ferromagnetic semiconductor nanoclusters: Co-doped Cu<sub>2</sub>O. *Applied Physics Letters*, **90** (2007), 013106. doi:[10.1063/1.2429018](https://doi.org/10.1063/1.2429018).
- APFEL, J. H. AND PORTIS, A. M. Exciton-induced photoconductivity in Cu<sub>2</sub>O. *Journal of Physics and Chemistry of Solids*, **15** (1960), 33. doi:[10.1016/0022-3697\(60\)90097-4](https://doi.org/10.1016/0022-3697(60)90097-4).
- ARBUZOVA, T., NAUMOV, S., AND ARBUZOV, V. Relaxation of radiation-induced defects in CuO. *JETP Letters*, **89** (2009), 414. Original paper in Russian: Pis'ma v Zhurnal Èksperimental'noi i Teoreticheskoi Fiziki, 89 (2009), 478–482. doi:[10.1134/S0021364009080086](https://doi.org/10.1134/S0021364009080086).
- ARBUZOVA, T., NAUMOV, S., ARBUZOV, V., AND DRUZHKOVA, A. Anomalous magnetic properties of electron-irradiated antiferromagnetic copper monoxide. *Physics of the Solid State*, **51** (2009), 953. Original paper in Russian: Fizika Tverdogo Tela, 51 (2009), 904–910. doi:[10.1134/S1063783409050114](https://doi.org/10.1134/S1063783409050114).
- ARBUZOVA, T., NAUMOV, S., AND KOZLOV, E. Elastic-stress relaxation in compacted nanocrystalline CuO. *Physics of the Solid State*, **47** (2005), 1358. Original paper in Russian: Fizika Tverdogo Tela, 47 (2005), 1309–1315. doi:[10.1134/1.1992618](https://doi.org/10.1134/1.1992618).
- ARBUZOVA, T., SMOLYAK, I., NAUMOV, S., AND SAMOKHVALOV, A. Effect of doping on the magnetic properties of the low-dimensional anti-ferromagnet CuO. *Physics of the Solid State*, **40** (1998), 1702. Original paper in Russian: Fizika Tverdogo Tela, 40 (1998), 1876–1880. doi:[10.1134/1.1130638](https://doi.org/10.1134/1.1130638).
- ARTIOLI, G., DAPIAGGI, M., FORNASINI, P., SANSON, A., ROCCA, F., AND MERLI, M. Negative thermal expansion in cuprite-type compounds: A combined synchrotron XRPD, EXAFS, and computational study of Cu<sub>2</sub>O and Ag<sub>2</sub>O. *Journal of Physics and Chemistry of Solids*, **67** (2006), 1918. SMEC 2005, Study of matter under extreme conditions. doi:[10.1016/j.jpcs.2006.05.043](https://doi.org/10.1016/j.jpcs.2006.05.043).
- ASSIMOS, J. A. *Investigation of slow changes in the electrical conductivity and Hall constant of single crystal cuprous oxide*. Master's thesis, Wayne State University, Dept. of Chemistry (1965).
- ASSIMOS, J. A. *An investigation of the photoelectric threshold, work function and bulk Fermi level of single-crystal cuprous oxide, and the photovoltaic properties of single-crystal and polycrystalline cuprous oxide-copper contacts*. Ph.D. thesis, Wayne State University, Dept. of Chemistry (1973).
- ASSIMOS, J. A. AND TRIVICH, D. Photovoltaic properties and barrier heights of single crystals and polycrystalline Cu<sub>2</sub>O-Cu contacts. *Journal of Applied Physics*, **44** (1973), 1687. doi:[10.1063/1.1662432](https://doi.org/10.1063/1.1662432).
- ASSIMOS, J. A. AND TRIVICH, D. The photoelectric threshold, work function, and surface

- barrier potential of single-crystal cuprous oxide. *Physica Status Solidi (a)*, **26** (1974), 477. doi:[10.1002/pssa.2210260210](https://doi.org/10.1002/pssa.2210260210).
- AYGÜN, S. AND CANN, D. Response kinetics of doped CuO/ZnO heterocontacts. *The Journal of Physical Chemistry B*, **109** (2005), 7878. doi:[10.1021/jp044481a](https://doi.org/10.1021/jp044481a).
- BALAMURUGAN, B., ARUNA, I., MEHTA, B. R., AND SHIVAPRASAD, S. M. Size-dependent conductivity-type inversion in Cu<sub>2</sub>O nanoparticles. *Physical Review B*, **69** (2004), 165419. doi:[10.1103/PhysRevB.69.165419](https://doi.org/10.1103/PhysRevB.69.165419).
- BALAMURUGAN, B. AND MEHTA, B. R. Optical and structural properties of nanocrystalline copper oxide thin films prepared by activated reactive evaporation. *Thin Solid Films*, **396** (2001), 90. doi:[10.1016/S0040-6090\(01\)01216-0](https://doi.org/10.1016/S0040-6090(01)01216-0).
- BALAMURUGAN, B., MEHTA, B. R., AVASTHI, D. K., SINGH, F., ARORA, A. K., RAJALAKSHMI, M., RAGHAVAN, G., TYAGI, A. K., AND SHIVAPRASAD, S. M. Modifying the nanocrystalline characteristics—structure, size, and surface states of copper oxide thin films by high-energy heavy-ion irradiation. *Journal of Applied Physics*, **92** (2002), 3304. doi:[10.1063/1.1499752](https://doi.org/10.1063/1.1499752).
- BALDASSARRI HÖGER VON HÖGERSTHAL, G., FRÖHLICH, D., KULKA, M., AUER, T., BAYER, M., AND STOLZ, H. Acoustic and optical phonon scattering of the 1s yellow orthoexciton in Cu<sub>2</sub>O. *Physical Review B*, **73** (2006), 035202. doi:[10.1103/PhysRevB.73.035202](https://doi.org/10.1103/PhysRevB.73.035202).
- BALILI, R., HARTWELL, V., SNOKE, D., PFEIFFER, L., AND WEST, K. Bose-Einstein condensation of microcavity polaritons in a trap. *Science*, **316** (2007), 1007. doi:[10.1126/science.1140990](https://doi.org/10.1126/science.1140990).
- BALKANSKI, M., NUSIMOVICI, M. A., AND REY-DELLET, J. First order raman spectrum of Cu<sub>2</sub>O. *Solid State Communications*, **7** (1969), 815. doi:[10.1016/0038-1098\(69\)90768-6](https://doi.org/10.1016/0038-1098(69)90768-6).
- BALKANSKI, M., PETROFF, Y., AND TRIVICH, D. Optical properties of cuprous oxide in the ultraviolet. *Solid State Communications*, **5** (1967), 85. doi:[10.1016/0038-1098\(67\)90053-1](https://doi.org/10.1016/0038-1098(67)90053-1).
- BANDYOPADHYAY, S., CHATTERJEE, A. K., SAHA, S. K., AND CHATTERJEE, A. Comparative Compton scattering studies in Cu<sub>2</sub>O and Ag<sub>2</sub>O. *Journal of Physics: Condensed Matter*, **6** (1994), 2403. doi:[10.1088/0953-8984/6/12/015](https://doi.org/10.1088/0953-8984/6/12/015).
- BARBOUR, J. C., BRAITHWAITE, J. W., AND WRIGHT, A. F. Determination of solid-state sulfidation mechanisms in ion-implanted copper. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, **175–177** (2001), 382. doi:[10.1016/S0168-583X\(00\)00682-0](https://doi.org/10.1016/S0168-583X(00)00682-0).
- BARDEEN, J., BRATTAIN, W. H., AND SHOCKLEY, W. Investigation of oxidation of copper by use of radioactive Cu tracer. *The Journal of Chemical Physics*, **14** (1946), 714. doi:[10.1063/1.1724091](https://doi.org/10.1063/1.1724091).
- BARKER, M. G. AND PAUL DAWSON, A. The reactions of the oxides Cu<sub>2</sub>O and CuO with potassium monoxide and liquid potassium. *Journal of the Less Common Metals*, **64** (1979), 127. doi:[10.1016/0022-5088\(79\)90140-1](https://doi.org/10.1016/0022-5088(79)90140-1).
- BARMAN, S. R. AND SARMA, D. D. Investigation of the L<sub>3</sub>-M<sub>45</sub>M<sub>45</sub> Auger spectra of Cu, Cu<sub>2</sub>O and CuO. *Journal of Physics: Condensed Matter*, **4** (1992), 7607. doi:[10.1088/0953-8984/4/37/008](https://doi.org/10.1088/0953-8984/4/37/008).
- BARRECA, D., FORNASIERO, P., GASPAROTTO, A., GOMBAC, V., MACCATO, C., MONTINI, T., AND TONDELLO, E. The potential of supported Cu<sub>2</sub>O and CuO nanosystems in photocatalytic H<sub>2</sub> production. *ChemSusChem*, **2** (2009), 230. doi:[10.1002/cssc.200900032](https://doi.org/10.1002/cssc.200900032).
- BARTON, V. P. Light sensitivity of cuprous oxide and of selenium. *Physical Review*, **23** (1924), 337. doi:[10.1103/PhysRev.23.337](https://doi.org/10.1103/PhysRev.23.337).
- BARTOS, A., BOLSE, W., LIEB, K. P., AND UHRMACHER, M. Electric field gradients of <sup>111</sup>Cd in the copper oxides CuO and Cu<sub>2</sub>O. *Physics Letters A*, **130** (1988), 177. doi:[10.1016/0375-9601\(88\)90424-0](https://doi.org/10.1016/0375-9601(88)90424-0).
- BASSANI, F., LA ROCCA, G. C., AND ARTONI, M. Electromagnetically induced transparency in bulk and microcavity semiconductors. *Journal of Luminescence*, **110** (2004), 174. doi:[10.1016/j.jlumin.2004.08.005](https://doi.org/10.1016/j.jlumin.2004.08.005).

- BAUMEISTER, P. W. Optical absorption of cuprous oxide. *Physical Review*, **121** (1961), 359. doi: [10.1103/PhysRev.121.359](https://doi.org/10.1103/PhysRev.121.359).
- BEG, M. M. AND SHAPIRO, S. M. Study of phonon dispersion relations in cuprous oxide by inelastic neutron scattering. *Physical Review B*, **13** (1976), 1728. doi: [10.1103/PhysRevB.13.1728](https://doi.org/10.1103/PhysRevB.13.1728).
- BELLAKHAL, N., DRAOU, K., AND BRISSET, J. L. Electrochemical investigation of copper oxide films formed by oxygen plasma treatment. *Journal of Applied Electrochemistry*, **27** (1997), 414. doi: [10.1023/A:1018409620079](https://doi.org/10.1023/A:1018409620079).
- BEREZIN, A. A. AND WEICHMAN, F. L. Photovoltaic effect in cuprous oxide–copper junctions in relation to the optical absorption spectrum of cuprous oxide. *Solid State Communications*, **37** (1981), 157. doi: [10.1016/0038-1098\(81\)90733-X](https://doi.org/10.1016/0038-1098(81)90733-X).
- BERGER, J. Comportement thermoélastique de monocristaux de Cu<sub>2</sub>O. *Solid State Communications*, **26** (1978), 403. doi: [10.1016/0038-1098\(78\)90514-8](https://doi.org/10.1016/0038-1098(78)90514-8).
- BERTOCCI, U. Photopotentials on copper and copper alloy electrodes. *Journal of the Electrochemical Society*, **125** (1978), 1598. doi: [10.1149/1.2131251](https://doi.org/10.1149/1.2131251).
- BHARADWAJ, M. D. AND YANG, J. C. The reduction of copper oxide by water vapor visualized by in situ UHV-TEM. *Scripta Materialia*, **44** (2001), 2557. doi: [10.1016/S1359-6462\(01\)00940-X](https://doi.org/10.1016/S1359-6462(01)00940-X).
- BIANCHI, A. E., PLIVELIC, T. S., PUNTE, G., AND TORRIANI, I. L. Probing the structure of nanograined CuO powders. *Journal of Materials Science*, **43** (2008), 3704. doi: [10.1007/s10853-008-2600-7](https://doi.org/10.1007/s10853-008-2600-7).
- BICCARI, F., MALERBA, C., AND MITTIGA, A. Metastability effects in Cu<sub>2</sub>O solar cells. In *Proceedings of the 23rd European Photovoltaic Solar Energy Conference, Valencia, Spain*, pp. 583–587 (2008). doi: [10.4229/23rdEUPVSEC2008-1CV.2.54](https://doi.org/10.4229/23rdEUPVSEC2008-1CV.2.54).
- BICCARI, F., MALERBA, C., AND MITTIGA, A. Chlorine doping of Cu<sub>2</sub>O. *Solar Energy Materials and Solar Cells*, (2010).
- BIJANI, S., GABÁS, M., MARTÍNEZ, L., RAMOS-BARRADO, J. R., MORALES, J., AND SÁNCHEZ, L. Nanostructured Cu<sub>2</sub>O thin film electrodes prepared by electrodeposition for rechargeable lithium batteries. *Thin Solid Films*, **515** (2007), 5505. doi: [10.1016/j.tsf.2007.01.016](https://doi.org/10.1016/j.tsf.2007.01.016).
- BISHT, V., RAJEEV, K. P., AND BANERJEE, S. Anomalous magnetic behavior of CuO nanoparticles. *Solid State Communications*, **150** (2010), 884. arXiv: [0911.1838](https://arxiv.org/abs/0911.1838), doi: [10.1016/j.ssc.2010.01.048](https://doi.org/10.1016/j.ssc.2010.01.048).
- BLANK, Z. AND BRENNER, W. Growth of single crystals of cuprous oxide in silica gels at near ambient temperatures. *Nature*, **222** (1969), 79. doi: [10.1038/222079b0](https://doi.org/10.1038/222079b0).
- BLOCH, P. D. AND SCHWAB, C. Direct evidence for phonon-assisted transitions to the 1s paraexciton level of the yellow exciton series in Cu<sub>2</sub>O. *Physical Review Letters*, **41** (1978), 514. doi: [10.1103/PhysRevLett.41.514](https://doi.org/10.1103/PhysRevLett.41.514).
- BLOEM, J. Discussion of some optical and electrical properties of Cu<sub>2</sub>O. *Philips Research Reports*, **13** (1958), 167.
- BLOEM, J., VAN DER HOUVEN VAN OORDT, A. J., AND KRÖGER, F. A. A new luminescence emission in Cu<sub>2</sub>O. *Physica*, **22** (1956), 1254. doi: [10.1016/S0031-8914\(56\)90217-8](https://doi.org/10.1016/S0031-8914(56)90217-8).
- BOHANNAN, E. W., HUANG, L.-Y., MILLER, F. S., SHUMSKY, M. G., AND SWITZER, J. A. In situ electrochemical quartz crystal microbalance study of potential oscillations during the electrodeposition of Cu/Cu<sub>2</sub>O layered nanostructures. *Langmuir*, **15** (1999), 813. doi: [10.1021/la980825a](https://doi.org/10.1021/la980825a).
- BORGOHAIN, K., MURASE, N., AND MAHAMUNI, S. Synthesis and properties of Cu<sub>2</sub>O quantum particles. *Journal of Applied Physics*, **92** (2002), 1292. doi: [10.1063/1.1491020](https://doi.org/10.1063/1.1491020).
- BORGOHAIN, K., SINGH, J. B., RAMA RAO, M. V., SHRIPATHI, T., AND MAHAMUNI, S. Quantum size effects in CuO nanoparticles. *Physical Review B*, **61** (2000), 11093. doi: [10.1103/PhysRevB.61.11093](https://doi.org/10.1103/PhysRevB.61.11093).
- BOSE, S. K., MITRA, S. K., AND ROY, S. K. Effect of short-circuiting on the oxidation kinetics

- of copper and its doped varieties in the temperature range of 523 – 1073 k. *Oxidation of Metals*, **46** (1996), 73. [doi:10.1007/BF01046885](https://doi.org/10.1007/BF01046885).
- BÖTTGER, O. Über die halbleitereigenschaften des kupferoxyduls. IV Leitfähigkeitsmessungen bei hohen temperaturen. *Annalen der Physik*, **445** (1952), 232. [doi:10.1002/andp.19524450405](https://doi.org/10.1002/andp.19524450405).
- BRAHMS, S. Electric field effects on excitons in cuprous oxide. *Physica Status Solidi (b)*, **51** (1972), 509. [doi:10.1002/pssb.2220510210](https://doi.org/10.1002/pssb.2220510210).
- BRAHMS, S. AND CARDONA, M. Electric field effects on optical transitions to the  $n = 1$  exciton in cuprous oxide. *Solid State Communications*, **6** (1968), 733. [doi:10.1016/0038-1098\(68\)90575-9](https://doi.org/10.1016/0038-1098(68)90575-9).
- BRAHMS, S., DAHL, J. P., AND NIKITINE, S. Sur la structure de bande et le spectre d'absorption de Cu<sub>2</sub>O. *Journal de Physique Colloques*, **28** (1967), C3. COLLOQUE SUR LES TRANSITIONS ÉLECTRONIQUES DANS LES SOLIDES NON CONDUCTEURS. [doi:10.1051/jphyscol:1967306](https://doi.org/10.1051/jphyscol:1967306).
- BRAHMS, S. AND NIKITINE, S. Intrinsic absorption and reflection of cuprous oxide in the 2.5 to 6.5 eV region. *Solid State Communications*, **3** (1965), 209. [doi:10.1016/0038-1098\(65\)90293-0](https://doi.org/10.1016/0038-1098(65)90293-0).
- BRAHMS, S., NIKITINE, S., AND DAHL, J. P. On the band structure and the absorption spectrum of Cu<sub>2</sub>O. *Physics Letters*, **22** (1966), 31. [doi:10.1016/0031-9163\(66\)90044-8](https://doi.org/10.1016/0031-9163(66)90044-8).
- BRATESCU, M. A., ALLRED, D. B., SAITO, N., SARIKAYA, M., AND TAKAI, O. Attenuated total reflectance spectroscopy of simultaneous processes: Corrosion inhibition of cuprous oxide by benzotriazole. *Applied Surface Science*, **254** (2008), 2960. [doi:10.1016/j.apsusc.2007.10.048](https://doi.org/10.1016/j.apsusc.2007.10.048).
- BRATTAIN, W. H. Specific resistance of cuprous oxide. *Physical Review*, **45** (1934), 745. In “W. L. Severynghaus, Proceedings of the American Physical Society, Minutes of the Washington Meeting, Physical Review, 45 (1934), 739”. [doi:10.1103/PhysRev.45.739](https://doi.org/10.1103/PhysRev.45.739).
- BRATTAIN, W. H. The copper oxide rectifier. *Review of Modern Physics*, **23** (1951), 203. [doi:10.1103/RevModPhys.23.203](https://doi.org/10.1103/RevModPhys.23.203).
- BRETHEAU, P. T., MARHIC, C., SPENDEL, M., AND CASTAING, J. Fluage à haute température de monocristaux d'oxyde cuivreux. *Philosophical Magazine*, **35** (1977), 1473. [doi:10.1080/14786437708232971](https://doi.org/10.1080/14786437708232971).
- BRETHEAU, T. AND DOLIN, C. Heterogeneous deformation of Cu<sub>2</sub>O single crystals during high temperature compression creep. *Journal of Materials Science*, **13** (1978), 587. [doi:10.1007/BF00541809](https://doi.org/10.1007/BF00541809).
- BRETHEAU, T., PELLISSIERA, B., AND SIEBER, B. Plastic properties of Cu<sub>2</sub>O, mechanical tests and transmission electron microscopy — II. High temperature. *Acta Metallurgica*, **29** (1981), 1617. [doi:10.1016/0001-6160\(81\)90044-4](https://doi.org/10.1016/0001-6160(81)90044-4).
- BRISKMAN, R. N. A study of electrodeposited cuprous oxide photovoltaic cells. *Solar Energy Materials and Solar Cells*, **27** (1992), 361. [doi:10.1016/0927-0248\(92\)90097-9](https://doi.org/10.1016/0927-0248(92)90097-9).
- BROWER, W. S. AND PARKER, H. S. Growth of single crystal cuprous oxide. *Journal of Crystal Growth*, **8** (1971), 227. [doi:10.1016/0022-0248\(71\)90061-3](https://doi.org/10.1016/0022-0248(71)90061-3).
- BRUNEVIAL, F. *Exchange and Correlation in the Electronic Structure of Solids, from Silicon to Cuprous Oxide: GW Approximation and beyond*. Ph.D. thesis, Ecole Polytechnique, Palaiseau, France (2005). Available from: <http://pastel.paristech.org/00001604/>.
- BRUNEVIAL, F., VAST, N., REINING, L., IZQUIERDO, M., SIROTTI, F., AND BARRETT, N. Exchange and correlation effects in electronic excitations of Cu<sub>2</sub>O. *Physical Review Letters*, **97** (2006), 267601. [doi:10.1103/PhysRevLett.97.267601](https://doi.org/10.1103/PhysRevLett.97.267601).
- BUBERT, H., GRALLATH, E., QUENTMEIER, A., WIELUNSKI, M., AND BORUCKI, L. Comparative investigation on copper oxides by depth profiling using XPS, RBS and GDOES. *Fresenius' Journal of Analytical Chemistry*, **353** (1995), 456. [doi:10.1007/BF00322088](https://doi.org/10.1007/BF00322088).
- BURLAKOV, V. M., GÖPPERT, M., JOLK, A., DINGER, A., BECKER, R., AND KLINGSHIRN, C. F. On a biphononic origin of the 1125 cm<sup>-1</sup> absorption band in cuprous oxide. *Physics Letters A*, **254** (1999), 95. [doi:10.1016/S0375-9601\(99\)00052-3](https://doi.org/10.1016/S0375-9601(99)00052-3).

- BUTOV, L. V. Cold exciton gases in coupled quantum well structures. *Journal of Physics: Condensed Matter*, **19** (2007), 295202. doi: [10.1088/0953-8984/19/29/295202](https://doi.org/10.1088/0953-8984/19/29/295202).
- CABRERA, N. AND MOTT, N. F. Theory of the oxidation of metals. *Reports on Progress in Physics*, **12** (1949), 163. doi: [10.1088/0034-4885/12/1/308](https://doi.org/10.1088/0034-4885/12/1/308).
- CAMPBELL, N. R. Recent improvements in photoelectric cells. *Journal of Scientific Instruments*, **9** (1932), 369. doi: [10.1088/0950-7671/9/12/301](https://doi.org/10.1088/0950-7671/9/12/301).
- CAMPBELL, R. H., KASS, W. J., AND O'KEEFFE, M. "Interdiffusion Coefficients from Conductivity Measurements - Application to Cu<sub>2</sub>O" in *Mass Transport in Oxides*, pp. 173–176. N. B. S. Special publication 296, U.S. Govt. Printing Office (1968).
- CAMPBELL, R. H. AND O'KEEFFE, M. "Kinetics of Vaporization of Cuprous Oxide" in *Kinetics of Ionic Reactions*, pp. 413–421. Plenum Press (1968).
- CAO, Y., FAN, J., BAI, L., YUAN, F., AND CHEN, Y. Morphology evolution of Cu<sub>2</sub>O from octahedra to hollow structures. *Crystal Growth & Design*, **10** (2010), 232. doi: [10.1021/cg9008637](https://doi.org/10.1021/cg9008637).
- CARABATOS, C. Lattice vibrations of Cu<sub>2</sub>O at the long wave limit. *Physica Status Solidi (b)*, **37** (1970), 773. doi: [10.1002/pssb.19700370228](https://doi.org/10.1002/pssb.19700370228).
- CARABATOS, C. AND PREVOT, B. Rigid ion model lattice dynamics of cuprite (Cu<sub>2</sub>O). *Physica Status Solidi (b)*, **44** (1971), 701. doi: [10.1002/pssb.2220440229](https://doi.org/10.1002/pssb.2220440229).
- CAREL, C., MOUALLEM-BAHOUT, M., AND GAUDÉ, J. Re-examination of the non-stoichiometry and defect structure of copper(II) oxide or tenorite, Cu<sub>1±z</sub>O or CuO<sub>1±ε</sub>: A short review. *Solid State Ionics*, **117** (1999), 47. doi: [10.1016/S0167-2738\(98\)00247-1](https://doi.org/10.1016/S0167-2738(98)00247-1).
- CASTELLAN, G. W. AND MOORE, W. J. Diffusion of radioactive copper during oxidation of copper foil. *The Journal of Chemical Physics*, **17** (1949), 41. doi: [10.1063/1.1747051](https://doi.org/10.1063/1.1747051).
- CASWELL, N., WEINER, J. S., AND YU, P. Y. A study of non-thermalized luminescence spectra: the case of Cu<sub>2</sub>O. *Solid State Communications*, **40** (1981), 843. doi: [10.1016/0038-1098\(81\)90168-X](https://doi.org/10.1016/0038-1098(81)90168-X).
- CASWELL, N. AND YU, P. Y. Physical origin of the anomalous temperature dependence of the 1s yellow exciton luminescence intensity in Cu<sub>2</sub>O. *Physical Review B*, **25** (1982), 5519. doi: [10.1103/PhysRevB.25.5519](https://doi.org/10.1103/PhysRevB.25.5519).
- CERTIER, M., GRUN, J. B., AND NIKITINE, S. Etude de l'effet zeeman de la raie  $n = 1$  de la série jaune de Cu<sub>2</sub>O à 20°K. *Journal de Physique*, **25** (1964), 361. doi: [10.1051/jphys:01964002504036100](https://doi.org/10.1051/jphys:01964002504036100).
- CHAN, H. Y. H., TAKOUDIS, C. G., AND WEAVER, M. J. Oxide film formation and oxygen adsorption on copper in aqueous media as probed by surface-enhanced raman spectroscopy. *The Journal of Physical Chemistry B*, **103** (1999), 357. doi: [10.1021/jp983787c](https://doi.org/10.1021/jp983787c).
- CHANG, X., JI, G., SHEN, K., PAN, L., SHI, Y., AND ZHENG, Y. Fabrication of nanowire-like cuprous oxide in aqueous solutions of a triblock copolymer. *Journal of Alloys and Compounds*, **482** (2009), 240. doi: [10.1016/j.jallcom.2009.03.169](https://doi.org/10.1016/j.jallcom.2009.03.169).
- CHAUDHARY, Y. S., AGRAWAL, A., SHRIVASTAV, R., SATSANGI, V. R., AND DASS, S. A study on the photoelectrochemical properties of copper oxide thin films. *International Journal of Hydrogen Energy*, **29** (2004), 131. doi: [10.1016/S0360-3199\(03\)00109-5](https://doi.org/10.1016/S0360-3199(03)00109-5).
- CHEE, K. T., KEOESIM, T., AND WEICHMAN, F. L. Electroluminescence from single crystal Cu<sub>2</sub>O diodes. *Canadian Journal of Physics*, **57** (1979), 988. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=57&year=1979&issue=7&msno=p79-137>.
- CHEE, K. T. AND WEICHMAN, F. L. Pt-Cu<sub>2</sub>O-Cu double injection diodes. *Canadian Journal of Physics*, **55** (1977), 727. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=55&year=1977&issue=7-8&msno=p77-100>.

- CHEN, A., HADDAD, S., AND FANG, T.-N. Resistive memory device with improved data retention and reduced power (2006).
- CHEN, A., HADDAD, S., WU, Y. C., LAN, Z., FANG, T. N., AND KAZA, S. Switching characteristics of Cu<sub>2</sub>O metal-insulator-metal resistive memory. *Applied Physics Letters*, **91** (2007), 123517. [doi:10.1063/1.2789678](https://doi.org/10.1063/1.2789678).
- CHEN, A., ET AL. Non-volatile resistive switching for advanced memory applications. In *IEEE International Electron Devices Meeting, 2005. IEDM Technical Digest*, pp. 746–749 (2005). [doi:10.1109/IEDM.2005.1609461](https://doi.org/10.1109/IEDM.2005.1609461).
- CHEN, C., HE, L., LAI, L., ZHANG, H., LU, J., GUO, L., AND LI, Y. Magnetic properties of undoped Cu<sub>2</sub>O fine powders with magnetic impurities and/or cation vacancies. *Journal of Physics: Condensed Matter*, **21** (2009), 145601. [arXiv:0812.2079](https://arxiv.org/abs/0812.2079), [doi:10.1088/0953-8984/21/14/145601](https://doi.org/10.1088/0953-8984/21/14/145601).
- CHEN, D., NI, S., FANG, J., AND XIAO, T. Preparation of Cu<sub>2</sub>O nanoparticles in cupric chloride solutions with a simple mechanochemical approach. *Journal of Alloys and Compounds*, **In Press, Corrected Proof** (2010), . [doi:10.1016/j.jallcom.2010.02.138](https://doi.org/10.1016/j.jallcom.2010.02.138).
- CHEN, J., DENG, S. Z., XU, N. S., ZHANG, W., WEN, X., AND YANG, S. Temperature dependence of field emission from cupric oxide nanobelts films. *Applied Physics Letters*, **83** (2003), 746. [doi:10.1063/1.1595156](https://doi.org/10.1063/1.1595156).
- CHEN, J.-Y., ZHOU, P.-J., LI, J.-L., AND WANG, Y. Studies on the photocatalytic performance of cuprous oxide/chitosan nanocomposites activated by visible light. *Carbohydrate Polymers*, **72** (2008), 128. [doi:10.1016/j.carbpol.2007.07.036](https://doi.org/10.1016/j.carbpol.2007.07.036).
- CHEN, Q., SHEN, X., AND GAO, H. Formation of solid and hollow cuprous oxide nanocubes in water-in-oil microemulsions controlled by the yield of hydrated electrons. *Journal of Colloid and Interface Science*, **312** (2007), 272. [doi:10.1016/j.jcis.2007.03.036](https://doi.org/10.1016/j.jcis.2007.03.036).
- CHEN, X. K., IRWIN, J. C., AND FRANCK, J. P. Evidence for a strong spin-phonon interaction in cupric oxide. *Physical Review B*, **52** (1995), R13130. [doi:10.1103/PhysRevB.52.R13130](https://doi.org/10.1103/PhysRevB.52.R13130).
- CHEN, Y., YAN, H., YANG, B., LV, Y., WEN, M., XU, J., WU, M., ZHU, X., AND FU, Z. Fabrication and optical properties of Cu<sub>2</sub>O–ZnO composite opal. *Applied Physics A: Materials Science & Processing*, **98** (2010), 467. [doi:10.1007/s00339-009-5424-7](https://doi.org/10.1007/s00339-009-5424-7).
- CHEREVKO, S. AND CHUNG, C.-H. The porous CuO electrode fabricated by hydrogen bubble evolution and its application to highly sensitive non-enzymatic glucose detection. *Talanta*, **80** (2010), 1371. [doi:10.1016/j.talanta.2009.09.038](https://doi.org/10.1016/j.talanta.2009.09.038).
- CHING, W. Y., XU, Y.-N., AND WONG, K. W. Ground-state and optical properties of Cu<sub>2</sub>O and CuO crystals. *Physical Review B*, **40** (1989), 7684. [doi:10.1103/PhysRevB.40.7684](https://doi.org/10.1103/PhysRevB.40.7684).
- CHOU, M. H., LIU, S. B., HUANG, C. Y., WU, S. Y., AND CHENG, C.-L. Confocal raman spectroscopic mapping studies on a single CuO nanowire. *Applied Surface Science*, **254** (2008), 7539. [doi:10.1016/j.apsusc.2007.12.065](https://doi.org/10.1016/j.apsusc.2007.12.065).
- CHRZANOWSKI, J. AND IRWIN, J. C. Raman scattering from cupric oxide. *Solid State Communications*, **70** (1989), 11. [doi:10.1016/0038-1098\(89\)90457-2](https://doi.org/10.1016/0038-1098(89)90457-2).
- CLARKE, E. AND CZANDERNA, A. W. Optical transmittance and microgravimetric studies of the oxidation of ⟨100⟩ single crystal films of copper. *Surface Science*, **49** (1975), 529. [doi:10.1016/0039-6028\(75\)90368-4](https://doi.org/10.1016/0039-6028(75)90368-4).
- CLAVAGUERA-MORA, M. T., TOURON, J. L., RODRÍGUEZ-VIEJO, J., AND CLAVAGUERA, N. Thermodynamic description of the Cu–O system. *Journal of Alloys and Compounds*, **377** (2004), 8. [doi:10.1016/j.jallcom.2004.01.031](https://doi.org/10.1016/j.jallcom.2004.01.031).
- COLACINO, E., VILLEBRUN, L., MARTINEZ, J., AND LAMATY, F. PEG<sub>3400</sub>–Cu<sub>2</sub>O–Cs<sub>2</sub>CO<sub>3</sub>: an efficient and recyclable microwave-enhanced catalytic system for ligand-free ullmann arylation of indole and benzimidazole. *Tetrahedron*, **66** (2010), 3730. [doi:10.1016/j.tet.2010.03.065](https://doi.org/10.1016/j.tet.2010.03.065).
- COMPAAAN, A. AND CUMMINS, H. Z. Raman scattering, luminescence, and exciton-phonon coupling in Cu<sub>2</sub>O. *Physical Review B*, **6** (1972), 4753. [doi:10.1103/PhysRevB.6.4753](https://doi.org/10.1103/PhysRevB.6.4753).

- COMPAAAN, A. AND CUMMINS, H. Z. Resonant quadrupole-dipole raman scattering at the 1s yellow exciton in Cu<sub>2</sub>O. *Physical Review Letters*, **31** (1973), 41. [doi:10.1103/PhysRevLett.31.41](https://doi.org/10.1103/PhysRevLett.31.41).
- CONDORELLI, G. G., MALANDRINO, G., AND FRAGALÀ, I. Metal-organic chemical vapor deposition of copper-containing phases: Kinetics and reaction mechanisms. *Chemistry of Materials*, **6** (1994), 1861. [doi:10.1021/cm00046a048](https://doi.org/10.1021/cm00046a048).
- CONDORELLI, G. G., MALANDRINO, G., AND FRAGALÀ, I. L. Kinetic study of MOCVD fabrication of copper(I) and copper(II) oxide films. *Chemical Vapor Deposition*, **5** (1999), 21. [doi:10.1002/\(SICI\)1521-3862\(199901\)5:1<21::AID-CVDE21>3.0.CO;2-9](https://doi.org/10.1002/(SICI)1521-3862(199901)5:1<21::AID-CVDE21>3.0.CO;2-9).
- CONDORELLI, G. G., MALANDRINO, G., AND FRAGALÀ, I. L. Nucleation and growth of copper oxide films in MOCVD processes using the  $\beta$ -ketoiminate precursor 4,4'-(1,2-ethanediyl)dinitrilo)bis(2-pentanone) copper(II). *Chemical Vapor Deposition*, **5** (1999), 237. [doi:10.1002/\(SICI\)1521-3862\(199910\)5:5<237::AID-CVDE237>3.0.CO;2-U](https://doi.org/10.1002/(SICI)1521-3862(199910)5:5<237::AID-CVDE237>3.0.CO;2-U).
- CORET, A. AND NIKITINE, S. Étude et interprétation du spectre de photoconductivité de la cuprite. *Journal de Physique*, **24** (1963), 581. [doi:10.1051/jphys:01963002408058100](https://doi.org/10.1051/jphys:01963002408058100).
- CZANDERNA, A. W. Magnetic susceptibility of cuprous oxide single crystals at 25 °C. *The Journal of Chemical Physics*, **45** (1966), 3159. [doi:10.1063/1.1728080](https://doi.org/10.1063/1.1728080).
- DAHL, J. P. The band structure of cuprous oxide. *Journal de Physique Colloques*, **28** (1967), C3. [doi:10.1051/jphyscol:1967305](https://doi.org/10.1051/jphyscol:1967305).
- DAHL, J. P. AND SWITENDICK, A. C. Energy bands in cuprous oxide. *Journal of Physics and Chemistry of Solids*, **27** (1966), 931. [doi:10.1016/0022-3697\(66\)90064-3](https://doi.org/10.1016/0022-3697(66)90064-3).
- DALTIN, A.-L., ADDAD, A., AND CHOPART, J.-P. Potentiostatic deposition and characterization of cuprous oxide films and nanowires. *Journal of Crystal Growth*, **282** (2005), 414. [doi:10.1016/j.jcrysGro.2005.05.053](https://doi.org/10.1016/j.jcrysGro.2005.05.053).
- DALTIN, A.-L., BOHR, F., AND CHOPART, J.-P. Kinetics of Cu<sub>2</sub>O electrocrystallization under magnetic fields. *Electrochimica Acta*, **54** (2009), 5813. [doi:10.1016/j.electacta.2009.05.036](https://doi.org/10.1016/j.electacta.2009.05.036).
- DASBACH, G. *Spectroscopy of Polaritonic Excitations in Semiconductors*. Ph.D. thesis, Dortmund University, Shaker, Aachen (2003). Available from: <http://hdl.handle.net/2003/2334>.
- DASBACH, G., FRÖHLICH, D., KLIBER, R., SUTER, D., BAYER, M., AND STOLZ, H. Wave-vector-dependent exchange interaction and its relevance for the effective exciton mass in Cu<sub>2</sub>O. *Physical Review B*, **70** (2004), 045206. [doi:10.1103/PhysRevB.70.045206](https://doi.org/10.1103/PhysRevB.70.045206).
- DASBACH, G., FRÖHLICH, D., STOLZ, H., KLIBER, R., SUTER, D., AND BAYER, M. *K*-dependent exchange interaction of quadrupole excitons in Cu<sub>2</sub>O. *Physica Status Solidi (b)*, **238** (2003), 541. [doi:10.1002/pssb.200303186](https://doi.org/10.1002/pssb.200303186).
- DASBACH, G., FRÖHLICH, D., STOLZ, H., KLIBER, R., SUTER, D., AND BAYER, M. Wave-vector-dependent exciton exchange interaction. *Physical Review Letters*, **91** (2003), 107401. [doi:10.1103/PhysRevLett.91.107401](https://doi.org/10.1103/PhysRevLett.91.107401).
- DASBACH, G., FRÖHLICH, D., STOLZ, H., KLIBER, R., SUTER, D., AND BAYER, M. Anisotropic effective exciton mass in Cu<sub>2</sub>O. *Physica Status Solidi (c)*, **2** (2005), 886. [doi:10.1002/pssc.200460331](https://doi.org/10.1002/pssc.200460331).
- DASH, L., BRUNEV, F., TRINITÉ, V., VAST, N., AND REINING, L. Electronic excitations: Ab initio calculations of electronic spectra and application to zirconia ZrO<sub>2</sub>, titania TiO<sub>2</sub> and cuprous oxide Cu<sub>2</sub>O. *Computational Materials Science*, **38** (2007), 482. [doi:10.1016/j.commatsci.2005.09.010](https://doi.org/10.1016/j.commatsci.2005.09.010).
- DAUNOIS, A. AND DEISS, J. L. Spectroscopie de modulation les effets d'excitons dans les spectres électro-optiques. *J. Phys. Colloques*, **35** (1974), C3. [doi:10.1051/jphyscol:1974310](https://doi.org/10.1051/jphyscol:1974310).
- DAUNOIS, A., DEISS, J. L., AND MEYER, B. Étude spectrophotométrique de l'absorption bleue et violette de Cu<sub>2</sub>O. *Journal de Physique*, **27** (1966), 142. [doi:10.1051/jphys:01966002703-4014200](https://doi.org/10.1051/jphys:01966002703-4014200).
- DAWSON, P., HARGREAVE, M. M., AND WILKINSON, G. R. The dielectric and lattice vibrational spectrum of cuprous oxide. *Journal of*

- Physics and Chemistry of Solids*, **34** (1973), 2201.  
*doi:10.1016/S0022-3697(73)80067-8.*
- DE JONGH, P. E., VANMAEKELBERGH, D., AND KELLY, J. J. Cu<sub>2</sub>O: a catalyst for the photochemical decomposition of water? *Chemical Communications*, (1999), 1069. *doi:10.1039/a901232j.*
- DEISS, J. AND DAUNOIS, A. Modulated exciton spectroscopy. *Surface Science*, **37** (1973), 804. *doi:10.1016/0039-6028(73)90369-5.*
- DEISS, J. L., DAUNOIS, A., AND NIKITINE, S. Electroabsorption in the yellow exciton series of Cu<sub>2</sub>O. *Solid State Communications*, **7** (1969), 1417. *doi:10.1016/0038-1098(69)90314-7.*
- DEISS, J. L., DAUNOIS, A., AND NIKITINE, S. Influence of an electric field on the quadrupole line of Cu<sub>2</sub>O. *Solid State Communications*, **8** (1970), 521. *doi:10.1016/0038-1098(70)90295-4.*
- DEISS, J. L., DAUNOIS, A., AND NIKITINE, S. Electroabsorption near the 1S line of the green series of Cu<sub>2</sub>O. *Solid State Communications*, **9** (1971), 217. *doi:10.1016/0038-1098(71)90121-9.*
- DEISS, J. L., DAUNOIS, A., AND NIKITINE, S. Electroabsorption near the  $n = 1$  lines of the yellow and green series of Cu<sub>2</sub>O. *Physica Status Solidi (b)*, **47** (1971), 185. *doi:10.1002/pssb.2220470122.*
- DEISS, J. L., GRUN, J. B., AND NIKITINE, S. Observation de deux raies faibles nouvelles dans le spectre de la cuprite à 4,2°K. essai d'interprétation. *Journal de Physique*, **24** (1963), 206. *doi:10.1051/jphys:01963002403020600.*
- DELATORRE, R. G., MUNFORD, M. L., ZANDONAY, R., ZOLDAN, V. C., PASA, A. A., SCHWARZACHER, W., MERUVIA, M. S., AND HÜMMELGEN, I. A. *p*-type metal-base transistor. *Applied Physics Letters*, **88** (2006), 233504. *doi:10.1063/1.2202825.*
- DELLACHERIE, J. AND BALESSENT, D. Conductivité électrique totale du protoxyde de cuivre en fonction de sa composition définie par des électrodes. *Journal of Physics and Chemistry of Solids*, **37** (1976), 539. *doi:10.1016/0022-3697(76)90081-0.*
- DELLACHERIE, J., BALESSENT, D., AND RILLING, J. Ionic conductivity of cuprous oxide as a function of its composition to 400°C. *Journal de Chimie Physique et de Physico-Chimie Biologique*, **67** (1970), 360.
- DENEV, S. AND SNOKE, D. W. Stress dependence of exciton relaxation processes in Cu<sub>2</sub>O. *Physical Review B*, **65** (2002), 085211. *doi:10.1103/PhysRevB.65.085211.*
- DI QUARTO, F., PIAZZA, S., AND SUNSERI, C. Photoelectrochemical study of the corrosion product layers on copper in weakly acidic solutions. *Electrochimica Acta*, **30** (1985), 315. *doi:10.1016/0013-4686(85)80190-0.*
- DIECKMANN, R. Point defects and diffusion in nonstoichiometric metal oxides. *MRS Bulletin*, **16** (1991), 27. Available from: [http://www.mrs.org/s\\_mrs/sec.asp?CID=9800&DID=199340](http://www.mrs.org/s_mrs/sec.asp?CID=9800&DID=199340).
- DIECKMANN, R. Point defects and transport of matter and charge in non-stoichiometric oxides. In “*Crystal Growth of Novel Electronic Materials*”, *Ceramic Transactions* (edited by R. K. Panday and R. Guo), vol. 60, pp. 301–330 (1995). 97th Annual Meeting and Exposition of the American Ceramic Society, Cincinnati, Ohio, May 1995.
- DIECKMANN, R. Point defects and transport of matter and charge in non-stoichiometric oxides (II). In “*Mass and Charge Transport in Ceramics*”, *Ceramic Transactions* (edited by K. Koumoto, L. M. Sheppard, and H. Matsubara), vol. 71, pp. 33–50 (1996). Proceedings of the Mass and Charge Transport in Ceramics Workshop, Nagoya, Japan (1996).
- DIECKMANN, R. Point defects and transport in non-stoichiometric oxides: Solved and unsolved problems. *Journal of Physics and Chemistry of Solids*, **59** (1998), 507. *doi:10.1016/S0022-3697(97)00205-9.*
- DIMITRIADIS, C. A., PAPADIMITRIOU, L., AND ECONOMOU, N. A. Resistivity dependence of the minority carrier diffusion length in single crystals of Cu<sub>2</sub>O. *Journal of Materials Science Letters*, **2** (1983), 691. *doi:10.1007/BF00720404.*
- DIXIT, K. R. Copper-cuprous oxide rectifier. *Current Science*, **14** (1945), 143. Available from: [http://www.ias.ac.in/j\\_archive/currsci/14/vol14contents.html](http://www.ias.ac.in/j_archive/currsci/14/vol14contents.html).

- DOBROVOL'SKII, V. N. AND GRITSENKO, Y. I. Use of the Hall current for investigation of carrier scattering in semiconductors. *Soviet Physics - Solid State*, **4** (1963), 2025. Original paper in Russian: Fizika Tverdogo Tela, **4** (1962), pp. 2760–2769.
- DODOO-ARHIN, D., LEONI, M., SCARDI, P., GARNIER, E., AND MITTIGA, A. Synthesis, characterisation and stability of Cu<sub>2</sub>O nanoparticles produced via reverse micelles microemulsion. *Materials Chemistry and Physics*, **In Press, Corrected Proof** (2010), . doi:[10.1016/j.matchemphys.2010.03.053](https://doi.org/10.1016/j.matchemphys.2010.03.053).
- DOMINGUEZ-RODRIGUEZ, A. AND CASTAING, J. Point defect and diffusion properties in oxides from high temperature creep. *Radiation Effects and Defects in Solids*, **75** (1983), 309. doi:[10.1080/00337578308224714](https://doi.org/10.1080/00337578308224714).
- DOUGLAS, B. E. AND HO, S.-M. “*Crystal Structures Involving P and T Layers*” in *Structure and Chemistry of Crystalline Solids*, chap. 6, pp. 117–146. Springer Verlag (2006). doi:[10.1007/0-387-36687-3](https://doi.org/10.1007/0-387-36687-3).
- DROBNY, V. F. AND PULFREY, D. L. The photovoltaic properties of thin copper oxide films. In *Proceeding of the 13th IEEE Photovoltaic Specialists Conference*, pp. 180–183 (1978).
- DROBNY, V. F. AND PULFREY, D. L. Properties of reactively-sputtered copper oxide thin films. *Thin Solid Films*, **61** (1979), 89. doi:[10.1016/0040-6090\(79\)90504-2](https://doi.org/10.1016/0040-6090(79)90504-2).
- DU, L. AND WANG, H. Infrared laser induced lateral photovoltaic effect observed in Cu<sub>2</sub>O nanoscale film. *Optics Express*, **18** (2010), 9113. Available from: <http://www.opticsexpress.org/abstract.cfm?URI=oe-18-9-9113>.
- DU, Y., ZHANG, N., AND WANG, C. Photocatalytic degradation of trifluralin by SnO<sub>2</sub>-doped Cu<sub>2</sub>O crystals. *Catalysis Communications*, **11** (2010), 670. doi:[10.1016/j.catcom.2010.01.021](https://doi.org/10.1016/j.catcom.2010.01.021).
- DUBOIS, L. Oxygen chemisorption and cuprous oxide formation on cu(111): A high resolution eels study. *Surface Science*, **119** (1982), 399. doi:[10.1016/0039-6028\(82\)90306-5](https://doi.org/10.1016/0039-6028(82)90306-5).
- DÜNWALD, H. AND WAGNER, C. Untersuchungen über fehlordnungserscheinungen in kupferoxydul und deren einfluss auf die elektrischen eigenschaften. *Zeitschrift für Physikalische Chemie B*, **22** (1933), 212.
- DUVVURY, C., KENWAY, D. J., AND WEICHMAN, F. L. Excitation characteristics of the IR luminescence in Cu<sub>2</sub>O. *Journal of Luminescence*, **10** (1975), 415. doi:[10.1016/0022-2313\(75\)90006-X](https://doi.org/10.1016/0022-2313(75)90006-X).
- EBISUZAKI, Y. Preparation of monocrystalline cuprous oxide. *Journal of Applied Physics*, **32** (1961), 2027. doi:[10.1063/1.1728282](https://doi.org/10.1063/1.1728282).
- ELLIOTT, R. Symmetry of excitons in Cu<sub>2</sub>O. *Physical Review*, **124** (1961), 340. doi:[10.1103/PhysRev.124.340](https://doi.org/10.1103/PhysRev.124.340).
- ELLIOTT, R. J. Intensity of optical absorption by excitons. *Physical Review*, **108** (1957), 1384. doi:[10.1103/PhysRev.108.1384](https://doi.org/10.1103/PhysRev.108.1384).
- ELLIOTT, R. J. Theory of the exciton spectra in Cu<sub>2</sub>O. In *Proceedings of the International Conference on Semiconductor Physics (5th edition, Prague, 1960)*, pp. 408–410. Publishing House of the Czechoslovak Academy of Sciences (1961).
- ESKHULT, J., HERRANEN, M., AND NYHOLM, L. On the origin of the spontaneous potential oscillations observed during galvanostatic deposition of layers of Cu and Cu<sub>2</sub>O in alkalinocitrate solutions. *Journal of Electroanalytical Chemistry*, **594** (2006), 35. doi:[10.1016/j.jelechem.2006.05.019](https://doi.org/10.1016/j.jelechem.2006.05.019).
- ESPINOS, J. P., MORALES, J., BARRANCO, A., CABALLERO, A., HOLGADO, J. P., AND GONZALEZ-ELIPE, A. R. Interface effects for Cu, CuO, and Cu<sub>2</sub>O deposited on SiO<sub>2</sub> and ZrO<sub>2</sub>. XPS determination of the valence state of copper in Cu/SiO<sub>2</sub> and Cu/ZrO<sub>2</sub> catalysts. *The Journal of Physical Chemistry B*, **106** (2002), 6921. doi:[10.1021/jp014618m](https://doi.org/10.1021/jp014618m).
- ETTEMA, A. R. AND VERSLUIS, J. Dipole-allowed generation of the yellow-series excitons in Cu<sub>2</sub>O due to an applied electric field. *Physical Review B*, **68** (2003), 235101. doi:[10.1103/PhysRevB.68.235101](https://doi.org/10.1103/PhysRevB.68.235101).
- EVANS, U. R. AND MILEY, H. A. Measurements of oxide films on copper and iron. *Nature*, **139** (1937), 283. doi:[10.1038/139283a0](https://doi.org/10.1038/139283a0).

- FAN, H., ZOU, B., LIU, Y., AND XIE, S. Size effect on the electron phonon coupling in CuO nanocrystals. *Nanotechnology*, **17** (2006), 1099. [doi:10.1088/0957-4484/17/4/042](https://doi.org/10.1088/0957-4484/17/4/042).
- FAN, H. Y. Theory of rectification of an insulating layer. *Physical Review*, **74** (1948), 1505. [doi:10.1103/PhysRev.74.1505](https://doi.org/10.1103/PhysRev.74.1505).
- FELDMAN, W. The electrical conductivity and isothermal Hall effect in cuprous oxide. *Physical Review*, **64** (1943), 113. [doi:10.1103/PhysRev.64.113](https://doi.org/10.1103/PhysRev.64.113).
- FENG, H.-P., LIN, J.-Y., WANG, Y.-Y., AND WAN, C.-C. Effect of impurity and illumination on copper oxidation after chemical mechanical polishing. *Journal of the Electrochemical Society*, **155** (2008), H620. [doi:10.1149/1.2946713](https://doi.org/10.1149/1.2946713).
- FENG, Z., MARKS, C. R., AND BARKATT, A. Oxidation-rate excursions during the oxidation of copper in gaseous environments at moderate temperatures. *Oxidation of Metals*, **60** (2003), 393. [doi:10.1023/A:1027331605417](https://doi.org/10.1023/A:1027331605417).
- FERNANDO, C. A. N., BANDARA, T. M. W. J., AND WETHASINGHA, S. K. H<sub>2</sub> evolution from a photoelectrochemical cell with n-Cu<sub>2</sub>O photo-electrode under visible light irradiation. *Solar Energy Materials and Solar Cells*, **70** (2001), 121. [doi:10.1016/S0927-0248\(00\)00416-5](https://doi.org/10.1016/S0927-0248(00)00416-5).
- FERNANDO, C. A. N., DE SILVA, L. A. A., MEHRA, R. M., AND TAKAHASHI, K. Junction effects of p-Cu<sub>2</sub>O photocathode with layers of hole transfer sites (Au) and electron transfer sites (NiO) at the electrolyte interface. *Semiconductor Science and Technology*, **16** (2001), 433. [doi:10.1088/0268-1242/16/6/303](https://doi.org/10.1088/0268-1242/16/6/303).
- FERNANDO, C. A. N., DE SILVA, P. H. C., WETHASINHA, S. K., DHARMADASA, I. M., DELSOL, T., AND SIMMONDS, M. C. Investigation of n-type Cu<sub>2</sub>O layers prepared by a low cost chemical method for use in photo-voltaic thin film solar cells. *Renewable Energy*, **26** (2002), 521. [doi:10.1016/S0960-1481\(01\)00157-4](https://doi.org/10.1016/S0960-1481(01)00157-4).
- FERNANDO, C. A. N. AND WETTHASINGHE, S. K. Investigation of photoelectrochemical characteristics of n-type Cu<sub>2</sub>O films. *Solar Energy Materials and Solar Cells*, **63** (2000), 299. [doi:10.1016/S0927-0248\(00\)00036-2](https://doi.org/10.1016/S0927-0248(00)00036-2).
- FETISOV, A. AND KUZNETSOV, M. X-ray photo-electron spectroscopy analysis of electronic states in the oxide layer on an ultradisperse copper surface. *Journal of Applied Spectroscopy*, **76** (2009), 523. [doi:10.1007/s10812-009-9229-4](https://doi.org/10.1007/s10812-009-9229-4).
- FICKELSCHER, H. AND ZUKALE, W. Ultrarotabsorption des kupferoxyduls (Cu<sub>2</sub>O). *Naturwissenschaften*, **48** (1961), 24. [doi:10.1007/BF00600940](https://doi.org/10.1007/BF00600940).
- FIGUEIREDO, V., ELANGOVAN, E., GONÇALVES, G., BARQUINHA, P., PEREIRA, L., FRANCO, N., ALVES, E., MARTINS, R., AND FORTUNATO, E. Effect of post-annealing on the properties of copper oxide thin films obtained from the oxidation of evaporated metallic copper. *Applied Surface Science*, **254** (2008), 3949. [doi:10.1016/j.apsusc.2007.12.019](https://doi.org/10.1016/j.apsusc.2007.12.019).
- FIGUEIREDO, V., ELANGOVAN, E., GONÇALVES, G., FRANCO, N., ALVES, E., PARK, S. H. K., MARTINS, R., AND FORTUNATO, E. Electrical, structural and optical characterization of copper oxide thin films as a function of post annealing temperature. *Physica Status Solidi (a)*, **206** (2009), 2143. [doi:10.1002/pssa.200881797](https://doi.org/10.1002/pssa.200881797).
- FISHMAN, D. *Excitons in cuprous oxide*. Ph.D. thesis, Zernike Institute for Advanced Materials, University of Groningen (2008). Available from: <http://irs.ub.rug.nl/ppn/310415527>.
- FISHMAN, D., FAUGERAS, C., POTEMSKI, M., REVCOLEVSCHI, A., AND VAN LOOSDRECHT, P. H. M. Magneto-optical readout of dark exciton distribution in cuprous oxide. *Physical Review B*, **80** (2009), 045208. [doi:10.1103/PhysRevB.80.045208](https://doi.org/10.1103/PhysRevB.80.045208).
- FISHMAN, D. A., REVCOLEVSCHI, A., AND VAN LOOSDRECHT, P. H. M. Exciton dynamics in cuprous oxide. *Physica Status Solidi (c)*, **3** (2006), 2469. [doi:10.1002/pssc.200668062](https://doi.org/10.1002/pssc.200668062).
- FORMAN, R. A., BROWER JR., W. S., AND PARKER, H. S. Phonons and the green exciton series in cuprous oxide, Cu<sub>2</sub>O. *Physics Letters A*, **36** (1971), 395. [doi:10.1016/0375-9601\(71\)90276-3](https://doi.org/10.1016/0375-9601(71)90276-3).
- FORTIN, E., FAFARD, S., AND MYSYROWICZ, A. Exciton transport in Cu<sub>2</sub>O: Evidence for excitonic superfluidity? *Physical Review Letters*,

- FORTIN, E. AND MASSON, D. Photovoltaic effects in Cu<sub>2</sub>O–Cu solar cells grown by anodic oxidation. *Solid-State Electronics*, **25** (1982), 281. [doi:10.1016/0038-1101\(82\)90136-8](https://doi.org/10.1016/0038-1101(82)90136-8).
- FORTIN, E. AND MYSYROWICZ, A. Bose–Einstein condensation and superfluidity of excitons in Cu<sub>2</sub>O. *Journal of Luminescence*, **87–89** (2000), 12. [doi:10.1016/S0022-2313\(99\)00206-9](https://doi.org/10.1016/S0022-2313(99)00206-9).
- FORTIN, E., ROCHON, P., AND ZIELINGER, J. P. Photoconductivity and photovoltaic excitation spectra and their wavelength derivative in Cu<sub>2</sub>O. *Journal of Physics and Chemistry of Solids*, **36** (1975), 1299. [doi:10.1016/0022-3697\(75\)90206-1](https://doi.org/10.1016/0022-3697(75)90206-1).
- FORTIN, E. AND SEARS, W. M. Thin-film Cu<sub>2</sub>O/Cu photovoltaic cells. *Canadian Journal of Physics*, **60** (1982), 901. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=60&year=1982&issue=6&msno=p82-124>.
- FORTIN, E. AND TSÉLÉPIS, E. Exciton diffusion in thin Cu<sub>2</sub>O films. *Thin Solid Films*, **164** (1988), 289. [doi:10.1016/0040-6090\(88\)90151-4](https://doi.org/10.1016/0040-6090(88)90151-4).
- FORTIN, E. AND WEICHMAN, F. L. Photoconductivity in cuprous oxide single crystals. *Canadian Journal of Physics*, **40** (1962), 1703. Available from: <http://pubs.nrc-cnrc.gc.ca/rp-ps/issueDetail.jsp?jcode=cjp&lang=eng&vol=40&is=12>.
- FORTIN, E. AND WEICHMAN, F. L. Hall effect and electrical conductivity of Cu<sub>2</sub>O monocrystals. *Canadian Journal of Physics*, **44** (1966), 1551. Available from: <http://pubs.nrc-cnrc.gc.ca/rp-ps/issueDetail.jsp?jcode=cjp&lang=eng&vol=44&is=7>.
- FORTIN, E., ZOUAGHI, M., AND ZIELINGER, J. P. High temperature photoconductivity in Cu<sub>2</sub>O. *Physics Letters A*, **24** (1967), 180. [doi:10.1016/0375-9601\(67\)90754-2](https://doi.org/10.1016/0375-9601(67)90754-2).
- FORTUNATO, E., PEREIRA, L., BARQUINHA, P., FERREIRA, I., PRABAKARAN, R., GONÇALVES, G., GONÇALVES, A., AND MARTINS, R. Oxide semiconductors: Order within the disorder. *Philosophical Magazine*, **89** (2009), 2741. [doi:10.1080/14786430903022671](https://doi.org/10.1080/14786430903022671).
- FRANKE, P. AND NEUSCHÜTZ, D. Cu–O. In *Landolt-Börnstein* (edited by P. Franke and D. Neuschütz), vol. IV/19b3 of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (2005). [doi:10.1007/10757413\\_12](https://doi.org/10.1007/10757413_12).
- FRERICHS, R. AND HANDY, R. Electroluminescence in cuprous oxide. *Physical Review*, **113** (1959), 1191. [doi:10.1103/PhysRev.113.1191](https://doi.org/10.1103/PhysRev.113.1191).
- FRERICHS, R. AND LIBERMAN, I. Surface mobility of copper ions on cuprous oxide. *Physical Review*, **121** (1961), 991. [doi:10.1103/PhysRev.121.991](https://doi.org/10.1103/PhysRev.121.991).
- FRÖHLICH, D., DASBACH, G., BALDASSARRI HÖGER VON HÖGERSTHAL, G., BAYER, M., KLIEBER, R., SUTER, D., AND STOLZ, H. High resolution spectroscopy of yellow 1s excitons in Cu<sub>2</sub>O. *Solid State Communications*, **134** (2005), 139. [doi:10.1016/j.ssc.2004.06.044](https://doi.org/10.1016/j.ssc.2004.06.044).
- FRÖHLICH, D., KENKLIES, R., UIHLEIN, C., AND SCHWAB, C. Assignment of the even-parity excitons in Cu<sub>2</sub>O. *Physical Review Letters*, **43** (1979), 1260. [doi:10.1103/PhysRevLett.43.1260](https://doi.org/10.1103/PhysRevLett.43.1260).
- FRÖHLICH, D., KULIK, A., UEBBING, B., MYSYROWICZ, A., LANGER, V., STOLZ, H., AND VON DER OSTEN, W. Coherent propagation and quantum beats of quadrupole polaritons in Cu<sub>2</sub>O. *Physical Review Letters*, **67** (1991), 2343. [doi:10.1103/PhysRevLett.67.2343](https://doi.org/10.1103/PhysRevLett.67.2343).
- FROMHOLD JR., A. Kinetics of oxide film growth on metal crystals-II: Homogeneous field approximations. *Journal of Physics and Chemistry of Solids*, **24** (1963), 1309. [doi:10.1016/0022-3697\(63\)90176-8](https://doi.org/10.1016/0022-3697(63)90176-8).
- FROMHOLD JR., A. T. Fundamental theory of the growth of thick oxide films on metals. *Journal of the Physical Society of Japan*, **48** (1980), 2022. [doi:10.1143/JPSJ.48.2022](https://doi.org/10.1143/JPSJ.48.2022).
- FROMHOLD JR., A. T. AND ANDERSON JR., M. H. Oxidation kinetics of epitaxial (100) copper films at 25 °C and 50 °C. *Oxidation of Metals*, **62** (2004), 237. [doi:10.1007/s11085-004-7810-z](https://doi.org/10.1007/s11085-004-7810-z).

- FROMHOLD JR., A. T. AND COOK, E. L. Kinetics of oxide film growth on metal crystals: Electron tunneling and ionic diffusion. *Physical Review*, **158** (1967), 600. [doi:10.1103/PhysRev.158.600](https://doi.org/10.1103/PhysRev.158.600).
- FROMHOLD JR., A. T. AND COOK, E. L. Kinetics of oxide film growth on metal crystals: Thermal electron emission and ionic diffusion. *Physical Review*, **163** (1967), 650. [doi:10.1103/PhysRev.163.650](https://doi.org/10.1103/PhysRev.163.650).
- FUJINAKA, M. AND BEREZIN, A. A. Cuprous oxide–indium–tin oxide thin film photovoltaic cells. *Journal of Applied Physics*, **54** (1983), 3582. [doi:10.1063/1.332427](https://doi.org/10.1063/1.332427).
- FUJIWARA, T., NAKAUE, T., AND YOSHIMURA, M. Direct fabrication and patterning of Cu<sub>2</sub>O film by local electrodeposition method. *Solid State Ionics*, **175** (2004), 541. [doi:10.1016/j.ssi.2004.01.081](https://doi.org/10.1016/j.ssi.2004.01.081).
- GAN, Z. H., YU, G. Q., TAY, B. K., TAN, C. M., ZHAO, Z. W., AND FU, Y. Q. Preparation and characterization of copper oxide thin films deposited by filtered cathodic vacuum arc. *Journal of Physics D Applied Physics*, **37** (2004), 81. [doi:10.1088/0022-3727/37/1/013](https://doi.org/10.1088/0022-3727/37/1/013).
- GAPLEVSKAYA, S. P., EZHIK, I. I., AND RVACHEV, A. L. *Soviet Physics – Semiconductors*, **8** (1975), 1041. Original paper in Russian: Fizika i Tekhnika Poluprovodnikov, Vol. 8 (1974), p. 1605.
- GARLICK, G. F. J. AND DUMBLETON, M. J. Phosphors emitting infra-red radiation. *Proceedings of the Physical Society. Section B*, **67** (1954), 442. [doi:10.1088/0370-1301/67/5/110](https://doi.org/10.1088/0370-1301/67/5/110).
- GARRISON, A. The photo-chemical properties of cuprous oxide. *The Journal of Physical Chemistry*, **28** (1924), 279. [doi:10.1021/j150237a009](https://doi.org/10.1021/j150237a009).
- GARRISON, A. D. The behavior of cuprous oxide photovoltaic cells. *The Journal of Physical Chemistry*, **27** (1923), 601. [doi:10.1021/j150232a001](https://doi.org/10.1021/j150232a001).
- GARUTHARA, R. AND SIRIPALA, W. Photoluminescence characterization of polycrystalline n-type Cu<sub>2</sub>O films. *Journal of Luminescence*, **121** (2006), 173. [doi:10.1016/j.jlumin.2005.11.010](https://doi.org/10.1016/j.jlumin.2005.11.010).
- GASTEV, S. V., KAPLYANSKII, A. A., AND SOKOLOV, N. S. Relaxed excitons in Cu<sub>2</sub>O. *Solid State Communications*, **42** (1982), 389. [doi:10.1016/0038-1098\(82\)90160-0](https://doi.org/10.1016/0038-1098(82)90160-0).
- GEORGIEVA, V. AND RISTOV, M. Electrodeposited cuprous oxide on indium tin oxide for solar applications. *Solar Energy Materials and Solar Cells*, **73** (2002), 67. [doi:10.1016/S0927-0248\(01\)00112-X](https://doi.org/10.1016/S0927-0248(01)00112-X).
- GHIJSEN, J., TJENG, L. H., ESKES, H., SAWATZKY, G. A., AND JOHNSON, R. L. Resonant photoemission study of the electronic structure of CuO and Cu<sub>2</sub>O. *Physical Review B*, **42** (1990), 2268. [doi:10.1103/PhysRevB.42.2268](https://doi.org/10.1103/PhysRevB.42.2268).
- GHIJSEN, J., TJENG, L. H., VAN ELP, J., ESKES, H., WESTERINK, J., SAWATZKY, G. A., AND CZYZYK, M. T. Electronic structure of Cu<sub>2</sub>O and CuO. *Physical Review B*, **38** (1988), 11322. [doi:10.1103/PhysRevB.38.11322](https://doi.org/10.1103/PhysRevB.38.11322).
- GHOSH, S., AVASTHI, D. K., SHAH, P., GANESAN, V., GUPTA, A., SARANGI, D., BHATTACHARYA, R., AND ASSMANN, W. Deposition of thin films of different oxides of copper by RF reactive sputtering and their characterization. *Vacuum*, **57** (2000), 377. [doi:10.1016/S0042-207X\(00\)00151-2](https://doi.org/10.1016/S0042-207X(00)00151-2).
- GIL, Y., UMURHAN, O., AND RIESS, I. Properties of solid state devices with mobile ionic defects. Part I: The effects of motion, space charge and contact potential in metalsemiconductor-metal devices. *Solid State Ionics*, **178** (2007), 1. [doi:10.1016/j.ssi.2006.10.024](https://doi.org/10.1016/j.ssi.2006.10.024).
- GIZHEVSKII, B. A., SUKHORUKOV, Y. P., LOSHKAREVA, N. N., MOSKVIN, A. S., ZENKOV, E. V., AND KOZLOV, E. A. Optical absorption spectra of nanocrystalline cupric oxide: possible effects of nanoscopic phase separation. *Journal of Physics: Condensed Matter*, **17** (2005), 499. [doi:10.1088/0953-8984/17/3/009](https://doi.org/10.1088/0953-8984/17/3/009).
- GOLDEN, T. D., SHUMSKY, M. G., ZHOU, Y., VANDERWERF, R. A., VAN LEEUWEN, R. A., AND SWITZER, J. A. Electrochemical deposition of copper(I) oxide films. *Chemistry of Materials*, **8** (1996), 2499. [doi:10.1021/cm9602095](https://doi.org/10.1021/cm9602095).

- GOLTZENÉ, A. AND SCHWAB, C. EPR investigation of the photomemory effect of Cu<sub>2</sub>O. *Physica Status Solidi (a)*, **46** (1978), K157. doi: [10.1002/pssa.2210460259](https://doi.org/10.1002/pssa.2210460259).
- GOLTZENÉ, A. AND SCHWAB, C. Impurity scattering effect on the cyclotron resonance of carriers in Cu<sub>2</sub>O. *Physica Status Solidi (b)*, **92** (1979), 483. doi: [10.1002/pssb.2220920201](https://doi.org/10.1002/pssb.2220920201).
- GOLTZENÉ, A., SCHWAB, C., AND WOLF, H. C. Carrier resonance in Cu<sub>2</sub>O. *Solid State Communications*, **18** (1976), 1565. doi: [10.1016/0038-1098\(76\)90394-X](https://doi.org/10.1016/0038-1098(76)90394-X).
- GONÇALVES, A. M. B., CAMPOS, L. C., FERLAUTO, A. S., AND LACERDA, R. G. On the growth and electrical characterization of CuO nanowires by thermal oxidation. *Journal of Applied Physics*, **106** (2009), 034303. doi: [10.1063/1.3187833](https://doi.org/10.1063/1.3187833).
- GORBAN, I. S., GUBANOV, V. O., DMITRUK, I. M., AND KULAKOVSKII, V. D. Luminescence of ultracold excitons in cuprous oxide crystal. *Journal of Luminescence*, **87–89** (2000), 222. doi: [10.1016/S0022-2313\(99\)00268-9](https://doi.org/10.1016/S0022-2313(99)00268-9).
- GOTO, T., SHEN, M. Y., KOYAMA, S., AND YOKOUCHI, T. Bose-Einstein statistics of orthoexcitons generated by two-photon resonant absorption in cuprous oxide. *Physical Review B*, **55** (1997), 7609. doi: [10.1103/PhysRevB.55.7609](https://doi.org/10.1103/PhysRevB.55.7609).
- GREENWOOD, N. N. AND ANDERSON, J. S. Conductivity and thermo-electric effect in cuprous oxide. *Nature*, **164** (1949), 346. doi: [10.1038/164346a0](https://doi.org/10.1038/164346a0).
- GRONDAHL, L. O. Theories of a new solid junction rectifier. *Science*, **64** (1926), 306. doi: [10.1126/science.64.1656.306](https://doi.org/10.1126/science.64.1656.306).
- GRONDAHL, L. O. Unidirectional current carrying device (1927).
- GRONDAHL, L. O. Note on the discovery of the photoelectric effect in a copper-oxide rectifier. *Physical Review*, **40** (1932), 635. doi: [10.1103/PhysRev.40.635](https://doi.org/10.1103/PhysRev.40.635).
- GRONDAHL, L. O. The copper-cuprous-oxide rectifier and photoelectric cell. *Reviews of Modern Physics*, **5** (1933), 141. doi: [10.1103/RevModPhys.5.141](https://doi.org/10.1103/RevModPhys.5.141).
- GRONDAHL, L. O. AND GEIGER, P. H. A new electronic rectifier. *Journal of the American Institute of Electrical Engineers*, **46** (1927), 215.
- GROSS, E. Optical spectrum of excitons in the crystal lattice. *Il Nuovo Cimento (1955-1965)*, **3** (1956), 672. doi: [10.1007/BF02746069](https://doi.org/10.1007/BF02746069).
- GROSS, E. F. Optical spectrum and magneto-optical properties of excitons. *Journal of Physics and Chemistry of Solids*, **8** (1959), 172. doi: [10.1016/0022-3697\(59\)90308-7](https://doi.org/10.1016/0022-3697(59)90308-7).
- GROSS, E. F. Excitons and their motion in crystal lattices. *Soviet Physics Uspekhi*, **5** (1962), 195. Original paper in Russian: Uspekhi Fizicheskikh Nauk, 76 (1962), 433–466. doi: [10.1070/PU1962v005n02ABEH003407](https://doi.org/10.1070/PU1962v005n02ABEH003407).
- GROSS, E. F. AND AGEKYAN, V. T. Polarizability of exciton and effect of the reversal of the magnetic field in the spectrum of the yellow exciton series of a crystal. *JETP Letters*, **8** (1968), 373. Original paper in Russian: Zhurnal eksperimental'noi i teoreticheskoi fiziki Pis'Ma V Redaktsiyu (ZhETF Pis. Red.), 8 (1968), 605–609. Available from: [http://www.jetpletters.ac.ru/ps/1739/article\\_26425.shtml](http://www.jetpletters.ac.ru/ps/1739/article_26425.shtml).
- GROSS, E. F. AND KARRYEV, N. A. *Doklady Akademii Nauk SSSR*, **84** (1952), 261.
- GROSS, E. F. AND KARRYEV, N. A. *Doklady Akademii Nauk SSSR*, **84** (1952), 471.
- GROSS, E. F. AND KREIHGOL'D, F. I. Exciton luminescence in Cu<sub>2</sub>O crystals. *JETP Letters*, **7** (1968), 218. Original paper in Russian: Zhurnal eksperimental'noi i teoreticheskoi fiziki Pis'Ma (ZhETF Pis'ma), 7 (1968), 281–283. Available from: [http://www.jetpletters.ac.ru/ps/1684/article\\_25642.shtml](http://www.jetpletters.ac.ru/ps/1684/article_25642.shtml).
- GROSS, E. F. AND KREINGOL'D, F. I. Lifetimes of free and bound excitons in Cu<sub>2</sub>O crystals. *JETP Letters*, **10** (1969), 139. Original paper in Russian: Zhurnal eksperimental'noi i teoreticheskoi fiziki Pis'Ma V Redaktsiyu (ZhETF Pis. Red.), 10 (1969), 219–223. Available from: [http://www.jetpletters.ac.ru/ps/1690/article\\_25723.shtml](http://www.jetpletters.ac.ru/ps/1690/article_25723.shtml).
- GROSS, E. F. AND KREINGOL'D, F. I. Biexciton in Cu<sub>2</sub>O crystal. *JETP Letters*, **12** (1970), 68.

Original paper in Russian: Zhurnal eksperimental'noi i teoreticheskoi fiziki Pis'Ma V Redaktsiyu (ZhETF Pis. Red.), 12 (1970), 98–100. Available from: [http://www.jetletters.ac.ru/ps/1727/article\\_26242.shtml](http://www.jetletters.ac.ru/ps/1727/article_26242.shtml).

GROSS, E. F., KREINGOL'D, F. I., AND MAKAROV, V. L. Resonant interaction between ortho- and para-excitons with participation of phonons in a Cu<sub>2</sub>O crystal. *JETP Letters*, **15** (1972), 269. Original paper in Russian: Zhurnal eksperimental'noi i teoreticheskoi fiziki Pis'Ma V Redaktsiyu (ZhETF Pis. Red.), 15 (1972), 383–386. Available from: [http://www.jetletters.ac.ru/ps/1750/article\\_26597.shtml](http://www.jetletters.ac.ru/ps/1750/article_26597.shtml).

GROSS, E. F. AND NOVIKOV, B. V. The fine structure of the spectral curves of photoconductivity and luminescence excitation and its correlation to the exciton absorption spectrum. *Journal of Physics and Chemistry of Solids*, **22** (1961), 87. doi:10.1016/0022-3697(61)90247-5.

GROSS, E. F., PERMOGOROV, S., TRAVNIKOV, V., AND SELKIN, A. Hot excitons and exciton excitation spectra. *Journal of Physics and Chemistry of Solids*, **31** (1970), 2595. doi:10.1016/0022-3697(70)90254-4.

GRUN, J. B. AND NIKITINE, S. Étude de la forme des raies des séries jaune et verte de la cuprite. *Journal de Physique*, **24** (1963), 355. doi:10.1051/jphys:01963002406035500.

GRUN, J. B., SIESKIND, M., AND NIKITINE, S. Détermination de l'intensité d'oscillateur des raies de la série verte de Cu<sub>2</sub>O aux basses températures. *Journal de Physique et Le Radium*, **22** (1961), 176. doi:10.1051/jphysrad:01961002203017600.

GRUN, J. B., SIESKIND, M., AND NIKITINE, S. Étude de l'absorption et de la réflexion de la cuprite aux très basses températures dans le visible de courtes longueurs d'onde. *Journal of Physics and Chemistry of Solids*, **21** (1961), 119. doi:10.1016/0022-3697(61)90221-9.

GRUN, J. B., SIESKIND, M., AND NIKITINE, S. Étude spectrophotométrique des spectres continus de Cu<sub>2</sub>O à diverses températures. *Journal of Physics and Chemistry of Solids*, **19** (1961), 189. doi:10.1016/0022-3697(61)90028-2.

GRZESIK, Z., MIGDALSKA, M., AND MROWEC, S. Chemical diffusion in non-stoichiometric cuprous oxide. *Journal of Physics and Chemistry of Solids*, **69** (2008), 928. doi:10.1016/j.jpcs.2007.10.014.

GU, Y.-E., SU, X., DU, Y., AND WANG, C. Preparation of flower-like Cu<sub>2</sub>O nanoparticles by pulse electrodeposition and their electrocatalytic application. *Applied Surface Science*, **In Press, Corrected Proof** (2010), . doi:10.1016/j.apsusc.2010.03.065.

HAIMOUR, N., EL-BISHTAWI, R., AND AIL-WAHBI, A. Equilibrium adsorption of hydrogen sulfide onto CuO and ZnO. *Desalination*, **181** (2005), 145. doi:j.desal.2005.02.017.

HALLSTEDT, B., RISOLD, D., AND GAUCKLER, L. Thermodynamic assessment of the copper-oxygen system. *Journal of Phase Equilibria*, **15** (1994), 483. doi:10.1007/BF02649399.

HAMMURA, K. AND SAKAI, K. Manifestation of classical non-integrability in magneto-oscillatory spectra in cuprous oxide. *Journal of the Physical Society of Japan*, **74** (2005), 1067. doi:10.1143/JPSJ.74.1067.

HAMMURA, K., SAKAI, K., KOBAYASHI, M., AND MISU, A. Assignment of quasi-Landau levels in magneto-oscillatory spectra in cuprous oxide to classical unstable trajectories of hydrogen type atoms. *Physica B*, **246–247** (1998), 416. doi:10.1016/S0921-4526(97)00950-2.

HAN, K. AND TAO, M. Electrochemically deposited p-n homojunction cuprous oxide solar cells. *Solar Energy Materials and Solar Cells*, **93** (2009), 153. doi:10.1016/j.solmat.2008.09.023.

HAN, S., CHEN, H.-Y., KUO, L.-T., AND TSAI, C.-H. Characterization of cuprous oxide films prepared by post-annealing of cupric oxide using an atmospheric nitrogen pressure plasma torch. *Thin Solid Films*, **517** (2008), 1195. 35th International Conference on Metallurgical Coatings and Thin Films (ICMCTF). doi:10.1016/j.tsf.2008.04.104.

HAN, X., HAN, K., AND TAO, M. Characterization of Cl-doped n-type Cu<sub>2</sub>O prepared by electrodeposition. *Thin Solid Films*, **In Press, Corrected Proof** (2010), . doi:10.1016/j.tsf.2010.03.085.

- HANKE, L., FRÖHLICH, D., IVANOV, A. L., LITTLEWOOD, P. B., AND STOLZ, H. LA phonoritons in Cu<sub>2</sub>O. *Physical Review Letters*, **83** (1999), 4365. doi:[10.1103/PhysRevLett.83.4365](https://doi.org/10.1103/PhysRevLett.83.4365).
- HANKE, L., FRÖLICH, D., IVANOV, A. L., LITTLEWOOD, P. B., AND STOLZ, H. Spectroscopy of LA-phonoritons in Cu<sub>2</sub>O. *Physica Status Solidi (b)*, **221** (2000), 287. doi:[10.1002/1521-3951\(200009\)221:1<287::AID-PSSB287>3.0.CO;2-6](https://doi.org/10.1002/1521-3951(200009)221:1<287::AID-PSSB287>3.0.CO;2-6).
- HAO, Y. AND GONG, H. The influence of In/Cu ratio on electrical properties of CuO:In thin films prepared by plasma-enhanced CVD. *Chemical Vapor Deposition*, **14** (2008), 9. doi:[10.1002/cvde.200706645](https://doi.org/10.1002/cvde.200706645).
- HAPASE, M. G., GHARPUREY, M. K., AND BISWAS, A. B. The oxidation of vacuum deposited films of copper. *Surface Science*, **9** (1968), 87. doi:[10.1016/0039-6028\(68\)90165-9](https://doi.org/10.1016/0039-6028(68)90165-9).
- HARA, M., KONDO, T., KOMODA, M., IKEDA, S., KONDO, J. N., DOMEN, K., SHINOHARA, K., AND TANAKA, A. Cu<sub>2</sub>O as a photocatalyst for overall water splitting under visible light irradiation. *Chemical Communications*, (1998), 357. doi:[10.1039/a707440i](https://doi.org/10.1039/a707440i).
- HARRIS, W. W., BALL, F. L., AND GWATHMEY, A. T. The structure of oxide films formed on smooth faces of a single crystal of copper. *Acta Metallurgica*, **5** (1957), 574. doi:[10.1016/0001-6160\(57\)90125-6](https://doi.org/10.1016/0001-6160(57)90125-6).
- HARUKAWA, N., MURAKAMI, S., TAMON, S., IJUIN, S., OHMORI, A., ABE, K., AND SHIGENARI, T. Temperature dependence of luminescence lifetime in Cu<sub>2</sub>O. *Journal of Luminescence*, **87–89** (2000), 1231. doi:[10.1016/S0022-2313\(99\)00524-4](https://doi.org/10.1016/S0022-2313(99)00524-4).
- HAUGSRUD, R. The influence of water vapor on the oxidation of copper at intermediate temperatures. *Journal of the Electrochemical Society*, **149** (2002), B14. doi:[10.1149/1.1427076](https://doi.org/10.1149/1.1427076).
- HAUGSRUD, R. AND KOFSTAD, P. On the oxygen pressure dependence of high temperature oxidation of copper. *Materials Science Forum*, **251–254** (1997), 65. doi:[10.4028/www.scientific.net/MSF.251-254.65](https://doi.org/10.4028/www.scientific.net/MSF.251-254.65).
- HAUGSRUD, R. AND KOFSTAD, P. On the high-temperature oxidation of Cu-rich Cu-Ni alloys. *Oxidation of Metals*, **50** (1998), 189. doi:[10.1023/A:1018884120304](https://doi.org/10.1023/A:1018884120304).
- HAUGSRUD, R. AND NORBY, T. Determination of thermodynamics and kinetics of point defects in Cu<sub>2</sub>O using the Rosenburg method. *Journal of Electrochemical Society*, **146** (1999), 999. doi:[10.1149/1.1391712](https://doi.org/10.1149/1.1391712).
- HAYASHI, M. Absorption spectrum of copper-coloured cuprous oxide. *Journal of the Physical Society of Japan*, **14** (1959), 681. doi:[10.1143/JPSJ.14.681](https://doi.org/10.1143/JPSJ.14.681).
- HAYASHI, M. AND KATSUKI, K. Absorption spectrum of cuprous oxide. *Journal of the Physical Society of Japan*, **5** (1950), 380B. doi:[10.1143/JPSJ.5.380B](https://doi.org/10.1143/JPSJ.5.380B).
- HAYASHI, M. AND KATSUKI, K. Hydrogen-like absorption spectrum of cuprous oxide. *Journal of the Physical Society of Japan*, **7** (1952), 599. doi:[10.1143/JPSJ.7.599](https://doi.org/10.1143/JPSJ.7.599).
- HAYASHI, M. AND OGAWA, M. Absorption spectra of cuprous oxide quenched. *Journal of the Physical Society of Japan*, **26** (1969), 121. doi:[10.1143/JPSJ.26.121](https://doi.org/10.1143/JPSJ.26.121).
- HAYDAR, A. AND CORET, A. Excitonic photoconductivity and structural defects in Cu<sub>2</sub>O crystals. *Journal de Physique Colloques*, **41** (1980), C6. doi:[10.1051/jphyscol:19806131](https://doi.org/10.1051/jphyscol:19806131).
- HAYDAR, A., CORET, A., AND OUDJEHANE, N. Dark current-voltage characteristics of Cu<sub>2</sub>O crystals and their relation to structural defects. *Physica Status Solidi (a)*, **70** (1982), 683. doi:[10.1002/pssa.2210700238](https://doi.org/10.1002/pssa.2210700238).
- HE, J.-B., LU, D.-Y., AND JIN, G.-P. Potential dependence of cuprous/cupric duplex film growth on copper electrode in alkaline media. *Applied Surface Science*, **253** (2006), 689. doi:[10.1016/j.apsusc.2005.12.159](https://doi.org/10.1016/j.apsusc.2005.12.159).
- HEINEMANN, K., RAO, D. B., AND DOUGLASS, D. L. Oxide nucleation on thin films of copper during in situ oxidation in an electron microscope. *Oxidation of Metals*, **9** (1975), 379. doi:[10.1007/BF00613537](https://doi.org/10.1007/BF00613537).

- HELTEMES, E. C. Far-infrared properties of cuprous oxide. *Physical Review*, **141** (1966), 803. doi: [10.1103/PhysRev.141.803](https://doi.org/10.1103/PhysRev.141.803).
- HERION, J. Chemical origin of the space-charge layer in cuprous oxide front-wall solar cells. *Applied Physics Letters*, **34** (1979), 599. doi: [10.1063/1.90888](https://doi.org/10.1063/1.90888).
- HERION, J., NIEKISCH, E. A., AND SCHARL, G. Investigation of metal oxide/cuprous oxide heterojunction solar cells. *Solar Energy Materials*, **4** (1980), 101. doi: [10.1016/0165-1633\(80\)90022-2](https://doi.org/10.1016/0165-1633(80)90022-2).
- HERION, J., NIEKISCH, E. A., AND SCHARL, G. Metal oxide/cuprous oxide heterojunction solar cells. In *Proceedings of the 14th IEEE Photovoltaic Specialists Conference*, pp. 453–457 (1980).
- HERION, J., SCHARL, G., AND TAPIERO, M. The effect of ion beams on the composition of Cu<sub>2</sub>O(111) surfaces. *Applications of Surface Science*, **14** (1982–1983), 233. doi: [10.1016/0378-5963\(83\)90039-9](https://doi.org/10.1016/0378-5963(83)90039-9).
- HESSE, J. F. AND COMPAAN, A. Resonance raman studies of annealing in He-, Na-, Cd-implanted cuprous oxide. *Journal of Applied Physics*, **50** (1979), 206. doi: [10.1063/1.325701](https://doi.org/10.1063/1.325701).
- HOA, N. D., AN, S. Y., DUNG, N. Q., VAN QUY, N., AND KIM, D. Synthesis of p-type semiconducting cupric oxide thin films and their application to hydrogen detection. *Sensors and Actuators B: Chemical*, **146** (2010), 239. doi: [10.1016/j.snb.2010.02.045](https://doi.org/10.1016/j.snb.2010.02.045).
- HOA, N. D., VAN QUY, N., JUNG, H., KIM, D., KIM, H., AND HONG, S.-K. Synthesis of porous CuO nanowires and its application to hydrogen detection. *Sensors and Actuators B: Chemical*, **146** (2010), 266. doi: [10.1016/j.snb.2010.02.058](https://doi.org/10.1016/j.snb.2010.02.058).
- HODY, J. W., JENKINS, T. E., SCHWAB, C., TAMURA, H., AND TRIVICH, D. Cyclotron resonance of electrons and of holes in cuprous oxide, Cu<sub>2</sub>O. *Journal of Physics C: Solid State Physics*, **9** (1976), 1429. doi: [10.1088/0022-3719/9/8/014](https://doi.org/10.1088/0022-3719/9/8/014).
- HOLMES, R. D., KERSTING, A. B., AND ARCALUS, R. J. Standard molar Gibbs free energy of formation for Cu<sub>2</sub>O: high-resolution electrochemical measurements from 900 to 1300 K. *The Journal of Chemical Thermodynamics*, **21** (1989), 351. doi: [10.1016/0021-9614\(89\)90136-5](https://doi.org/10.1016/0021-9614(89)90136-5).
- HOLZSCHUH, H. AND SUHR, H. Deposition of copper oxide (Cu<sub>2</sub>O, CuO) thin films at high temperatures by plasma-enhanced CVD. *Applied Physics A*, **51** (1990), 486. doi: [10.1007/BF00324731](https://doi.org/10.1007/BF00324731).
- HOMMA, T. AND YONEOKA, T. Electron diffraction study of the epitaxy of Cu<sub>2</sub>O on the (001) face of copper. *Journal of Applied Physics*, **46** (1975), 1459. doi: [10.1063/1.321795](https://doi.org/10.1063/1.321795).
- HONG, J., LI, J., AND NI, Y. Urchin-like CuO microspheres: Synthesis, characterization, and properties. *Journal of Alloys and Compounds*, **481** (2009), 610. doi: [10.1016/j.jallcom.2009.03.043](https://doi.org/10.1016/j.jallcom.2009.03.043).
- HSIEH, J. H., KUO, P. W., PENG, K. C., LIU, S. J., HSUEH, J. D., AND CHANG, S. C. Opto-electronic properties of sputter-deposited Cu<sub>2</sub>O films treated with rapid thermal annealing. *Thin Solid Films*, **516** (2008), 5449. doi: [10.1016/j.tsf.2007.07.097](https://doi.org/10.1016/j.tsf.2007.07.097).
- HSUEH, T.-J., HSU, C.-L., CHANG, S.-J., GUO, P.-W., HSIEH, J.-H., AND CHEN, I.-C. Cu<sub>2</sub>O/n-ZnO nanowire solar cells on ZnO: Ga/glass templates. *Scripta Materialia*, **57** (2007), 53. doi: [10.1016/j.scriptamat.2007.03.012](https://doi.org/10.1016/j.scriptamat.2007.03.012).
- HU, F., CHAN, K. C., AND YUE, T. M. Morphology and growth of electrodeposited cuprous oxide under different values of direct current density. *Thin Solid Films*, **518** (2009), 120. doi: [10.1016/j.tsf.2009.07.010](https://doi.org/10.1016/j.tsf.2009.07.010).
- HU, J. P., PAYNE, D. J., EGDELL, R. G., GLANS, P. A., LEARMONT, T., SMITH, K. E., GUO, J., AND HARRISON, N. M. On-site interband excitations in resonant inelastic X-ray scattering from Cu<sub>2</sub>O. *Physical Review B*, **77** (2008), 155115. doi: [10.1103/PhysRevB.77.155115](https://doi.org/10.1103/PhysRevB.77.155115).
- HU, Y. Z., SHARANGPANI, R., AND TAY, S.-P. Kinetic investigation of copper film oxidation by spectroscopic ellipsometry and reflectometry. *Journal of Vacuum Science & Technology A*, **18** (2000), 2527. doi: [10.1116/1.1287156](https://doi.org/10.1116/1.1287156).

- HUANG, C.-Y., CHATTERJEE, A., LIU, S. B., WU, S. Y., AND CHENG, C.-L. Photoluminescence properties of a single tapered CuO nanowire. *Applied Surface Science*, **256** (2010), 3688. doi:10.1016/j.apusc.2010.01.007.
- HUANG, K. The long wave modes of the Cu<sub>2</sub>O lattice. *Zeitschrift für Physik A*, **171** (1963), 213. doi:10.1007/BF01379349.
- HUANG, L., PENG, F., YU, H., AND WANG, H. Preparation of cuprous oxides with different sizes and their behaviors of adsorption, visible-light driven photocatalysis and photocorrosion. *Solid State Sciences*, **11** (2009), 129. doi:10.1016/j.solidstatesciences.2008.04.013.
- HUANG, L., YANGA, S. G., LI, T., GUA, B. X., DUA, Y. W., LUB, Y. N., AND SHI, S. Z. Preparation of large-scale cupric oxide nanowires by thermal evaporation method. *Journal of Crystal Growth*, **260** (2004), 130. doi:10.1016/j.jcrysgro.2003.08.012.
- HUANG, L., ZHANG, S., PENG, F., WANG, H., YU, H., YANG, J., ZHANG, S., AND ZHAO, H. Electrodeposition preparation of octahedral-Cu<sub>2</sub>O-loaded TiO<sub>2</sub> nanotube arrays for visible light-driven photocatalysis. *Scripta Materialia, In Press, Corrected Proof* (2010), . doi:10.1016/j.scriptamat.2010.03.042.
- HUANG, Y.-L., CHOU, M. H., WU, S. Y., AND CHENG, C.-L. Investigation of quantum-confinement effect in a single CuO nanowire. *Japanese Journal of Applied Physics*, **47** (2008), 703. doi:10.1143/JJAP.47.703.
- HULIN, D., MYSYROWICZ, A., AND BENOÎT À LA GUILLAME, C. Evidence for Bose-Einstein statistics in an exciton gas. *Physical Review Letters*, **45** (1980), 1970. doi:10.1103/PhysRevLett.45.1970.
- HUNG, L.-I., TSUNG, C.-K., HUANG, W., AND YANG, P. Room-temperature formation of hollow Cu<sub>2</sub>O nanoparticles. *Advanced Materials*, **22** (2010), 1910. doi:10.1002/adma.200903947.
- IGUCHI, E., YAJIMA, K., AND SAITO, Y. Oxidation kinetics of Cu to Cu<sub>2</sub>O. *Transactions of the Japan Institute of Metals*, **14** (1973), 423. Available from: <http://www.jim.or.jp/journal/e/14/06/423.html>.
- IIJIMA, J., LIM, J.-W., HONG, S.-H., SUZUKI, S., MIMURA, K., AND ISSHIKI, M. Native oxidation of ultra high purity Cu bulk and thin films. *Applied Surface Science*, **253** (2006), 2825. doi:10.1016/j.apusc.2006.05.063.
- IKEDA, S., ET AL. Mechano-catalytic overall water splitting. *Chemical Communications*, (1998), 2185. doi:10.1039/a804549f.
- INABA, H. Reaction and diffusion path of an interface reaction between Cu<sub>2</sub>O and nickel. *Journal of Materials Science*, **32** (1997), 91. doi:10.1023/A:1018571014861.
- INGUANTA, R., SUNSERI, C., AND PIAZZA, S. Photoelectrochemical characterization of Cu<sub>2</sub>O-nanowire arrays electrodeposited into anodic alumina membranes. *Electrochemical and Solid-State Letters*, **10** (2007), K63. doi:10.1149/1.2789403.
- ISHIHARA, T., HIGUCHI, M., TAKAGI, T., ITO, M., NISHIGUCHI, H., AND TAKITA, Y. Preparation of CuO thin films on porous BaTiO<sub>3</sub> by self-assembled multilayer film formation and application as a CO<sub>2</sub> sensor. *Journal of Materials Chemistry*, **8** (1998), 2037. doi:10.1039/a801595c.
- ISHIZUKA, S. AND AKIMOTO, K. Control of the growth orientation and electrical properties of polycrystalline Cu<sub>2</sub>O thin films by group-IV elements doping. *Applied Physics Letters*, **85** (2004), 4920. doi:10.1063/1.1827352.
- ISHIZUKA, S., KATO, S., MARUYAMA, T., AND AKIMOTO, K. Nitrogen doping into Cu<sub>2</sub>O thin films deposited by reactive radio-frequency magnetron sputtering. *Japanese Journal of Applied Physics*, **40** (2001), 2765. doi:10.1143/JJAP.40.2765.
- ISHIZUKA, S., KATO, S., OKAMOTO, Y., AND AKIMOTO, K. Control of hole carrier density of polycrystalline Cu<sub>2</sub>O thin films by Si doping. *Applied Physics Letters*, **80** (2002), 950. doi:10.1063/1.1448398.
- ISHIZUKA, S., KATO, S., OKAMOTO, Y., AND AKIMOTO, K. Hydrogen treatment for polycrystalline nitrogen-doped Cu<sub>2</sub>O thin film. *Journal of Crystal Growth*, **237–239** (2002), 616. doi:10.1016/S0022-0248(01)01975-3.

- ISHIZUKA, S., KATO, S., OKAMOTO, Y., SAKURAI, T., AKIMOTO, K., FUJIWARA, N., AND KOBAYASHI, H. Passivation of defects in polycrystalline Cu<sub>2</sub>O thin films by hydrogen or cyanide treatment. *Applied Surface Science*, **216** (2003), 94. doi:[10.1016/S0169-4332\(03\)00485-9](https://doi.org/10.1016/S0169-4332(03)00485-9).
- ISHIZUKA, S., MARUYAMA, T., AND AKIMOTO, K. Thin-film deposition of Cu<sub>2</sub>O by reactive radio-frequency magnetron sputtering. *Japanese Journal of Applied Physics*, **39** (2000), L786. doi:[10.1143/JJAP.39.L786](https://doi.org/10.1143/JJAP.39.L786).
- ISHIZUKA, S., ET AL. Polycrystalline *n*-ZnO/*p*-Cu<sub>2</sub>O heterojunctions grown by RF-magnetron sputtering. *Physica Status Solidi (c)*, **1** (2004), 1067. doi:[10.1002/pssc.200304245](https://doi.org/10.1002/pssc.200304245).
- ISOBE, M. AND MASUMI, T. Default of the resonant conjugation of photoconductivity of Cu<sub>2</sub>O in low-*T<sub>c</sub>* superconductor based optoelectronic devices. *Journal of the Physical Society of Japan*, **65** (1996), 4088. doi:[10.1143/JPSJ.65.4088](https://doi.org/10.1143/JPSJ.65.4088).
- ITO, T., KAWASHIMA, T., YAMAGUCHI, H., MASUMI, T., AND ADACHI, S. Optical properties of Cu<sub>2</sub>O studied by spectroscopic ellipsometry. *Journal of the Physical Society of Japan*, **67** (1998), 2125. doi:[10.1143/JPSJ.67.2125](https://doi.org/10.1143/JPSJ.67.2125).
- ITO, T. AND MASUMI, T. Detailed examination of relaxation processes of excitons in photoluminescence spectra of Cu<sub>2</sub>O. *Journal of the Physical Society of Japan*, **66** (1997), 2185. doi:[10.1143/JPSJ.66.2185](https://doi.org/10.1143/JPSJ.66.2185).
- ITO, T., YAMAGUCHI, H., MASUMI, T., AND ADACHI, S. Optical properties of CuO studied by spectroscopic ellipsometry. *Journal of the Physical Society of Japan*, **67** (1998), 3304. doi:[10.1143/JPSJ.67.3304](https://doi.org/10.1143/JPSJ.67.3304).
- ITO, T., YAMAGUCHI, H., OKABE, K., AND MASUMI, T. Single-crystal growth and characterization of Cu<sub>2</sub>O and CuO. *Journal of Materials Science*, **33** (1998), 3555. doi:[10.1023/A:1004690809547](https://doi.org/10.1023/A:1004690809547).
- ITO, T. AND MAKI, K. Growth process of CuO(111) and Cu<sub>2</sub>O(001) thin films on MgO(001) substrate under metal-mode condition by reactive dc-magnetron sputtering. *Vacuum*, **81** (2007), 1068. doi:[10.1016/j.vacuum.2007.01.061](https://doi.org/10.1016/j.vacuum.2007.01.061).
- ITOH, T. AND MAKI, K. Preferentially oriented thin-film growth of CuO(111) and Cu<sub>2</sub>O(001) on MgO(001) substrate by reactive dc-magnetron sputtering. *Vacuum*, **81** (2007), 904. doi:[10.1016/j.vacuum.2006.10.012](https://doi.org/10.1016/j.vacuum.2006.10.012).
- ITOH, T. AND NARITA, S.-I. Analysis of wavelength derivative spectra of exciton in Cu<sub>2</sub>O. *Journal of the Physical Society of Japan*, **39** (1975), 140. doi:[10.1143/JPSJ.39.140](https://doi.org/10.1143/JPSJ.39.140).
- ITOH, T. AND NARITA, S.-I. Study of absorption spectra of excitons in Cu<sub>2</sub>O by wavelength modulation technique. *Journal of the Physical Society of Japan*, **39** (1975), 132. doi:[10.1143/JPSJ.39.132](https://doi.org/10.1143/JPSJ.39.132).
- IVANDA, M., WAASMAIER, D., ENDRISS, A., IHRINGER, J., KIRFEL, A., AND KIEFER, W. Low-temperature anomalies of cuprite observed by Raman spectroscopy and X-ray powder diffraction. *Journal of Raman Spectroscopy*, **28** (1997), 487. doi:[10.1002/\(SICI\)1097-4555\(199707\)28:7<487::AID-JRS115>3.0.CO;2-V](https://doi.org/10.1002/(SICI)1097-4555(199707)28:7<487::AID-JRS115>3.0.CO;2-V).
- IVILL, M., OVERBERG, M. E., ABERNATHY, C. R., NORTON, D. P., HEBARD, A. F., THEODOROPOULOU, N., AND BUDAI, J. D. Properties of Mn-doped Cu<sub>2</sub>O semiconducting thin films grown by pulsed-laser deposition. *Solid State Electronics*, **47** (2003), 2215. doi:[10.1016/S0038-1101\(03\)00200-4](https://doi.org/10.1016/S0038-1101(03)00200-4).
- IWANOWSKI, R. J. AND TRIVICH, D. The influence of hydrogen ion bombardment on the photovoltaic properties of Cu/Cu<sub>2</sub>O Schottky barrier solar cells. *Radiation Effects and Defects in Solids*, **76** (1983), 87. doi:[10.1080/01422448308209643](https://doi.org/10.1080/01422448308209643).
- IWANOWSKI, R. J. AND TRIVICH, D. Cu/Cu<sub>2</sub>O Schottky barrier solar cells prepared by multistep irradiation of a Cu<sub>2</sub>O substrate by H<sup>+</sup> ions. *Solar Cells*, **13** (1984–1985), 253. doi:[10.1016/0379-6787\(85\)90018-3](https://doi.org/10.1016/0379-6787(85)90018-3).
- IWANOWSKI, R. J. AND TRIVICH, D. Enhancement of the photovoltaic conversion efficiency in Cu/Cu<sub>2</sub>O Schottky barrier solar cells by H<sup>+</sup> ion irradiation. *Physica Status Solidi (a)*, **95** (1986), 735. doi:[10.1002/pssa.2210950244](https://doi.org/10.1002/pssa.2210950244).

- IZAKI, M., KOBAYASHI, Y., KATAYAMA, J.-I., AND OHTOMO, S. Chemical formation of ohmic Cu layer on highly resistive Cu<sub>2</sub>O. *Journal of the Electrochemical Society*, **153** (2006), C612. doi:10.1149/1.2216352.
- IZAKI, M., MIZUNO, K.-T., SHINAGAWA, T., INABA, M., AND TASAKA, A. Photochemical construction of photovoltaic device composed of p-copper(I) oxide and n-zinc oxide. *Journal of the Electrochemical Society*, **153** (2006), C668. doi:10.1149/1.2218791.
- IZAKI, M., SHINAGAWA, T., MIZUNO, K.-T., IDA, Y., INABA, M., AND TASAKA, A. Electrochemically constructed p-Cu<sub>2</sub>O/n-ZnO heterojunction diode for photovoltaic device. *Journal of Physics D*, **40** (2007), 3326. doi:10.1088/0022-3727/40/11/010.
- JACKSON, A. D. AND KAVOULAKIS, G. M. Propagation of exciton pulses in semiconductors. *Europhysics Letters*, **59** (2002), 807. doi:10.1209/epl/i2002-00114-3.
- JANA, S. AND BISWAS, P. K. Optical characterization of in-situ generated Cu<sub>2</sub>O excitons in solution derived nano-zirconia film matrix. *Materials Letters*, **32** (1997), 263. doi:10.1016/S0167-577X(97)00044-X.
- JANG, J. I. *Lifetimes of Excitons in Cuprous Oxide*. Ph.D. thesis, University of Illinois at Urbana-Champaign (2005). Available from: <https://i-share.carli.illinois.edu/uiu/cgi-bin/Pwebrecon.cgi?DB=local&v1=1&BBRecID=5193899>.
- JANG, J. I. AND KETTERSON, J. B. Impact of impurities on orthoexciton-polariton propagation in Cu<sub>2</sub>O. *Physical Review B*, **76** (2007), 155210. doi:10.1103/PhysRevB.76.155210.
- JANG, J. I. AND KETTERSON, J. B. Suppression of molecule formation for orthoexciton-polaritons in Cu<sub>2</sub>O. *Solid State Communications*, **146** (2008), 128. doi:10.1016/j.ssc.2008.02.010.
- JANG, J. I., O'HARA, K. E., AND WOLFE, J. P. Spin-exchange kinetics of excitons in Cu<sub>2</sub>O: Transverse acoustic phonon mechanism. *Physical Review B*, **70** (2004), 195205. doi:10.1103/PhysRevB.70.195205.
- JANG, J. I., SUN, Y., AND KETTERSON, J. B. Indirect generation of quadrupole polaritons from dark excitons in Cu<sub>2</sub>O. *Physical Review B*, **77** (2008), 075201. doi:10.1103/PhysRevB.77.075201.
- JANG, J. I., SUN, Y., WATKINS, B., AND KETTERSON, J. B. Bound excitons in Cu<sub>2</sub>O: Efficient internal free exciton detector. *Physical Review B*, **74** (2006), 235204. doi:10.1103/PhysRevB.74.235204.
- JANG, J. I. AND WOLFE, J. P. Auger recombination and biexcitons in Cu<sub>2</sub>O: A case for dark excitonic matter. *Physical Review B*, **74** (2006), 045211. doi:10.1103/PhysRevB.74.045211.
- JANG, J. I. AND WOLFE, J. P. Exciton decay in Cu<sub>2</sub>O at high density and low temperature: Auger recombination, spin-flip scattering, and molecule formation. *Solid State Communications*, **137** (2006), 91. doi:10.1016/j.ssc.2005.10.001.
- JANG, J. I. AND WOLFE, J. P. Relaxation of stress-split orthoexcitons in Cu<sub>2</sub>O. *Physical Review B*, **73** (2006), 075207. doi:10.1103/PhysRevB.73.075207.
- JAYATHILEKE, K. M. D. C., SIRIPALA, W., AND JAYANETTI, J. K. D. S. Donor and acceptor density variations in electrodeposited cuprous oxide thin films. In *Proceedings of the Technical Sessions of the Institute of Physics - Sri Lanka*, vol. 23, pp. 55–59 (2007). Available from: <http://www.ip-sl.org/procs/abs07.html#talk9>.
- JAYATISSA, A. H., GUO, K., AND JAYASURIYA, A. C. Fabrication of cuprous and cupric oxide thin films by heat treatment. *Applied Surface Science*, **255** (2009), 9474. doi:10.1016/j.apsusc.2009.07.072.
- JAYEWARDENA, C., HEWAPARAKRAMA, K. P., WIJEWARDENA, D. L. A., AND GURUGE, H. Fabrication of n-Cu<sub>2</sub>O electrodes with higher energy conversion efficiency in a photoelectrochemical cell. *Solar Energy Materials and Solar Cells*, **56** (1998), 29. doi:10.1016/S0927-0248(98)00104-4.
- JEONG, S. S., MITTIGA, A., SALZA, E., MASCI, A., AND PASSERINI, S. ZnO/Cu<sub>2</sub>O solar cells made by electrodeposition. In *Proceedings of*

- the 22nd European Photovoltaic Solar Energy Conference, Milan, Italy*, p. 528 (2007).
- JEONG, S. S., MITTIGA, A., SALZA, E., MASCI, A., AND PASSERINI, S. Electrodeposited ZnO/Cu<sub>2</sub>O heterojunction solar cells. *Electrochimica Acta*, **53** (2008), 2226. doi:[10.1016/j.electacta.2007.09.030](https://doi.org/10.1016/j.electacta.2007.09.030).
- JI, J.-Y., SHIH, P.-H., YANG, C. C., CHAN, T. S., MA, Y.-R., AND WU, S. Y. Spontaneous self-organization of Cu<sub>2</sub>O/CuO core–shell nanowires from copper nanoparticles. *Nanotechnology*, **21** (2010), 045603. doi:[10.1088/0957-4484/21/4/045603](https://doi.org/10.1088/0957-4484/21/4/045603).
- JIMENEZ-CADENA, G., COMINI, E., FERRONI, M., AND SBERVEGLIERI, G. Synthesis of Cu<sub>2</sub>O bi-pyramids by reduction of Cu(OH)<sub>2</sub> in solution. *Materials Letters*, **64** (2010), 469. doi:[10.1016/j.matlet.2009.11.051](https://doi.org/10.1016/j.matlet.2009.11.051).
- JIMÉNEZ-MELENDO, M., DOMÍNGUEZ-RODRÍGUEZ, A., AND CASTAING, J. Point defect concentration relaxation and creep transients in binary oxides. *Acta Metallurgica et Materialia*, **43** (1995), 3589. doi:[10.1016/0956-7151\(95\)90144-2](https://doi.org/10.1016/0956-7151(95)90144-2).
- JIN, Y., KATO, H., KORABLOVA, I., IOKU, K., AND YAMASAKI, N. Effect of O<sub>2</sub> on copper-water vapor interaction near critical point. *Journal of Materials Science*, **41** (2006), 1571. doi:[10.1007/s10853-006-4647-7](https://doi.org/10.1007/s10853-006-4647-7).
- JOHNSEN, K. AND KAVOULAKIS, G. M. Probing bose-einstein condensation of excitons with electromagnetic radiation. *Physical Review Letters*, **86** (2001), 858. doi:[10.1103/PhysRevLett.86.858](https://doi.org/10.1103/PhysRevLett.86.858).
- JOLK, A., JÖRGER, M., AND KLINGSHIRN, C. Exciton lifetime, Auger recombination, and exciton transport by calibrated differential absorption spectroscopy in Cu<sub>2</sub>O. *Physical Review B*, **65** (2002), 245209. doi:[10.1103/PhysRevB.65.245209](https://doi.org/10.1103/PhysRevB.65.245209).
- JOLK, A. AND KLINGSHIRN, C. F. Linear and nonlinear excitonic absorption and photoluminescence spectra in Cu<sub>2</sub>O: Line shape analysis and exciton drift. *Physica Status Solidi (b)*, **206** (1998), 841. doi:[10.1002/\(SICI\)1521-3951\(199804\)206:2<841::AID-PSSB841>3.0.CO;2-N](https://doi.org/10.1002/(SICI)1521-3951(199804)206:2<841::AID-PSSB841>3.0.CO;2-N).
- JÖRGER, M., FLECK, T., KLINGSHIRN, C., AND VON BALTZ, R. Midinfrared properties of cuprous oxide: High-order lattice vibrations and intraexcitonic transitions of the 1s paraexciton. *Physical Review B*, **71** (2005), 235210. doi:[10.1103/PhysRevB.71.235210](https://doi.org/10.1103/PhysRevB.71.235210).
- JÖRGER, M., SCHMIDT, M., JOLK, A., WESTPHÄLING, R., AND KLINGSHIRN, C. Absolute external photoluminescence quantum efficiency of the 1s orthoexciton in Cu<sub>2</sub>O. *Physical Review B*, **64** (2001), 113204. doi:[10.1103/PhysRevB.64.113204](https://doi.org/10.1103/PhysRevB.64.113204).
- JOSEPH, S. AND KAMATH, P. V. Electrodeposition of Cu<sub>2</sub>O coatings on stainless steel substrates. *Journal of the Electrochemical Society*, **154** (2007), E102. doi:[10.1149/1.2737661](https://doi.org/10.1149/1.2737661).
- KALABIN, M. M. AND SHARAVSKII, P. V. Surface conductivity of cuprous-oxide rectifiers. *Soviet Physics Journal*, **9** (1966), 79. Original paper in russian: Izvestiya VUZ. Fizika, 5 (1966), 119–125. Available from: <http://www.springerlink.com/content/h87217226647n458>.
- KALE, S., OGALE, S., SHINDE, S., SAHASRABUDDE, M., KULKARNI, V. N., GREENE, R. L., AND VENKATESAN, T. Magnetism in cobalt-doped Cu<sub>2</sub>O thin films without and with Al, V, or Zn codopants. *Applied Physics Letters*, **82** (2003), 2100. doi:[10.1063/1.1564864](https://doi.org/10.1063/1.1564864).
- KALINGAMUDALI, S. R. D. AND SIRIPALA, W. Observation of defect interface states at the Cu<sub>2</sub>O/Cu<sub>x</sub>S junction using thermally stimulated I–V measurements. *Sri Lankan Journal of Physics*, **2** (2001), 7. Available from: <http://www.ip-sl.org/sljp/v2/sljp-v2.html>.
- KARPINSKA, K., MOSTOVY, M., VAN DER VEGTE, M. A., REVCOLEVSCHI, A., AND VAN LOOSDRECHT, P. H. M. Decay and coherence of two-photon excited yellow orthoexcitons in Cu<sub>2</sub>O. *Physical Review B*, **72** (2005), 155201. doi:[10.1103/PhysRevB.72.155201](https://doi.org/10.1103/PhysRevB.72.155201).
- KARPINSKA, K., VAN LOOSDRECHT, P. H. M., HANDAYANI, I. P., AND REVCOLEVSCHI, A. Para-excitons in Cu<sub>2</sub>O—a new approach. *Journal of Luminescence*, **112** (2005), 17. doi:[10.1016/j.jlumin.2004.09.038](https://doi.org/10.1016/j.jlumin.2004.09.038).

- KATAYAMA, J., ITO, K., MATSUOKA, M., AND TAMAKI, J. Performance of Cu<sub>2</sub>O/ZnO solar cell prepared by two-step electrodeposition. *Journal of Applied Electrochemistry*, **34** (2004), 687. doi:[10.1023/B:JACH.0000031166.73660.c1](https://doi.org/10.1023/B:JACH.0000031166.73660.c1).
- KAUFMAN, R. G. Ohmic copper–cuprous oxide contacts (1986).
- KAUFMAN, R. G. AND DICKINSON, C. D. Luminescence of polycrystalline cuprous oxide films on copper metal at 4 K and the effects of stress. *Journal of the Electrochemical Society*, **135** (1988), 2096. doi:[10.1149/1.2096216](https://doi.org/10.1149/1.2096216).
- KAUFMAN, R. G. AND HAWKINS, R. T. Defect luminescence of thin films of Cu<sub>2</sub>O on copper. *Journal of the Electrochemical Society*, **131** (1984), 385. doi:[10.1149/1.2115590](https://doi.org/10.1149/1.2115590).
- KAUFMAN, R. G. AND HAWKINS, R. T. Vacancy–vacancy interaction in the excitation spectra of lattice perturbation bands in Cu<sub>2</sub>O. *Journal of Luminescence*, **31–32** (1984), 509. doi:[10.1016/0022-2313\(84\)90343-0](https://doi.org/10.1016/0022-2313(84)90343-0).
- KAUFMAN, R. G. AND HAWKINS, R. T. Annealing of copper and oxygen vacancies in cuprous oxide films monitored by low temperature luminescence. *Journal of the Electrochemical Society*, **133** (1986), 2652. doi:[10.1149/1.2108497](https://doi.org/10.1149/1.2108497).
- KAVOULAKIS, G. M., CHANG, Y.-C., AND BAYM, G. Fine structure of excitons in Cu<sub>2</sub>O. *Physical Review B*, **55** (1997), 7593. doi:[10.1103/PhysRevB.55.7593](https://doi.org/10.1103/PhysRevB.55.7593).
- KAWAZOE, H., YASUKAWA, M., HYODO, H., KURITA, M., YANAGI, H., AND HOSONO, H. P-type electrical conduction in transparent thin films of CuAlO<sub>2</sub>. *Nature*, **389** (1997), 939. doi:[10.1038/40087](https://doi.org/10.1038/40087).
- KELDYSH, L. V. AND KOZLOV, A. N. Collective properties of large-radius excitons. *JETP Letters*, **5** (1967), 190. Original paper in Russian: JETP Pis'ma, 5 (1967), 242–244. Available from: [http://www.jetpletters.ac.ru/ps/1649/article\\_25154.shtml](http://www.jetpletters.ac.ru/ps/1649/article_25154.shtml).
- KENNARD, E. H. AND DIETERICH, E. O. An effect of light upon the contact potential of selenium and cuprous oxide. *Physical Review*, **9** (1917), 58. doi:[10.1103/PhysRev.9.58](https://doi.org/10.1103/PhysRev.9.58).
- KENWAY, D. J., DUVVURY, C., AND WEICHMAN, F. L. Evidence of a competitive phenomenon between the 0.72 μm and 0.93 μm luminescences of Cu<sub>2</sub>O. *Journal of Luminescence*, **16** (1978), 171. doi:[10.1016/0022-2313\(78\)90016-9](https://doi.org/10.1016/0022-2313(78)90016-9).
- KIKUCHI, N. AND TONOOKA, K. Electrical and structural properties of Ni-doped Cu<sub>2</sub>O films prepared by pulsed laser deposition. *Thin Solid Films*, **486** (2005), 33. doi:[10.1016/j.tsf.2004.12.044](https://doi.org/10.1016/j.tsf.2004.12.044).
- KIKUCHI, N., TONOOKA, K., AND KUSANO, E. Mechanisms of carrier generation and transport in Ni-doped Cu<sub>2</sub>O. *Vacuum*, **80** (2006), 756. doi:[10.1016/j.vacuum.2005.11.039](https://doi.org/10.1016/j.vacuum.2005.11.039).
- KIM, J. Y., HANSON, J. C., FRENKEL, A. I., LEE, P. L., AND RODRIGUEZ, J. A. Reaction of CuO with hydrogen studied by using synchrotron-based x-ray diffraction. *Journal of Physics: Condensed Matter*, **16** (2004), S3479. doi:[10.1088/0953-8984/16/33/008](https://doi.org/10.1088/0953-8984/16/33/008).
- KINOSHITA, A. AND NAKANO, T. Production of cuprous oxide single crystal by melt. *Japanese Journal of Applied Physics*, **5** (1966), 1121. doi:[10.1143/JJAP.5.1121](https://doi.org/10.1143/JJAP.5.1121).
- KINOSHITA, A. AND NAKANO, T. Cu<sub>2</sub>O crystal growth by hydrothermal technique. *Japanese Journal of Applied Physics*, **6** (1967), 656. doi:[10.1143/JJAP.6.656](https://doi.org/10.1143/JJAP.6.656).
- KIRSCH, P. D. AND EKERDT, J. G. Chemical and thermal reduction of thin films of copper (II) oxide and copper (I) oxide. *Journal of Applied Physics*, **90** (2001), 4256. doi:[10.1063/1.1403675](https://doi.org/10.1063/1.1403675).
- KLEINMAN, L. AND MEDNICK, K. Self-consistent energy bands of Cu<sub>2</sub>O. *Physical Review B*, **21** (1980), 1549. doi:[10.1103/PhysRevB.21.1549](https://doi.org/10.1103/PhysRevB.21.1549).
- KLIER, E., KUŽEL, R., AND PASTRŇÁK, J. —. *Czechoslovak Journal of Physics*, **5** (1955), 421. doi:[10.1007/BF01704854](https://doi.org/10.1007/BF01704854).
- KLINGSHIRN, C., FLECK, T., AND JÖRGER, M. Some considerations concerning the detection of excitons by field ionization in a Schottky barrier. *Physica Status Solidi (b)*, **234** (2002), 23. doi:[10.1002/1521-3951\(200211\)234:1<23::AID-PSSB23>3.0.CO;2-F](https://doi.org/10.1002/1521-3951(200211)234:1<23::AID-PSSB23>3.0.CO;2-F).

- KLINGSHIRN, C., FLECK, T., AND JÖRGER, M. Response to “Comment on ‘Some considerations concerning the detection of excitons by field ionization in a Schottky barrier’”. *Physica Status Solidi (b)*, **239** (2003), 261. Response to: phys. stat. sol. (b), 239 (2003), 257. [doi:10.1002/pssb.200301863](https://doi.org/10.1002/pssb.200301863).
- KLINGSHIRN, C., JÖRGER, M., FLECK, T., AND JOLK, A. Exciton transport in Cu<sub>2</sub>O, exciton detection by field ionization in a schottky barrier and intraexcitonic transitions. *Solid State Communications*, **134** (2005), 155. [doi:10.1016/j.ssc.2004.06.045](https://doi.org/10.1016/j.ssc.2004.06.045).
- KNOX, R. S. *Theory of Excitons*. Academic Press – New York and London (1963). ISBN 0126077657.
- KOBAYASHI, H., NAKAMURA, T., AND TAKAHASHI, N. Preparation of Cu<sub>2</sub>O films on MgO (110) substrate by means of halide chemical vapor deposition under atmospheric pressure. *Materials Chemistry and Physics*, **106** (2007), 292. [doi:10.1016/j.matchemphys.2007.06.008](https://doi.org/10.1016/j.matchemphys.2007.06.008).
- KOBAYASHI, H., TAKAHASHI, M., MAIDA, O., ASANO, A., KUBOTA, T., IVANČO, J., NAKAJIMA, A., AND AKIMOTO, K. Semiconductor surface and interface passivation by cyanide treatment. *Applied Surface Science*, **235** (2004), 279. [doi:10.1016/j.apsusc.2004.05.101](https://doi.org/10.1016/j.apsusc.2004.05.101).
- KOMP, R. J. AND TRIVICH, D. The effect of ion bombardment on the photoelectric threshold of single crystal cuprous oxide. *Journal of the Electrochemical Society*, **113** (1966), 702. [doi:10.1149/1.2424095](https://doi.org/10.1149/1.2424095).
- KOSENKO, A. AND EMEL'CHENKO, G. Equilibrium phase relationships in the system Cu–O under high oxygen pressure. *Journal of Phase Equilibria*, **22** (2001), 12. [doi:10.1007/s11669-001-0050-x](https://doi.org/10.1007/s11669-001-0050-x).
- KOSUGI, T. AND KANEKO, S. Novel spray-pyrolysis deposition of cuprous oxide thin films. *Journal of the American Ceramic Society*, **81** (1998), 3117. [doi:10.1111/j.1151-2916.1998.tb02746.x](https://doi.org/10.1111/j.1151-2916.1998.tb02746.x).
- KOTSYUMAKHA, P. A. AND LIKHOBABIN, N. P. Parameters of alloy p-n junctions in Cu<sub>2</sub>O. *Russian Physics Journal*, **10** (1967), 75. Original paper in Russian: Izvestiya VUZ. Fizika, 10 (1967), 125–129. [doi:10.1007/BF00818224](https://doi.org/10.1007/BF00818224).
- KOTSYUMAKHA, P. A. AND LIKHOBABIN, N. P. Cuprous oxide photoresistors. *Soviet Physics Journal*, **11** (1968), 112. [doi:10.1007/BF01106053](https://doi.org/10.1007/BF01106053).
- KOTSYUMAKHA, P. A. AND LIKHOBABIN, N. P. Space-charge limited currents in thin single-crystal layers of Cu<sub>2</sub>O. *Soviet Physics Journal*, **11** (1968), 114. [doi:10.1007/BF01106054](https://doi.org/10.1007/BF01106054).
- KRISHNAMOORTHY, P. K. AND SIRCAR, S. C. Influence of oxygen pressure on the oxidation kinetics of copper in dry air at room temperature. *Journal of the Electrochemical Society*, **116** (1969), 734. [doi:10.1149/1.2412042](https://doi.org/10.1149/1.2412042).
- KUGEL, G. E., CARABATOS, C., AND KRESS, W. Lattice dynamics of cuprite (Cu<sub>2</sub>O). *Journal de Physique Colloques*, **42** (1981), C6. [doi:10.1051/jphyscol:19816262](https://doi.org/10.1051/jphyscol:19816262).
- KUNERT, H. AND SUFFCZYNSKI, M. Vector-coupling coefficients for space groups based on simple cubic lattices. *Journal de Physique*, **41** (1980), 1361. [doi:10.1051/jphys:0198000410110136100](https://doi.org/10.1051/jphys:0198000410110136100).
- KUO, C.-H. AND HUANG, M. H. Morphologically controlled synthesis of Cu<sub>2</sub>O nanocrystals and their properties. *Nano Today*, **In Press, Corrected Proof** (2010), . [doi:10.1016/j.nantod.2010.02.001](https://doi.org/10.1016/j.nantod.2010.02.001).
- KUSHIDA, T., BENEDEK, G. B., AND BLOEMBERGEN, N. Dependence of the pure quadrupole resonance frequency on pressure and temperature. *Physical Review*, **104** (1956), 1364. [doi:10.1103/PhysRev.104.1364](https://doi.org/10.1103/PhysRev.104.1364).
- KUŽEL, R. —. *Czechoslovak Journal of Physics*, **8** (1958), 81. [doi:10.1007/BF01688753](https://doi.org/10.1007/BF01688753).
- KUŽEL, R. The effect of pre-illumination on the characteristics of cuprous oxide rectifiers. *Czechoslovak Journal of Physics*, **8** (1958), 89. Abstract of the paper: Czechoslovak Journal of Physics, 8 (1958), 81. [doi:10.1007/BF01688754](https://doi.org/10.1007/BF01688754).
- KUŽEL, R. *Direct Current (ISSN: 0419-1803)*, **6** (1961), 172.
- KUŽEL, R. The effect of oxygen on the electric conductivity of a cuprous oxide single crystal. *Czechoslovak Journal of Physics*, **11** (1961), 133. [doi:10.1007/BF01688616](https://doi.org/10.1007/BF01688616).

- KUŽEL, R. The influence of pre-illumination on the work function of cuprous oxide. *Czechoslovak Journal of Physics*, **15** (1965), 709. doi:10.1007/BF01688691.
- KUŽEL, R. *Acta Universitatis Carolinae. Mathematica et Physica*, **2** (1967), 15. Available from: [http://cypress.cuni.cz/ink\\_stat/index.jsp?include=AUC\\_detail&id=90&predkl=150](http://cypress.cuni.cz/ink_stat/index.jsp?include=AUC_detail&id=90&predkl=150).
- KUŽEL, R. In *Proceedings of Second Cuprite Colloquium, University of Alberta, Edmonton, Canada*, p. Paper B (1968).
- KUŽEL, R., CANN, C. D., SHEININ, S. S., AND WEICHMAN, F. L. Hole mobility in Cu<sub>2</sub>O. II. Scattering by defects. *Canadian Journal of Physics*, **48** (1970), 2657. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=48&year=0&issue=22&msno=p70-329>.
- KUŽEL, R. AND WEICHMAN, F. L. Hole mobility in Cu<sub>2</sub>O. I. Scattering by lattice vibrations. *Canadian Journal of Physics*, **48** (1970), 2643. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=48&year=0&issue=22&msno=p70-328>.
- KUŽEL, R. AND WEICHMAN, F. L. Surface and bulk conductivities of Cu<sub>2</sub>O single crystals. *Journal of Applied Physics*, **41** (1970), 271. doi:10.1063/1.1658333.
- LANGE, B. *Photoelements and their applications*. Reinhold, New York (1938). ISBN 1406744824. Available from: <http://www.archive.org/details/photoelementsand029896mbp>.
- LASKOWSKI, R., BLAHA, P., AND SCHWARZ, K. Charge distribution and chemical bonding in Cu<sub>2</sub>O. *Physical Review B*, **67** (2003), 075102. doi:10.1103/PhysRevB.67.075102.
- LEBLANC, P. J. AND FORTIN, E. Evidence of lateral contraction of a travelling exciton packet. *Solid State Communications*, **134** (2005), 151. doi:10.1016/j.ssc.2004.10.037.
- LEE, S. Y., METTLACH, N., NGUYEN, N., SUN, Y. M., AND WHITE, J. M. Copper oxide reduction through vacuum annealing. *Applied Surface Science*, **206** (2003), 102. doi:10.1016/S0169-4332(02)01239-4.
- LEFEZ, B., KARTOUNI, K., LENGLER, M., RÖNNOW, D., AND RIBBING, C. G. Application of reflectance spectrophotometry to the study of copper (I) oxides (Cu<sub>2</sub>O and Cu<sub>3</sub>O<sub>2</sub>) on metallic substrate. *Surface and Interface Analysis*, **22** (1994), 451. doi:10.1002/sia.740220196.
- LEFEZ, B. AND LENGLER, M. Photoluminescence of thin oxide layers on metallic substrates (Cu<sub>2</sub>O/Cu and ZnO/Zn). *Chemical Physics Letters*, **179** (1991), 223. doi:10.1016/0009-2614(91)87027-9.
- LENGLER, M., KARTOUNI, K., AND DELAHAYE, D. Characterization of copper oxidation by linear potential sweep voltammetry and UV-Visible-NIR diffuse reflectance spectroscopy. *Journal of Applied Electrochemistry*, **21** (1991), 697. doi:10.1007/BF01034048.
- LENGLER, M., KARTOUNI, K., MACHEFERT, J., CLAUDE, J. M., STEINMETZ, P., BEAUPREZ, E., HEINRICH, J., AND CELATI, N. Low temperature oxidation of copper: The formation of CuO. *Materials Research Bulletin*, **30** (1995), 393. doi:10.1016/0025-5408(95)00025-9.
- LI, B. S., AKIMOTO, K., AND SHEN, A. Growth of Cu<sub>2</sub>O thin films with high hole mobility by introducing a low-temperature buffer layer. *Journal of Crystal Growth*, **311** (2009), 1102. doi:10.1016/j.jcrysgro.2008.11.038.
- LI, J., VIZKELETHY, G., REVESZ, P., MAYER, J. W., AND TU, K. N. Oxidation and reduction of copper oxide thin films. *Journal of Applied Physics*, **69** (1991), 1020. doi:10.1063/1.347417.
- LI, J., WANG, S. Q., MAYER, J. W., AND TU, K. N. Oxygen-diffusion-induced phase boundary migration in copper oxide thin films. *Physical Review B*, **39** (1989), 12367. doi:10.1103/PhysRevB.39.12367.
- LI, X., TAO, F., JIANG, Y., AND XU, Z. 3-D ordered macroporous cuprous oxide: Fabrication, optical, and photoelectrochemical properties. *Journal of Colloid and Interface Science*, **308** (2007), 460. doi:10.1016/j.jcis.2006.12.044.

- LI, Y. AND HESS, D. W. Transport considerations in the plasma-assisted oxidation of copper films. *Journal of the Electrochemical Society*, **151** (2004), G40. doi:[10.1149/1.1630039](https://doi.org/10.1149/1.1630039).
- LIKHOBABIN, N. P. Temperature dependence of the space-charge limited current in cuprous oxide. *Russian Physics Journal*, **14** (1971), 269. Original paper in Russian: Izvestiya Vysshikh Uchebnykh Zavedenii Fizika, 2 (1971), 141. Available from: <http://www.springerlink.com/content/q3px875056u28526>.
- LIKHOBABIN, N. P., SHESTATSKII, S. N., SOBOLEV, V. V., AND VOLOVENKO, L. V. Electroabsorption in the yellow exciton series of cuprous oxide in a wide range of modulating fields. *Physica Status Solidi (b)*, **40** (1970), K45. doi:[10.1002/pssb.19700400239](https://doi.org/10.1002/pssb.19700400239).
- LIN, J. L. AND WOLFE, J. P. Bose-Einstein condensation of paraexcitons in stressed Cu<sub>2</sub>O. *Physical Review Letters*, **71** (1993), 1222. doi:[10.1103/PhysRevLett.71.1222](https://doi.org/10.1103/PhysRevLett.71.1222).
- LIU, R., BOHANNAN, E. W., SWITZER, J. A., OBA, F., AND ERNST, F. Epitaxial electrodeposition of Cu<sub>2</sub>O films onto InP(001). *Applied Physics Letters*, **83** (2003), 1944. doi:[10.1063/1.1606503](https://doi.org/10.1063/1.1606503).
- LIU, Y. *Excitons at high density in Cuprous Oxide and coupled quantum wells*. Ph.D. thesis, University of Pittsburgh (2004). Available from: <http://etd.library.pitt.edu/ETD/available/etd-08172004-103051/>.
- LIU, Y. AND SNOKE, D. Resonant two-photon excitation of 1s paraexcitons in cuprous oxide. *Solid State Communications*, **134** (2005), 159. Spontaneous Coherence in Excitonic Systems. doi:[10.1016/j.ssc.2005.01.027](https://doi.org/10.1016/j.ssc.2005.01.027).
- LIU, Y. AND SNOKE, D. Temperature dependence of exciton auger decay process in cuprous oxide. *Solid State Communications*, **140** (2006), 208. doi:[10.1016/j.ssc.2006.06.037](https://doi.org/10.1016/j.ssc.2006.06.037).
- LIU, Y. L., HARRINGTON, S., YATES, K. A., WEI, M., BLAMIRE, M. G., MACMANUS-DRISCOLL, J. L., AND LIU, Y. C. Epitaxial, ferromagnetic Cu<sub>2-x</sub>Mn<sub>x</sub>O films on (001) Si by near-room-temperature electrodeposition. *Applied Physics Letters*, **87** (2005), 222108. doi:[10.1063/1.2136349](https://doi.org/10.1063/1.2136349).
- LIU, Y. L., LIU, Y. C., MU, R., YANG, H., SHAO, C. L., ZHANG, J. Y., LU, Y. M., SHEN, D. Z., AND FAN, X. W. The structural and optical properties of Cu<sub>2</sub>O films electrodeposited on different substrates. *Semiconductor Science Technology*, **20** (2005), 44. doi:[10.1088/0268-1242/20/1/007](https://doi.org/10.1088/0268-1242/20/1/007).
- LOISON, J. L., ROBINO, M., AND SCHWAB, C. Progress in melt growth of Cu<sub>2</sub>O. *Journal of Crystal Growth*, **50** (1980), 816. doi:[10.1016/0022-0248\(80\)90143-8](https://doi.org/10.1016/0022-0248(80)90143-8).
- LU, F.-H., FANG, F.-X., AND CHEN, Y.-S. Eutectic reaction between copper oxide and titanium dioxide. *Journal of the European Ceramic Society*, **21** (2001), 1093. doi:[10.1016/S0955-2219\(00\)00298-3](https://doi.org/10.1016/S0955-2219(00)00298-3).
- LU, H.-C., CHU, C.-L., LAI, C.-Y., AND WANG, Y.-H. Property variations of direct-current reactive magnetron sputtered copper oxide thin films deposited at different oxygen partial pressures. *Thin Solid Films*, **517** (2009), 4408. doi:[10.1016/j.tsf.2009.02.079](https://doi.org/10.1016/j.tsf.2009.02.079).
- LU, Y.-M., CHEN, C.-Y., AND LIN, M. H. Effect of hydrogen plasma treatment on the electrical properties of sputtered N-doped cuprous oxide films. *Thin Solid Films*, **480–481** (2005), 482. doi:[10.1016/j.tsf.2004.11.083](https://doi.org/10.1016/j.tsf.2004.11.083).
- LU, Y.-M., CHEN, C.-Y., AND LIN, M. H. Effect of hydrogen plasma treatment on the electrical properties of sputtered N-doped cuprous oxide films. *Materials Science and Engineering B*, **118** (2005), 179. EMRS 2004, Symposium D: Functional Oxides for Advanced Semiconductor Technologies. doi:[10.1016/j.mseb.2004.12.046](https://doi.org/10.1016/j.mseb.2004.12.046).
- LUPU, A. Thermogravimetry of copper and copper oxides (Cu<sub>2</sub>O-CuO). *Journal of Thermal Analysis and Calorimetry*, **2** (1970), 445. doi:[10.1007/BF01911613](https://doi.org/10.1007/BF01911613).
- MA, L., PENG, M., LI, J., YU, Y., AND CHEN, Z. Cu<sub>2</sub>O nanorods with large surface area for photodegradation of organic pollutant under visible light. In *Proceedings of the 7th IEEE Conference on Nanotechnology IEEE-NANO 2007*, pp. 975–978 (2007). doi:[10.1109/NANO.2007.4601346](https://doi.org/10.1109/NANO.2007.4601346).
- MA, M.-G. AND ZHU, Y.-J. Hydrothermal synthesis of cuprous oxide microstructures assembled from needles. *Journal of Alloys and Compounds*, **483** (2009), 103–107. doi:[10.1016/j.jallcom.2009.03.080](https://doi.org/10.1016/j.jallcom.2009.03.080).

*Compounds*, **45** (2008), L15. doi:[10.1016/j.jallcom.2007.01.142](https://doi.org/10.1016/j.jallcom.2007.01.142).

MACFARLANE, R. Optical stark spectroscopy of solids. *Journal of Luminescence*, **125** (2007), 156. doi:[10.1016/j.jlumin.2006.08.012](https://doi.org/10.1016/j.jlumin.2006.08.012).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) band structure, band energies. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_62](https://doi.org/10.1007/10681727_62).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) crystal structure, lattice parameters. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_56](https://doi.org/10.1007/10681727_56).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) Debye temperature, density, melting point. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_60](https://doi.org/10.1007/10681727_60).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) dielectric constant. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_58](https://doi.org/10.1007/10681727_58).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) diffusion coefficients. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_61](https://doi.org/10.1007/10681727_61).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) effective masses. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_63](https://doi.org/10.1007/10681727_63).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) excitons. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol.

III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_64](https://doi.org/10.1007/10681727_64).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) magnetic properties. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_59](https://doi.org/10.1007/10681727_59).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) optical properties. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_57](https://doi.org/10.1007/10681727_57).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) phonon dispersion, phonon frequencies. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_65](https://doi.org/10.1007/10681727_65).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) sound velocities, elastic moduli. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_66](https://doi.org/10.1007/10681727_66).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) thermal expansion, Grüneisen parameter. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_68](https://doi.org/10.1007/10681727_68).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) transport properties. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_69](https://doi.org/10.1007/10681727_69).

MADELUNG, O. ET AL. Cuprous oxide ( $\text{Cu}_2\text{O}$ ) Young's and shear moduli, compressibility. In *Landolt-Börnstein* (edited by O. Madelung, U. Rössler, and M. Schulz), vol. III/41c of *SpringerMaterials - The Landolt-Börnstein Database*. Springer-Verlag (1998). doi:[10.1007/10681727\\_67](https://doi.org/10.1007/10681727_67).

- MAHALINGAM, T., CHITRA, J., CHU, J., MOON, H., KWON, H., AND KIM, Y. Photoelectrochemical solar cell studies on electroplated cuprous oxide thin films. *Journal of Materials Science: Materials in Electronics*, **17** (2006), 519. [doi:10.1007/s10854-006-8231-3](https://doi.org/10.1007/s10854-006-8231-3).
- MAHALINGAM, T., CHITRA, J. S. P., CHU, J. P., VELUMANI, S., AND SEBASTIAN, P. J. Structural and annealing studies of potentiostatically deposited Cu<sub>2</sub>O thin films. *Solar Energy Materials and Solar Cells*, **88** (2005), 209. [doi:10.1016/j.solmat.2004.05.026](https://doi.org/10.1016/j.solmat.2004.05.026).
- MAHALINGAM, T., CHITRA, J. S. P., RAJENDRAN, S., JAYACHANDRAN, M., AND CHOICKALINGAM, M. J. Galvanostatic deposition and characterization of cuprous oxide thin films. *Journal of Crystal Growth*, **216** (2000), 304. [doi:10.1016/S0022-0248\(00\)00416-4](https://doi.org/10.1016/S0022-0248(00)00416-4).
- MAHALINGAM, T., CHITRA, J. S. P., RAJENDRAN, S., AND SEBASTIAN, P. J. Potentiostatic deposition and characterization of Cu<sub>2</sub>O thin films. *Semiconductor Science and Technology*, **17** (2002), 565. [doi:10.1088/0268-1242/17/6/311](https://doi.org/10.1088/0268-1242/17/6/311).
- MAIER, G. Exzitonspektren von mischkristallen. *Zeitschrift für Physik A Hadrons and Nuclei*, **160** (1960), 527. [doi:10.1007/BF01327858](https://doi.org/10.1007/BF01327858).
- MALUENDA, J., FARHI, R., AND PETOT-ERVAS, G. Chemical diffusion measurements in single crystalline cuprous oxide. *Journal of Physics and Chemistry of Solids*, **42** (1981), 697. [doi:10.1016/0022-3697\(81\)90123-2](https://doi.org/10.1016/0022-3697(81)90123-2).
- MALUENDA, J., FARHI, R., AND PETOT-ERVAS, G. Electrical conductivity at high temperature and thermodynamic study of point defects in single crystalline cuprous oxide. *Journal of Physics and Chemistry of Solids*, **42** (1981), 911. [doi:10.1016/0022-3697\(81\)90017-2](https://doi.org/10.1016/0022-3697(81)90017-2).
- MANGHNANI, M. H., BROWER, W. S., AND PARKER, H. S. Anomalous elastic behavior in Cu<sub>2</sub>O under pressure. *Physica Status Solidi (a)*, **25** (1974), 69. [doi:10.1002/pssa.2210250103](https://doi.org/10.1002/pssa.2210250103).
- MARKSTEINER, P., BLAHA, P., AND SCHWARZ, K. Electronic structure and binding mechanism of Cu<sub>2</sub>O. *Zeitschrift für Physik B Condensed Matter*, **64** (1986), 119. [doi:10.1007/BF01303692](https://doi.org/10.1007/BF01303692).
- MARKWORTH, P. R., CHANG, R. P. H., SUN, Y., WONG, G. K., AND KETTERSON, J. B. Epitaxial stabilization of orthorhombic cuprous oxide films on MgO(110). *Journal of Materials Research*, **16** (2001), 914. [doi:10.1557/JMR.2001.0130](https://doi.org/10.1557/JMR.2001.0130).
- MARTINEZ-CLEMENTE, M., BRETHEAU, T., AND CASTAING, J. Systèmes de glissement au cours de la déformation plastique de Cu<sub>2</sub>O. *Journal de Physique*, **37** (1976), 895. [doi:10.1051/jphys:01976003707-8089500](https://doi.org/10.1051/jphys:01976003707-8089500).
- MARTINEZ-CLEMENTE, M. AND SCHMIDT-WHITLEY, R. D. A TEM study of precipitates in Cu<sub>2</sub>O. *Journal of Materials Science*, **10** (1975), 543. [doi:10.1007/BF00543701](https://doi.org/10.1007/BF00543701).
- MARTÍNEZ-RUIZ, A., GUADALUPE MORENO, M., AND TAKEUCHI, N. First principles calculations of the electronic properties of bulk Cu<sub>2</sub>O, clean and doped with Ag, Ni, and Zn. *Solid State Sciences*, **5** (2003), 291. [doi:10.1016/S1293-2558\(03\)00003-7](https://doi.org/10.1016/S1293-2558(03)00003-7).
- MASUMI, T. Dielectric anomalies and photoconductivity in host insulator Cu<sub>2</sub>O correlative with high-T<sub>c</sub> superconductivity. *Journal of the Physical Society of Japan*, **60** (1991), 3625. [doi:10.1143/JPSJ.60.3625](https://doi.org/10.1143/JPSJ.60.3625).
- MATEEN, A. Some methodologies used for the synthesis of cuprous oxide: A review. *Journal of The Pakistan Materials Society*, **2** (2008), 40. Available from: <http://mrl.upesh.edu.pk/pms/jpms3.html>.
- MATHEW, X. Photocurrent characteristics of a double junction Au/Cu<sub>2</sub>O/Mo Schottky device. *Journal of Materials Science Letters*, **21** (2002), 1911. [doi:10.1023/A:1021644227208](https://doi.org/10.1023/A:1021644227208).
- MATHEW, X., MATHEWS, N. R., AND SEBASTIAN, P. J. Temperature dependence of the optical transitions in electrodeposited Cu<sub>2</sub>O thin films. *Solar Energy Materials and Solar Cells*, **70** (2001), 277. [doi:10.1016/S0927-0248\(01\)00068-X](https://doi.org/10.1016/S0927-0248(01)00068-X).
- MATSUMOTO, H., SAITO, K., HASUO, M., KONO, S., AND NAGASAWA, N. Revived interest on yellow-exciton series in Cu<sub>2</sub>O: An experimental aspect. *Solid State Communications*, **97** (1996), 125. [doi:10.1016/0038-1098\(95\)00601-X](https://doi.org/10.1016/0038-1098(95)00601-X).

- MATSUMURA, H., FUJII, A., AND KITATANI, T. Properties of high-mobility Cu<sub>2</sub>O films prepared by thermal oxidation of Cu at low temperatures. *Japanese Journal of Applied Physics*, **35** (1996), 5631. [doi:10.1143/JJAP.35.5631](https://doi.org/10.1143/JJAP.35.5631).
- MATSUNAMI, N., FUKUOKA, O., TAZAWA, M., KAKIUCHIDA, H., AND SATAKA, M. Electronic structure modifications of cuprous-oxide films by ions. *Surface and Coatings Technology*, **203** (2009), 2642. SMMIB-15, 15th International Conference on Surface Modification of Materials by Ion Beams. [doi:10.1016/j.surfcoat.2009.02.090](https://doi.org/10.1016/j.surfcoat.2009.02.090).
- MCKINZIE, H. L. AND O'KEEFFE, M. High temperature Hall effect in cuprous oxide. *Physics Letters A*, **24** (1967), 137. [doi:10.1016/0375-9601\(67\)90728-1](https://doi.org/10.1016/0375-9601(67)90728-1).
- MENCER, D. E., ET AL. On the surface analysis of copper oxides: the difficulty in detecting Cu<sub>3</sub>O<sub>2</sub>. *Vacuum*, **77** (2004), 27. [doi:10.1016/j.vacuum.2004.07.068](https://doi.org/10.1016/j.vacuum.2004.07.068).
- MERLE, C., J., CERTIER, M., AND NIKITINE, S. Étude du profil de la raie excitonique  $n = 1$  de la série jaune de la cuprite en fonction de la température. *Journal de Physique Colloques*, **28** (1967), C3. [doi:10.1051/jphyscol:1967319](https://doi.org/10.1051/jphyscol:1967319).
- MERLE, C., J., NIKITINE, S., AND SCHWAB, C. Étude du profil d'absorption de la raie quadrupolaire excitonique 1s de la série jaune de Cu<sub>2</sub>O en fonction de certains défauts cristallins et de la température. *Journal de Physique Colloques*, **35** (1974), C3. [doi:10.1051/jphyscol:1974305](https://doi.org/10.1051/jphyscol:1974305).
- MLEY, H. A. Copper oxide films. *Journal of the American Chemical Society*, **59** (1937), 2626. [doi:10.1021/ja01291a043](https://doi.org/10.1021/ja01291a043).
- MILNE, R. H. AND HOWIE, A. Electron microscopy of copper oxidation. *Philosophical Magazine A*, **49** (1984), 665. [doi:10.1080/01418618408233294](https://doi.org/10.1080/01418618408233294).
- MIMURA, K., LIM, J.-W., ISSHIKI, M., ZHU, Y., AND JIANG, Q. Brief review of oxidation kinetics of copper at 350 °C to 1050 °C. *Metallurgical and Materials Transactions A*, **37** (2006), 1231. [doi:10.1007/s11661-006-1074-y](https://doi.org/10.1007/s11661-006-1074-y).
- MINAMI, T., MIYATA, T., IHARA, K., MINAMINO, Y., AND TSUKADA, S. Effect of ZnO film deposition methods on the photovoltaic properties of ZnO–Cu<sub>2</sub>O heterojunction devices. *Thin Solid Films*, **494** (2006), 47. [doi:10.1016/j.tsf.2005.07.167](https://doi.org/10.1016/j.tsf.2005.07.167).
- MINAMI, T., TANAKA, H., SHIMAKAWA, T., MIYATA, T., AND SATO, H. High-efficiency oxide heterojunction solar cells using Cu<sub>2</sub>O sheets. *Japanese Journal of Applied Physics*, **43** (2004), L917. [doi:10.1143/JJAP.43.L917](https://doi.org/10.1143/JJAP.43.L917).
- MITTAL, R., CHAPLOT, S. L., MISHRA, S. K., AND BOSE, P. P. Inelastic neutron scattering and lattice dynamical calculation of negative thermal expansion compounds Cu<sub>2</sub>O and Ag<sub>2</sub>O. *Physical Review B*, **75** (2007), 174303. [doi:10.1103/PhysRevB.75.174303](https://doi.org/10.1103/PhysRevB.75.174303).
- MITTIGA, A., BICCARI, F., AND MALERBA, C. Intrinsic defects and metastability effects in Cu<sub>2</sub>O. *Thin Solid Films*, **517** (2009), 2469. [doi:10.1016/j.tsf.2008.11.054](https://doi.org/10.1016/j.tsf.2008.11.054).
- MITTIGA, A., SALZA, E., AND SARTO, F. Characterization of Cu<sub>2</sub>O based heterojunction solar cells. In *Proceedings of 21st European Photovoltaic Solar Energy Conference, Dresden, Germany*, p. 219 (2006).
- MITTIGA, A., SALZA, E., SARTO, F., TUCCI, M., AND VASANTHI, R. Heterojunction solar cell with 2% efficiency based on a Cu<sub>2</sub>O substrate. *Applied Physics Letters*, **88** (2006), 163502. [doi:10.1063/1.2194315](https://doi.org/10.1063/1.2194315).
- MIYATA, T., MINAMI, T., TANAKA, H., AND SATO, H. Effect of a buffer layer on the photovoltaic properties of AZO/Cu<sub>2</sub>O solar cells. In *Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*, vol. 6037, pp. 287–296 (2006). [doi:10.1117/12.638649](https://doi.org/10.1117/12.638649).
- MIYATA, T., TANAKA, H., SATO, H., AND MINAMI, T. P-type semiconducting Cu<sub>2</sub>O–NiO thin films prepared by magnetron sputtering. *Journal of Material Science*, **41** (2006), 5531. [doi:10.1007/s10853-006-0271-9](https://doi.org/10.1007/s10853-006-0271-9).
- MIZUNO, K., IZAKI, M., MURASE, K., SHINAGAWA, T., CHIGANE, M., INABA, M., TASAKA,

- A., AND AWAKURA, Y. Structural and electrical characterizations of electrodeposited p-type semiconductor Cu<sub>2</sub>O films. *Journal of the Electrochemical Society*, **152** (2005), C179. doi:[10.1149/1.1862478](https://doi.org/10.1149/1.1862478).
- MOORE, W. J., EBISUZAKI, Y., AND SLUSS, J. A. Exchange and diffusion of oxygen in crystalline cuprous oxide. *The Journal of Physical Chemistry*, **62** (1958), 1438. doi:[10.1021/j150569a022](https://doi.org/10.1021/j150569a022).
- MOORE, W. J. AND SELIKSON, B. The diffusion of copper in cuprous oxide. *The Journal of Chemical Physics*, **19** (1951), 1539. doi:[10.1063/1.1748118](https://doi.org/10.1063/1.1748118).
- MOORE, W. J. AND SELIKSON, B. Erratum: "The diffusion of copper in cuprous oxide". *The Journal of Chemical Physics*, **20** (1952), 927. Erratum of: *The Journal of Chemical Physics*, 19 (1951), 1539. doi:[10.1063/1.1700614](https://doi.org/10.1063/1.1700614).
- MORI, A., NAKA, N., AND NAGASAWA, N. Effects of Rayleigh scattering on photovoltaic spectra associated with 1s orthoexcitons in Cu<sub>2</sub>O. *Physical Review B*, **63** (2001), 033202. doi:[10.1103/PhysRevB.63.033202](https://doi.org/10.1103/PhysRevB.63.033202).
- MORI, A., NAKA, N., AND NAGASAWA, N. Erratum: Effects of Rayleigh scattering on photovoltaic spectra associated with 1s orthoexcitons in Cu<sub>2</sub>O. *Physical Review B*, **63** (2001), 169901(E). Erratum of: *Physical Review B*, 63 (2001), 033202. doi:[10.1103/PhysRevB.63.169901](https://doi.org/10.1103/PhysRevB.63.169901).
- MROWEC, S. On the mechanism of high temperature oxidation of metals and alloys. *Corrosion Science*, **7** (1967), 563. doi:[10.1016/0010-938X\(67\)80033-7](https://doi.org/10.1016/0010-938X(67)80033-7).
- MROWEC, S. *Defects and diffusion in solids, an introduction*. Materials Science Monographs, Vol. 5. Elsevier (1980). ISBN 0444997768.
- MROWEC, S. On the defect structure and diffusion kinetics in transition metal sulphides and oxides. *Reactivity of Solids*, **5** (1988), 241. doi:[10.1016/0168-7336\(88\)80025-1](https://doi.org/10.1016/0168-7336(88)80025-1).
- MROWEC, S. AND STOKŁOSA, A. Oxidation of copper at high temperatures. *Oxidation of Metals*, **3** (1971), 291. doi:[10.1007/BF00603530](https://doi.org/10.1007/BF00603530).
- MROWEC, S., STOKŁOSA, A., AND GODLEWSKI, K. Thermodynamics and kinetics of point defects in cuprous oxide. *Crystal Lattice Defects (ISSN: 0732-8699)*, **5** (1974), 239.
- MUKHOPADHYAY, A., CHAKRABORTY, A., CHATTERJEE, A., AND LAHIRI, S. Galvanostatic deposition and electrical characterization of cuprous oxide thin films. *Thin Solid Films*, **209** (1992), 92. doi:[10.1016/0040-6090\(92\)90015-4](https://doi.org/10.1016/0040-6090(92)90015-4).
- MUSA, A. O., AKOMOLAFE, T., AND CARTER, M. J. Production of cuprous oxide, a solar cell material, by thermal oxidation and a study of its physical and electrical properties. *Solar Energy Materials and Solar Cells*, **51** (1998), 305. doi:[10.1016/S0927-0248\(97\)00233-X](https://doi.org/10.1016/S0927-0248(97)00233-X).
- MYSYROWICZ, A. Excitons as a new quantum system. *Journal de Physique Colloques*, **41** (1980), C7. doi:[10.1051/jphyscol:1980743](https://doi.org/10.1051/jphyscol:1980743).
- MYSYROWICZ, A., BENSON, E., AND FORTIN, E. Directed beam of excitons produced by stimulated scattering. *Physical Review Letters*, **77** (1996), 896. doi:[10.1103/PhysRevLett.77.896](https://doi.org/10.1103/PhysRevLett.77.896).
- MYSYROWICZ, A. AND FORTIN, E. Superfluidité excitonique dans Cu<sub>2</sub>O. *Canadian Journal of Physics*, **71** (1993), 165. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=71&year=1993&issue=3-4&msno=p93-027>.
- MYSYROWICZ, A., HULIN, D., AND ANTONETTI, A. Erratum: Long exciton lifetime in Cu<sub>2</sub>O. *Physical Review Letters*, **43** (1979), 1275. Erratum of: *Physical Review Letters*, 43 (1979), 1123. doi:[10.1103/PhysRevLett.43.1275](https://doi.org/10.1103/PhysRevLett.43.1275).
- MYSYROWICZ, A., HULIN, D., AND ANTONETTI, A. Long exciton lifetime in Cu<sub>2</sub>O. *Physical Review Letters*, **43** (1979), 1123. doi:[10.1103/PhysRevLett.43.1123](https://doi.org/10.1103/PhysRevLett.43.1123).
- MYSYROWICZ, A., LEBLANC, P. J., AND FORTIN, E. Comment on "Some considerations concerning the detection of excitons by field ionization in a Schottky barrier". *Physica Status Solidi (b)*, **239** (2003), 257. Comment on: Klingshirn, C. et al. *Physica Status Solidi (b)*, 234 (2002), 23. doi:[10.1002/pssb.200301862](https://doi.org/10.1002/pssb.200301862).

- MYSYROWICZ, A., TRAUERNICHT, D. P., WOLFE, J. P., AND TREBIN, H. R. Stress dependence of the paraexciton in Cu<sub>2</sub>O. *Physical Review B*, **27** (1983), 2562. [doi:10.1103/PhysRevB.27.2562](https://doi.org/10.1103/PhysRevB.27.2562).
- NADESALINGAM, M. P., MUKHERJEE, S., SOMASUNDARAM, S., CHENTHAMARAKSHAN, C. R., DE TACCONI, N. R., RAJESHWAR, K., AND WEISS, A. H. Effect of vacuum annealing on the surface chemistry of electrodeposited copper(I) oxide layers as probed by positron annihilation induced auger electron spectroscopy. *Langmuir*, **23** (2007), 1830. [doi:10.1021/la062709a](https://doi.org/10.1021/la062709a).
- NAIR, M. T. S., GUERRERO, L., ARENAS, O. L., AND NAIR, P. K. Chemically deposited copper oxide thin films: structural, optical and electrical characteristics. *Applied Surface Science*, **150** (1999), 143. [doi:10.1016/S0169-4332\(99\)00239-1](https://doi.org/10.1016/S0169-4332(99)00239-1).
- NAKA, N., HASHIMOTO, S., AND ISHIHARA, T. Thin films of single-crystal cuprous oxide grown from the melt. *Japanese Journal of Applied Physics*, **44** (2005), 5096. [doi:10.1143/JJAP.44.5096](https://doi.org/10.1143/JJAP.44.5096).
- NAKA, N., HASUO, M., AND NAGASAWA, N. Two-photon photo-voltaic spectroscopy on wan- nierz excitons in Cu<sub>2</sub>O. *Physics of the Solid State*, **40** (1998), 847. Original paper in Russian: Fizika Tverdogo Tela, 40 (1998), 921. [doi:10.1134/1.1130420](https://doi.org/10.1134/1.1130420).
- NAKAMURA, Y., NAKA, N., AND NAGASAWA, N. Effects of wandering photons on the excitonic optical signals in Cu<sub>2</sub>O crystals. *Physical Review B*, **64** (2001), 075203. [doi:10.1103/PhysRevB.64.075203](https://doi.org/10.1103/PhysRevB.64.075203).
- NAKANO, T., OHTANI, K., KINOSHITA, A., AND OKUDA, T. Growth of cuprous oxide (Cu<sub>2</sub>O) crystal. *Japanese Journal of Applied Physics*, **3** (1964), 124. [doi:10.1143/JJAP.3.124](https://doi.org/10.1143/JJAP.3.124).
- NAKANO, Y., SAEKI, S., AND MORIKAWA, T. Optical bandgap widening of *p*-type Cu<sub>2</sub>O films by nitrogen doping. *Applied Physics Letters*, **94** (2009), 022111. [doi:10.1063/1.3072804](https://doi.org/10.1063/1.3072804).
- NAKAOKA, K., UYEYAMA, J., AND OGURA, K. Photoelectrochemical behavior of electrodeposited CuO and Cu<sub>2</sub>O thin films on conducting substrates. *Journal of the Electrochemical Society*, **151** (2004), C661. [doi:10.1149/1.1789155](https://doi.org/10.1149/1.1789155).
- NEMOTO, T. AND NAKANO, T. The effect of silicon in cuprous oxide. *Japanese Journal of Applied Physics*, **6** (1967), 543. [doi:10.1143/JJAP.6.543](https://doi.org/10.1143/JJAP.6.543).
- NEOGI, P. Interfacial stability of electrodeposition of cuprous oxide films. *Journal of Chemical Physics*, **121** (2004), 9630. [doi:10.1063/1.1803541](https://doi.org/10.1063/1.1803541).
- NESKOVSKA, R., RISTOVA, M., VELEVSKA, J., AND RISTOV, M. Electrochromism of the electroless deposited cuprous oxide films. *Thin Solid Films*, **515** (2007), 4717. [doi:10.1016/j.tsf.2006.12.121](https://doi.org/10.1016/j.tsf.2006.12.121).
- NEVSKAYA, E. Y., GORICHEV, I. G., SAFRONOV, S. B., ZAITSEV, B. E., KUTEPOV, A. M., AND IZOTOV, A. D. Interaction between copper(II) oxide and aqueous ammonia in the presence of ethylenediaminetetraacetic acid. *Theoretical Foundations of Chemical Engineering*, **35** (2001), 503. Original paper in Russian: Teoreticheskie Osnovy Khimicheskoi Tekhnologii, 35 (2001), 533. [doi:10.1023/A:1012386322832](https://doi.org/10.1023/A:1012386322832).
- NIE, X., WEI, S.-H., AND ZHANG, S. B. First-principles study of transparent p-type conductive SrCu<sub>2</sub>O<sub>2</sub> and related compounds. *Physical Review B*, **65** (2002), 075111. [doi:10.1103/PhysRevB.65.075111](https://doi.org/10.1103/PhysRevB.65.075111).
- NIKITINE, S. Étude des spectres de l'exciton aux très basses températures. *Journal de Physique et Le Radium*, **17** (1956), 817. [doi:10.1051/jphysrad:01956001708-9081700](https://doi.org/10.1051/jphysrad:01956001708-9081700).
- NIKITINE, S. Experimental investigations of exciton spectra in ionic crystals. *Philosophical Magazine*, **4** (1959), 1. [doi:10.1080/14786435908238225](https://doi.org/10.1080/14786435908238225).
- NIKITINE, S. Spectroscopie du corps solide et spectres d'excitons. *Journal of Physics and Chemistry of Solids*, **8** (1959), 190. [doi:10.1016/0022-3697\(59\)90313-0](https://doi.org/10.1016/0022-3697(59)90313-0).
- NIKITINE, S. “Excitons” in *Optical Properties of Solids*, p. 197. Plenum Press (1969).
- NIKITINE, S. “Introduction to exciton spectroscopy” in *Excitons at High Density*. Springer Verlag (1975). [doi:10.1007/BFb0041580](https://doi.org/10.1007/BFb0041580).

- NIKITINE, S., CORET, A., ZIELINGER, J. P., JEANCLAUDE, C., AND BOEHM, C. Spectres d'absorption et de photoconductivité de cristaux semi-conducteurs et isolants. *Journal de Physique*, **26** (1965), 132. [doi:10.1051/jphys:01965002603013200](https://doi.org/10.1051/jphys:01965002603013200).
- NIKITINE, S., CORET, A., ZIELINGER, J. P., JEANCLAUDE, C., BOEHM, C., AND ZOUAGHI, M. The relationship between exciton absorption and the photoelectric effect. *The Journal of Physical Chemistry*, **69** (1965), 745. [doi:10.1021/j100887a006](https://doi.org/10.1021/j100887a006).
- NIKITINE, S., COUTURE, L., SIESKIND, M., AND PERNY, G. Étude des raies d'absorption de lames de Cu<sub>2</sub>O et de HgI<sub>2</sub> aux très basses températures. *Comptes Rendus*, **238** (1954), 1786. Available from: <http://gallica.bnf.fr/ark:/12148/bpt6k31909.image.hl.r=nikitine.f1786.langEN>.
- NIKITINE, S., DEISS, J. L., CERTIER, M., MERLE, J. C., AND DAUNOIS, A. Sur les effets d'un champ électrique et de champs électrique et magnétique croisés sur la raie quadrupolaire 1s de la série jaune de Cu<sub>2</sub>O. *Journal de Physique Colloques*, **27** (1966), C2. [doi:10.1051/jphyscol:1966221](https://doi.org/10.1051/jphyscol:1966221).
- NIKITINE, S., ELKOMOSS, S. G., AND SCHWAB, C. Line width and exciton-impurity scattering in Cu<sub>2</sub>O. *Journal of Molecular Structure*, **45** (1978), 377. [doi:10.1016/0022-2860\(78\)87080-X](https://doi.org/10.1016/0022-2860(78)87080-X).
- NIKITINE, S. AND GROSMANN, M. Effet de défauts causés par un bombardement de neutrons sur le spectre excitonique de Cu<sub>2</sub>O. *Journal de Physique*, **24** (1963), 525. [doi:10.1051/jphys:01963002407052500](https://doi.org/10.1051/jphys:01963002407052500).
- NIKITINE, S., GRUN, J. B., CERTIER, M., DEISS, J. L., AND GROSSMAN, M. In *Proceedings of the International Conference on the Physics of Semiconductors, Exeter*, p. 409 (1962).
- NIKITINE, S., GRUN, J. B., AND SIESKIND, M. Etude spectrophotométrique de la série jaune de Cu<sub>2</sub>O aux basses températures. *Journal of Physics and Chemistry of Solids*, **17** (1961), 292. [doi:10.1016/0022-3697\(61\)90195-0](https://doi.org/10.1016/0022-3697(61)90195-0).
- NIKITINE, S., PERNY, G., AND SIESKIND, M. Sur les séries de raies d'absorption de lames de Cu<sub>2</sub>O aux basses températures. *Comptes Rendus*, **238** (1954), 67. Available from: <http://gallica.bnf.fr/ark:/12148/bpt6k31909.image.hl.r=nikitine.f67.langEN>.
- NIKITINE, S., SIESKIND, M., AND PERNY, G. Déplacement du spectre d'absorption de l'oxyde cuivreux en fonction de la température. *Comptes Rendus*, **238** (1954), 1987. Available from: <http://gallica.bnf.fr/ark:/12148/bpt6k31909.image.hl.r=nikitine.f1987.langEN>.
- NIKITINE, S., ZIELINGER, J. P., CORET, A., AND ZOUAGHI, M. Evaluation des paramètres des photoporteurs dans la cuprite à 79 °K. *Physics Letters*, **18** (1965), 105. [doi:10.1016/0031-9163\(65\)90668-2](https://doi.org/10.1016/0031-9163(65)90668-2).
- NIX, F. C. Photo-conductivity. *Review of Modern Physics*, **4** (1932), 723. [doi:10.1103/RevModPhys.4.723](https://doi.org/10.1103/RevModPhys.4.723).
- NJEH, A., WIEDER, T., AND FUESS, H. Reflectometry studies of the oxidation kinetics of thin copper films. *Surface and Interface Analysis*, **33** (2002), 626. [doi:10.1002/sia.1421](https://doi.org/10.1002/sia.1421).
- NOGUET, C. Contribution à l'étude de la constante diélectrique de la cuprite. II. Détermination de la constante diélectrique statique par des méthodes électriques. *Journal de Physique*, **26** (1965), 321. [doi:10.1051/jphys:01965002606032100](https://doi.org/10.1051/jphys:01965002606032100).
- NOGUET, C. Ph.D. thesis, University of Strasbourg (1969).
- NOGUET, C. Propriétés diélectriques de l'oxyde cuivreux aux audiofréquences entre 150 °K et 320 °K. *Journal de Physique*, **31** (1970), 393. [doi:10.1051/jphys:01970003104039300](https://doi.org/10.1051/jphys:01970003104039300).
- NOGUET, C., PIERRAT, D., TAPIERO, M., AND ZIELINGER, J. P. Longueur de diffusion des porteurs minoritaires et structure de jonction des diodes Cu/Cu<sub>2</sub>O. *Revue de Physique Appliquée*, **15** (1980), 595. [doi:10.1051/rphysap:01980001503059500](https://doi.org/10.1051/rphysap:01980001503059500).
- NOGUET, C., SCHWAB, C., SENNETT, C., SIESKIND, M., AND VIEL, C. Contribution à l'étude de la constante diélectrique de la cuprite. I. Détermination de la constante diélectrique par des méthodes optiques. *Journal de Physique*, **26** (1965), 317. [doi:10.1051/jphys:01965002606031700](https://doi.org/10.1051/jphys:01965002606031700).

- NOGUET, C., SENNETT, C., AND SIESKIND, M. Contribution à l'étude de la constante diélectrique de la cuprite. III. Incidences sur les données spectroscopiques de Cu<sub>2</sub>O. Discussion. *Journal de Physique*, **26** (1965), 323. [doi:10.1051/jphys:01965002606032300](https://doi.org/10.1051/jphys:01965002606032300).
- NOGUET, C., TAPIERO, M., SCHWAB, C., ZIELINGER, J. P., TRIVICH, D., KOMP, R. J., WANG, E. Y., AND WENG, K. Cuprous oxide as a photovoltaic converter. In *Proceedings of the 1st European Photovoltaic Solar Energy Conference, Luxembourg*, pp. 1170–1179. D. Reidel Publishing Co., Dordrecht, Holland (1978).
- NOGUET, C., TAPIERO, M., AND ZIELINGER, J. P. A new model for interpreting the electric conduction phenomena in Cu<sub>2</sub>O single crystals. *Physica Status Solidi (a)*, **24** (1974), 565. [doi:10.1002/pssa.2210240224](https://doi.org/10.1002/pssa.2210240224).
- NOLAN, M. Defects in Cu<sub>2</sub>O, CuAlO<sub>2</sub> and SrCu<sub>2</sub>O<sub>2</sub> transparent conducting oxides. *Thin Solid Films*, **516** (2008), 8130. [doi:10.1016/j.tsf.2008.04.020](https://doi.org/10.1016/j.tsf.2008.04.020).
- NOLAN, M. AND ELLIOTT, S. D. The p-type conduction mechanism in Cu<sub>2</sub>O: a first principles study. *Physical Chemistry Chemical Physics*, **8** (2006), 5350. [doi:10.1039/b611969g](https://doi.org/10.1039/b611969g).
- NOLAN, M. AND ELLIOTT, S. D. Tuning the electronic structure of the transparent conducting oxide Cu<sub>2</sub>O. *Thin Solid Films*, **516** (2008), 1468. [doi:10.1016/j.tsf.2007.03.073](https://doi.org/10.1016/j.tsf.2007.03.073).
- NOLAN, M. AND ELLIOTT, S. D. Tuning the transparency of Cu<sub>2</sub>O with substitutional cation doping. *Chemistry of Materials*, **20** (2008), 5522. [doi:10.1021/cm703395k](https://doi.org/10.1021/cm703395k).
- OBA, F., ERNST, F., YU, Y., LIU, R., KOTHARI, H. M., AND SWITZER, J. A. Epitaxial growth of cuprous oxide electrodeposited onto semiconductor and metal substrates. *Journal of the American Ceramic Society*, **88** (2005), 253. [doi:10.1111/j.1551-2916.2005.00118.x](https://doi.org/10.1111/j.1551-2916.2005.00118.x).
- OCHIN, P., PETOT, C., AND PETOT-ERVAS, G. Thermodynamic study of point defects in Cu<sub>2-δ</sub>O. Electrical conductivity measurements at low oxygen partial pressures. *Solid State Ionics*, **12** (1984), 135. [doi:10.1016/0167-2738\(84\)90140-1](https://doi.org/10.1016/0167-2738(84)90140-1).
- OCHIN, P., PETOT-ERVAS, G., AND PETOT, C. Mass transport in cuprous oxide. *Journal of Physics and Chemistry of Solids*, **46** (1985), 695. [doi:10.1016/0022-3697\(85\)90158-1](https://doi.org/10.1016/0022-3697(85)90158-1).
- OGALE, S. B., BILURKAR, P. G., MATE, N., KANETKAR, S. M., PARIKH, N., AND PATNAIK, B. Deposition of copper oxide thin films on different substrates by pulsed excimer laser ablation. *Journal of Applied Physics*, **72** (1992), 3765. [doi:10.1063/1.352271](https://doi.org/10.1063/1.352271).
- OGAWA, K., ITOH, T., AND MAKI, K. Charge transfer from Cu in Cu<sub>2</sub>O epitaxially grown on MgO(001) by dc-reactive magnetron sputtering. *Physical Review B*, **62** (2000), 4269. [doi:10.1103/PhysRevB.62.4269](https://doi.org/10.1103/PhysRevB.62.4269).
- O'HARA, K. E. *Relaxation Kinetics of Excitons in Cuprous Oxide*. Ph.D. thesis, University of Illinois at Urbana-Champaign (1999). Available from: <http://research.physics.illinois.edu/Publications/theses/copies/OHara.pdf>.
- O'HARA, K. E., GULLINGSRUD, J. R., AND WOLFE, J. P. Auger decay of excitons in Cu<sub>2</sub>O. *Physical Review B*, **60** (1999), 10872. [doi:10.1103/PhysRevB.60.10872](https://doi.org/10.1103/PhysRevB.60.10872).
- O'HARA, K. E., Ó SÚILLEABHÁIN, L., AND WOLFE, J. P. Strong nonradiative recombination of excitons in Cu<sub>2</sub>O and its impact on Bose-Einstein statistics. *Physical Review B*, **60** (1999), 10565. [doi:10.1103/PhysRevB.60.10565](https://doi.org/10.1103/PhysRevB.60.10565).
- OHYAMA, T., OGAWA, T., AND NAKATA, H. Determination of deformation-potential constants of Cu<sub>2</sub>O by microwave cyclotron resonance. *Physical Review B*, **56** (1997), 3871. [doi:10.1103/PhysRevB.56.3871](https://doi.org/10.1103/PhysRevB.56.3871).
- OKADA, M., VATTUONE, L., MORITANI, K., SAVIO, L., TERAOKA, Y., KASAI, T., AND ROCCA, M. Pressure and temperature dependence of cuprous oxide nucleation on Cu(410). *Journal of Physics Condensed Matter*, **19** (2007), 305022. [doi:10.1088/0953-8984/19/30/305022](https://doi.org/10.1088/0953-8984/19/30/305022).
- OKADA, T. AND UNO, R. On the inner photo-effect of cuprous oxide. *Journal of the Physical Society of Japan*, **4** (1949), 351. [doi:10.1143/JPSJ.4.351](https://doi.org/10.1143/JPSJ.4.351).

- OKAMOTO, I., TAKEMOTO, T., MIZUTANI, M., AND MORI, I. Physical meaning of wetting curve traced by meniscograph wettability tester (Report II). In *Transactions of JWRI*, vol. 14, pp. 201–207. Joining and Welding Research Institute, Osaka University (1985). Available from: <http://ir.library.osaka-u.ac.jp/meta-bin/mt-pdetail.cgi?smode=1&edmd=0&tlang=1&cd=00034142>.
- OKAMOTO, Y., ISHIZUKA, S., KATO, S., SAKURAI, T., FUJIWARA, N., KOBAYASHI, H., AND K., A. Passivation of defects in nitrogen-doped polycrystalline Cu<sub>2</sub>O thin films by crown-ether cyanide treatment. *Applied Physics Letters*, **82** (2003), 1060. doi:10.1063/1.1555267.
- OKAZAKI, A., TUBOTA, H., AND SUZUKI, H. The temperature dependence of the zero bias resistance of cuprous oxide rectifiers. *Journal of the Physical Society of Japan*, **8** (1953), 431. doi:10.1143/JPSJ.8.431.
- O'KEEFFE, M. Infrared optical properties of cuprous oxide. *The Journal of Chemical Physics*, **39** (1963), 1789. doi:10.1063/1.1734530.
- O'KEEFFE, M. Semi conducting properties of cuprous oxide and related research. Tech. rep., Arizona State University Tempe Dept. of Chemistry (1967). Available from: <http://www.dtic.mil/srch/doc?collection=t3&id=AD0663435>.
- O'KEEFFE, M., EBISUZAKI, Y., AND MOORE, W. J. The defect structure of cuprous oxide. *Journal of the Physical Society of Japan*, **18, Suppl. II** (1963), 131. Proceedings of the Internation Conference of Crystal Lattice Defects, 1962.
- O'KEEFFE, M. AND MOORE, W. J. Electrical conductivity of monocrystalline cuprous oxide. *The Journal of Chemical Physics*, **35** (1961), 1324. doi:10.1063/1.1732045.
- O'KEEFFE, M. AND MOORE, W. J. The magnetic susceptibility of cupric oxide. *Journal of Physics and Chemistry of Solids*, **23** (1962), 261. doi:10.1016/0022-3697(62)90010-0.
- O'KEEFFE, M. AND MOORE, W. J. Thermodynamics of the formation and migration of defects in cuprous oxide. *The Journal of Chemical Physics*, **36** (1962), 3009. doi:10.1063/1.1732418.
- O'KEEFFE, M. AND STONE, F. S. The magnetochemistry and stoichiometry of the copper-oxygen system. *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, **267** (1962), 501. doi:10.1098/rspa.1962.0115.
- OKUBO, N. AND IGARASHI, M. <sup>63</sup>Cu nuclear quadrupole relaxation in Cu<sub>2</sub>O. *Physica Status Solidi (b)*, **215** (1999), 1109. doi:10.1002/(SICI)1521-3951(199910)215:2<1109::AID-PSSB1109>3.0.CO;2-E.
- OLBRYCHSKI, K., KOLODZIEJSKI, R., SUFFCZYSKI, M., AND KUNERT, H. Selection rules for the space group of Cu<sub>2</sub>O, at four symmetry points of the Brillouin zone. *Journal de Physique*, **36** (1975), 985. doi:10.1051/jphys:019750036010098500.
- OLSEN, L. C., ADDIS, F. W., AND BOHARA, R. C. Investigation of Cu<sub>2</sub>O solar cells. In *Proceedings of the 14th IEEE Photovoltaic Specialists Conference*, pp. 462–467 (1980).
- OLSEN, L. C., ADDIS, F. W., AND MILLER, W. Experimental and theoretical studies of Cu<sub>2</sub>O solar cells. *Solar Cells*, **7** (1982), 247. doi:10.1016/0379-6787(82)90050-3.
- OLSEN, L. C. AND BOHARA, R. C. Experimental and theoretical studies of Cu<sub>2</sub>O schottky barrier solar cells. In *Proceedings of the 11th IEEE Photovoltaic Specialists Conference*, pp. 381–390 (1975).
- OLSEN, L. C. AND BOHARA, R. C. Explanation of low barrier heights obtained for Cu<sub>2</sub>O Schottky barrier solar cells. In *Proceedings of the 13th IEEE Photovoltaic Specialists Conference*, pp. 1251–1252 (1978).
- OLSEN, L. C., BOHARA, R. C., AND URIE, M. W. Explanation for low-efficiency Cu<sub>2</sub>O Schottky-barrier solar cells. *Applied Physics Letters*, **34** (1979), 47. doi:10.1063/1.90593.
- ONIMISI, M. Y. Effect of annealing on the resistivity of copper (I) oxide solar cells. *International Journal of Physical Sciences*, **3** (2008), 194. Available from: <http://www.academicjournals.org/IJPS/abstracts/abstracts/abstracts2008/Aug/Onimisi.htm>.

- ONO, M. On the deviation from the Ohm's law at the anode surface of the cuprous oxide rectifiers. *Journal of the Physical Society of Japan*, **6** (1951), 397A. [doi:10.1143/JPSJ.6.397A](https://doi.org/10.1143/JPSJ.6.397A).
- ÖNSTEN, A., MÅNSSON, M., CLAESSEN, T., MURO, T., MATSUSHITA, T., NAKAMURA, T., KINOSHITA, T., KARLSSON, U. O., AND TJERNBERG, O. Probing the valence band structure of Cu<sub>2</sub>O using high-energy angle-resolved photoelectron spectroscopy. *Physical Review B*, **76** (2007), 115127. [doi:10.1103/PhysRevB.76.115127](https://doi.org/10.1103/PhysRevB.76.115127).
- O'REILLY, M., JIANG, X., BEECHINOR, J. T., LYNCH, S., NÍ DHEASUNA, C., PATTERSON, J. C., AND CREAN, G. M. Investigation of the oxidation behaviour of thin film and bulk copper. *Applied Surface Science*, **91** (1995), 152. [doi:10.1016/0169-4332\(95\)00111-5](https://doi.org/10.1016/0169-4332(95)00111-5).
- OSUMI. Dispositif supraconducteur optoélectronique à base de Cu<sub>2</sub>O à photoconductivité et supraconductivité conjuguées (1997).
- OTTER, M. *Lifetime of Paraexcitons in Cuprous Oxide*. Master's thesis, University of Groningen, Faculty of Mathematics and Natural Sciences (2007). Available from: <http://www.rug.nl/zernike/education/topmasternanoscience/NS2010Otter.pdf>.
- OTTOSSON, M. AND CARLSSON, J.-O. Chemical vapour deposition of Cu<sub>2</sub>O and CuO from CuI and O<sub>2</sub> or N<sub>2</sub>O. *Surface and Coatings Technology*, **78** (1996), 263. [doi:10.1016/0257-8972\(95\)02415-8](https://doi.org/10.1016/0257-8972(95)02415-8).
- PAPADIMITRIOU, L. Schottky barriers on Cu<sub>2</sub>O and their performance as solar cells. In *Proceedings of the 5th Bulgarian-Greek Symposium in Semiconductors, Sofia*, pp. 126–130 (1984).
- PAPADIMITRIOU, L. Acceptor states distributed in energy in Cd-doped Cu<sub>2</sub>O. *Solid State Communications*, **71** (1989), 181. [doi:10.1016/0038-1098\(89\)90398-0](https://doi.org/10.1016/0038-1098(89)90398-0).
- PAPADIMITRIOU, L. DLTS evaluation of nonexponential transients of defect levels in cuprous oxide (Cu<sub>2</sub>O). *Solid-State Electronics*, **36** (1993), 431. [doi:10.1016/0038-1101\(93\)90098-B](https://doi.org/10.1016/0038-1101(93)90098-B).
- PAPADIMITRIOU, L., DIMITRIADIS, C. A., AND DOZSA, L. Trap centers in cuprous oxide. *Solid-State Electronics*, **31** (1988), 1477. [doi:10.1016/0038-1101\(88\)90018-4](https://doi.org/10.1016/0038-1101(88)90018-4).
- PAPADIMITRIOU, L., DIMITRIADIS, C. A., DOZSA, L., AND ANDOR, L. Deep trap levels in cuprous oxide. *Solid-State Electronics*, **32** (1989), 445. [doi:10.1016/0038-1101\(89\)90026-9](https://doi.org/10.1016/0038-1101(89)90026-9).
- PAPADIMITRIOU, L. AND ECONOMOU, N. A. Preparation of bulk single crystals of Cu<sub>2</sub>O by the plastic flow method and investigation of their electrical properties. *Journal of Crystal Growth*, **64** (1983), 604. [doi:10.1016/0022-0248\(83\)90347-0](https://doi.org/10.1016/0022-0248(83)90347-0).
- PAPADIMITRIOU, L., ECONOMOU, N. A., AND TRIVICH, D. Heterojunction solar cells on cuprous oxide. *Solar Cells*, **3** (1981), 73. [doi:10.1016/0379-6787\(81\)90084-3](https://doi.org/10.1016/0379-6787(81)90084-3).
- PAPADIMITRIOU, L., ECONOMOU, N. A., AND TRIVICH, D. Photovoltaic properties of sputtered n-CdO films on p-Cu<sub>2</sub>O. *Solid-State Electronics*, **26** (1983), 767. [doi:10.1016/0038-1101\(83\)90040-0](https://doi.org/10.1016/0038-1101(83)90040-0).
- PAPADIMITRIOU, L., VALASSIADES, O., MANOLIKAS, K., STOEMENOS, J., SPYRIDELIS, J., AND ECONOMOU, N. A. High-temperature phases of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>6+x</sub> related to the superconducting transition. *Journal of Materials Science Letters*, **7** (1988), 489. [doi:10.1007/BF01730701](https://doi.org/10.1007/BF01730701).
- PARK, J.-H. AND NATESAN, K. Oxidation of copper and electronic transport in copper oxides. *Oxidation of Metals*, **39** (1993), 411. [doi:10.1007/BF00664664](https://doi.org/10.1007/BF00664664).
- PARRETTA, A., JAYARAJ, M. K., DI NOCERA, A., LORETI, S., QUERCIA, L., AND AGATI, A. Electrical and optical properties of copper oxide films prepared by reactive RF magnetron sputtering. *Physica Status Solidi (a)*, **155** (1996), 399. [doi:10.1002/pssa.2211550213](https://doi.org/10.1002/pssa.2211550213).
- PASTRŇÁK, J. Temperature dependence of light absorption in cuprous oxide crystals in the visible region of the spectrum. *Soviet Physics - Solid State*, **1** (1959), 888. Original paper in Russian: Fizika Tverdogo Tela, 1 (1958).
- PASTRŇÁK, J. —. *Czechoslovak Journal of Physics*, **11** (1961), 452. [doi:10.1007/BF01698387](https://doi.org/10.1007/BF01698387).
- PASTRŇÁK, J. Refractive index of Cu<sub>2</sub>O crystals in region up to 10 μ. *Czechoslovak Journal of Physics*, **11** (1961), 374. [doi:10.1007/BF01688443](https://doi.org/10.1007/BF01688443).

- PASTRŇÁK, J. AND KUŽEL, R. —. *Czechoslovak Journal of Physics*, **6** (1956), 217. [doi:10.1007/BF01687730](https://doi.org/10.1007/BF01687730).
- PASTRŇÁK, J. AND KUŽEL, R. The influence of illumination on the conductivity and photoconductivity of Cu<sub>2</sub>O. *Czechoslovak Journal of Physics*, **6** (1956), 235. Abstract of the paper: Czechoslovak Journal of Physics, 6 (1956), 217. [doi:10.1007/BF01687731](https://doi.org/10.1007/BF01687731).
- PAUL, G. K., GHOSH, R., BERA, S. K., BANDYOPADHYAY, S., SAKURAI, T., AND AKIMOTO, K. Deep level transient spectroscopy of cyanide treated polycrystalline p-Cu<sub>2</sub>O/n-ZnO solar cell. *Chemical Physics Letters*, **463** (2008), 117. [doi:10.1016/j.cplett.2008.08.065](https://doi.org/10.1016/j.cplett.2008.08.065).
- PAUL, G. K., NAWA, Y., SATO, H., SAKURAI, T., AND AKIMOTO, K. Defects in Cu<sub>2</sub>O studied by deep level transient spectroscopy. *Applied Physics Letters*, **88** (2006), 141901. [doi:10.1063/1.2175492](https://doi.org/10.1063/1.2175492).
- PEARSON, G. L. AND BRATTAIN, W. H. History of semiconductor research. In *Proceedings of the IRE*, vol. 43, pp. 1794–1806 (1955). [doi:10.1109/JRPROC.1955.278042](https://doi.org/10.1109/JRPROC.1955.278042).
- PEDOCCHI, L., BILLI, A., MARINELLI, E., WU, J. X., AND ROVIDA, G. ESCA study of the oxidation of DHP copper. *Surface and Interface Analysis*, **19** (1992), 414. [doi:10.1002/sia.740190177](https://doi.org/10.1002/sia.740190177).
- PERAKIS, N. AND SERRES, A. Étude de la semi-conductivité de l'oxyde cuivreux d'après son comportement magnétique entre 80 et 1000 K. *Journal de Physique et Le Radium*, **16** (1955), 387. [doi:10.1051/jphysrad:01955001605038701](https://doi.org/10.1051/jphysrad:01955001605038701).
- PERINET, F., BARBEZAT, S., AND MONTY, C. New investigation of oxygen self-diffusion in Cu<sub>2</sub>O. *Journal de Physique Colloques*, **41** (1980), C6. 3rd Europhysics topical conference lattice defects in ionic crystals. [doi:10.1051/jphyscol:1980680](https://doi.org/10.1051/jphyscol:1980680).
- PERINET, F., BARBEZAT, S., AND PHILIBERT, J. “Mechanism of Oxygen Self-Diffusion in Cu<sub>2</sub>O” in *Synthetic Materials for Electronics (Materials Science Monographs)*, vol. 10, p. 234 (1982).
- PERINET, F., LE DUIGOU, J., AND MONTY, C. “Oxygen diffusion in volume and in grain-boundaries of Cu<sub>2-x</sub>O” in *Non Stoichiometric Compounds: Surface, Grain Boundaries and Structural Defects (NATO Science Series C)*, pp. 387–397. Kluwer Academic Publishers (Springer) (1989). ISBN: 0792302257.
- PETERSON, N. L. AND WILEY, C. L. Diffusion and point defects in Cu<sub>2</sub>O. *Journal of Physics and Chemistry of Solids*, **45** (1984), 281. [doi:10.1016/0022-3697\(84\)90033-7](https://doi.org/10.1016/0022-3697(84)90033-7).
- PETROFF, Y., YU, P. Y., AND SHEN, Y. R. Study of photoluminescence in Cu<sub>2</sub>O. *Physical Review B*, **12** (1975), 2488. [doi:10.1103/PhysRevB.12.2488](https://doi.org/10.1103/PhysRevB.12.2488).
- PFUND, A. H. The light sensitiveness of copper oxide. *The Physical Review (second series)*, **7** (1916), 289. [doi:10.1103/PhysRev.7.289](https://doi.org/10.1103/PhysRev.7.289).
- PIERSON, J. F., THOBOR-KECK, A., AND BILALD, A. Cuprite, paramelaconite and tenorite films deposited by reactive magnetron sputtering. *Applied Surface Science*, **210** (2003), 359. [doi:10.1016/S0169-4332\(03\)00108-9](https://doi.org/10.1016/S0169-4332(03)00108-9).
- PINKAS, J., HUFFMAN, J. C., BAXTER, D. V., CHISHOLM, M. H., AND CAULTON, K. G. Mechanistic role of H<sub>2</sub>O and the ligand in the chemical vapor deposition of Cu, Cu<sub>2</sub>O, CuO, and Cu<sub>3</sub>N from bis(1,1,1,5,5-hexafluoropentane-2,4-dionato)copper(II). *Chemistry of Materials*, **7** (1995), 1589. [doi:10.1021/cm00056a028](https://doi.org/10.1021/cm00056a028).
- POIZOT, P., HUNG, C.-J., NIKIFOROV, M. P., BOHANNAN, E. W., AND SWITZER, J. A. An electrochemical method for CuO thin film deposition from aqueous solution. *Electrochemical and Solid-State Letters*, **6** (2003), C21. [doi:10.1149/1.1535753](https://doi.org/10.1149/1.1535753).
- POLLACK, G. P. AND TRIVICH, D. Photoelectric properties of cuprous oxide. *Journal of Applied Physics*, **46** (1975), 163. [doi:10.1063/1.321312](https://doi.org/10.1063/1.321312).
- PORAT, O. AND RIESS, I. Defect chemistry of Cu<sub>2-y</sub>O at elevated temperatures. Part I: Non-stoichiometry, phase width and dominant point defects. *Solid State Ionics*, **74** (1994), 229. [doi:10.1016/0167-2738\(94\)90215-1](https://doi.org/10.1016/0167-2738(94)90215-1).
- PORAT, O. AND RIESS, I. Defect chemistry of Cu<sub>2-y</sub>O at elevated temperatures. Part II: Electrical conductivity, thermoelectric power and charged point defects. *Solid State Ionics*,

- 81** (1995), 29. doi:[10.1016/0167-2738\(95\)00169-7](https://doi.org/10.1016/0167-2738(95)00169-7).
- POUILLON, Y., MASSOBRIOS, C., AND CELINO, M. Neutral and anionic CuO<sub>2</sub>: an ab initio study. *Computational Materials Science*, **17** (2000), 539. doi:[10.1016/S0927-0256\(00\)00084-7](https://doi.org/10.1016/S0927-0256(00)00084-7).
- PRADÈRE, F., MYSYROWICZ, A., RUSTAGI, K. C., AND TRIVICH, D. Two-photon absorption in Cu<sub>2</sub>O due to transitions to higher-energy excitons. *Physical Review B*, **4** (1971), 3570. doi:[10.1103/PhysRevB.4.3570](https://doi.org/10.1103/PhysRevB.4.3570).
- PRAKASH, I., MURALIDHARAN, P., NALLAMUTHU, N., VENKATESWARLU, M., AND SATYANARAYANA, N. Preparation and characterization of nanocrystallite size cuprous oxide. *Materials Research Bulletin*, **42** (2007), 1619. doi:[10.1016/j.materresbull.2006.11.038](https://doi.org/10.1016/j.materresbull.2006.11.038).
- PREVOT, B., CARABATOS, C., AND SIESKIND, M. Near infrared optical and photoelectric properties of Cu<sub>2</sub>O. I. Infrared absorption in Cu<sub>2</sub>O after annealing in oxygen or He<sup>+</sup> particles bombardments. *Physica Status Solidi (a)*, **10** (1972), 455. doi:[10.1002/pssa.2210100214](https://doi.org/10.1002/pssa.2210100214).
- PRISEDSKY, V. V. AND VINOGRADOV, V. M. Fragmentation of diffusion zone in high-temperature oxidation of copper. *Journal of Solid State Chemistry*, **177** (2004), 4258. doi:[10.1016/j.jssc.2004.07.058](https://doi.org/10.1016/j.jssc.2004.07.058).
- RAEBIGER, H., LANY, S., AND ZUNGER, A. Impurity clustering and ferromagnetic interactions that are not carrier induced in dilute magnetic semiconductors: The case of Cu<sub>2</sub>O:Co. *Physical Review Letters*, **99** (2007), 167203. doi:[10.1103/PhysRevLett.99.167203](https://doi.org/10.1103/PhysRevLett.99.167203).
- RAEBIGER, H., LANY, S., AND ZUNGER, A. Origins of the *p*-type nature and cation deficiency in Cu<sub>2</sub>O and related materials. *Physical Review B*, **76** (2007), 045209. doi:[10.1103/PhysRevB.76.045209](https://doi.org/10.1103/PhysRevB.76.045209).
- RAFEA, M. A. AND ROUSHDY, N. Determination of the optical band gap for amorphous and nanocrystalline copper oxide thin films prepared by SILAR technique. *Journal of Physics D: Applied Physics*, **42** (2009), 015413. doi:[10.1088/0022-3727/42/1/015413](https://doi.org/10.1088/0022-3727/42/1/015413).
- RAI, B. P. Cu<sub>2</sub>O solar cells: A review. *Solar Cells*, **25** (1988), 265. doi:[10.1016/0379-6787\(88\)90065-8](https://doi.org/10.1016/0379-6787(88)90065-8).
- RAKHSHANI, A. E. Preparation, characteristics and photovoltaic properties of cuprous oxide - A review. *Solid State Electronics*, **29** (1986), 7. doi:[10.1016/0038-1101\(86\)90191-7](https://doi.org/10.1016/0038-1101(86)90191-7).
- RAKHSHANI, A. E. The role of space-charge-limited-current conduction in evaluation of the electrical properties of thin Cu<sub>2</sub>O films. *Journal of Applied Physics*, **69** (1991), 2365. doi:[10.1063/1.348719](https://doi.org/10.1063/1.348719).
- RAKHSHANI, A. E. Thermostimulated impurity conduction in characterization of electrodeposited Cu<sub>2</sub>O films. *Journal of Applied Physics*, **69** (1991), 2290. doi:[10.1063/1.348709](https://doi.org/10.1063/1.348709).
- RAKHSHANI, A. E., MAKDISI, Y., AND MATHEW, X. Deep energy levels and photoelectrical properties of thin cuprous oxide films. *Thin Solid Films*, **288** (1996), 69. doi:[10.1016/S0040-6090\(96\)08795-0](https://doi.org/10.1016/S0040-6090(96)08795-0).
- RALPH, H. I. Electric field effects on the direct optical transition to the 1s exciton in cuprous oxide. *Solid State Communications*, **7** (1969), 1129. doi:[10.1016/0038-1098\(69\)90499-2](https://doi.org/10.1016/0038-1098(69)90499-2).
- RAMSIER, R. D., MALLIK, R. R., AND HENRIKSEN, P. N. Investigation of thermally grown copper oxides with inelastic electron tunneling spectroscopy. *Journal of Applied Physics*, **66** (1989), 4539. doi:[10.1063/1.343924](https://doi.org/10.1063/1.343924).
- RAY, S. C. Preparation of copper oxide thin film by the sol-gel-like dip technique and study of their structural and optical properties. *Solar Energy Materials and Solar Cells*, **68** (2001), 307. doi:[10.1016/S0927-0248\(00\)00364-0](https://doi.org/10.1016/S0927-0248(00)00364-0).
- RAYNAUD, G. M. AND RAPP, R. A. In situ observation of whiskers, pyramids and pits during the high-temperature oxidation of metals. *Oxidation of Metals*, **21** (1984), 89. doi:[10.1007/BF00659470](https://doi.org/10.1007/BF00659470).
- REDDY, A. S., RAO, G. V., UTHANNA, S., AND REDDY, P. S. Influence of substrate bias voltage on the properties of magnetron sputtered Cu<sub>2</sub>O films. *Physica B*, **370** (2005), 29. doi:[10.1016/j.physb.2005.08.041](https://doi.org/10.1016/j.physb.2005.08.041).

- REDDY, A. S., UTHANNA, S., AND REDDY, P. S. Properties of dc magnetron sputtered Cu<sub>2</sub>O films prepared at different sputtering pressures. *Applied Surface Science*, **253** (2007), 5287. doi:10.1016/j.apusc.2006.11.051.
- REICHEL, F., JEURGENS, L. P. H., AND MITTEMEIJER, E. J. The thermodynamic stability of amorphous oxide overgrowths on metals. *Acta Materialia*, **56** (2008), 659. doi:10.1016/j.actamat.2007.10.023.
- REIMANN, K. Thermalization of excitons in Cu<sub>2</sub>O. *Journal of Luminescence*, **40–41** (1988), 475. doi:10.1016/0022-2313(88)90289-X.
- REYDELLET, J., BALKANSKI, M., AND TRIVICH, D. Light scattering and infrared absorption in cuprous oxide. *Physica Status Solidi (b)*, **52** (1972), 175. doi:10.1002/pssb.2220520120.
- RHODIN JR., T. N. Low temperature oxidation of copper. I. Physical mechanism1a. *Journal of the American Chemical Society*, **72** (1950), 5102. doi:10.1021/ja01167a079.
- RHODIN JR., T. N. Low temperature oxidation of copper. II. Reaction rate anisotropy. *Journal of the American Chemical Society*, **73** (1951), 3143. doi:10.1021/ja01151a042.
- RICHARDSON, T. J., SLACK, J. L., AND RUBIN, M. D. Electrochromism in copper oxide thin films. *Electrochimica Acta*, **46** (2001), 2281. doi:10.1016/S0013-4686(01)00397-8.
- RIESS, I. Measurement of ionic conductivity in semiconductors and metals. *Solid State Ionics*, **44** (1991), 199. doi:10.1016/0167-2738(91)90008-Y.
- RIESS, I. Recent investigations into the properties of mixed ionic electronic conductors. *Materials Science and Engineering B*, **12** (1992), 351. doi:10.1016/0921-5107(92)90005-T.
- RIESS, I. Mixed ionic-electronic conductors—material properties and applications. *Solid State Ionics*, **157** (2003), 1. doi:10.1016/S0167-2738(02)00182-0.
- RIESS, I. *I—V* relations in semiconductors with ionic motion. *Journal of Electroceramics*, **17** (2006), 247. doi:10.1007/s10832-006-5548-5.
- RIGHI, A. Risposta alle osservazioni del sig. Hallwachs. *Il Nuovo Cimento*, **28** (1890), 62. doi:10.1007/BF02709638.
- RISTOVA, M., NESKOVSKA, R., AND MIRCESKI, V. Chemically deposited electrochromic cuprous oxide films for solar light modulation. *Solar Energy Materials and Solar Cells*, **91** (2007), 1361. doi:10.1016/j.solmat.2007.05.018.
- ROBERTS, E. F. I. AND RASTALL, P. The optical constants of natural and artificial cuprite by an ellipsometric method. *Mineralogical Magazine*, **42** (1978), 505. Available from: <http://www.minersoc.org/>.
- ROBERTS, H. S. AND SMYTH, F. H. The system copper: Cupric oxide: Oxygen. *Journal of the American Chemical Society*, **43** (1921), 1061. doi:10.1021/ja01438a009.
- ROBERTSON, J. Electronic structure and X-ray near-edge core spectra of Cu<sub>2</sub>O. *Physical Review B*, **28** (1983), 3378. doi:10.1103/PhysRevB.28.3378.
- RODNEY, P. J. *The Photophysics of Ionic Semiconductors at Low Temperatures: Silver Bromide, Silver Iodide and Cuprous Oxide*. Ph.D. thesis, University of Rochester (1998). Available from: [http://www.lle.rochester.edu/03\\_publications/03\\_05\\_theses/index.php](http://www.lle.rochester.edu/03_publications/03_05_theses/index.php).
- RÖNNOW, D., LINDSTRÖM, T., ISIDORSSON, J., AND RIBBING, C. G. Surface roughness of oxidised copper films studied by atomic force microscopy and spectroscopic light scattering. *Thin Solid Films*, **325** (1998), 92. doi:10.1016/S0040-6090(98)00503-3.
- RÖNNQUIST, A. AND FISCHMEISTER, H. The oxidation of copper – A review of published data. *Journal of the Institute of Metals*, **89** (1960–1961), 65.
- ROSENSTOCK, Z., FELDMAN, I., GIL, Y., AND RIESS, I. Semi-conductors with mobile ions show a new type of I–V relations. *Journal of Electroceramics*, **14** (2005), 205. doi:10.1007/s10832-005-0959-2.
- ROSENSTOCK, Z., FELDMAN, I., AND RIESS, I. Solid state devices based on thin films of Cu<sub>2</sub>O show a new type of *I–V* relations. *Solid State Ionics*, **175** (2004), 375. doi:10.1016/j.ssi.2004.03.049.

- ROSENSTOCK, Z. AND RIESS, I. Preparation of oxide thin films by controlled diffusion of oxygen atoms. *Solid State Ionics*, **136–137** (2000), 921. [doi:10.1016/S0167-2738\(00\)00570-1](https://doi.org/10.1016/S0167-2738(00)00570-1).
- ROSLYAK, O. AND BIRMAN, J. L. Hybridized quadrupole-dipole exciton effects in a Cu<sub>2</sub>O-organic heterostructure. *Physical Review B*, **75** (2007), 245309. [arXiv:arXiv:cond-mat/0703268](https://arxiv.org/abs/arXiv:cond-mat/0703268), [doi:10.1103/PhysRevB.75.245309](https://doi.org/10.1103/PhysRevB.75.245309).
- ROSLYAK, O. AND BIRMAN, J. L. Theory of enhanced dynamical photo-thermal bi-stability effects in cuprous oxide/organic hybrid heterostructure. *Solid State Communications*, **143** (2007), 487. [arXiv:0705.0731](https://arxiv.org/abs/0705.0731), [doi:10.1016/j.ssc.2007.06.024](https://doi.org/10.1016/j.ssc.2007.06.024).
- ROY, S., BOSE, S., AND SIRCAR, S. Pressure dependencies of copper oxidation for low- and high-temperature parabolic laws. *Oxidation of Metals*, **35** (1991), 1. [doi:10.1007/BF00666497](https://doi.org/10.1007/BF00666497).
- ROY, S. K., ANANTH, V., AND BOSE, S. K. Oxidation behavior of copper at high temperatures under two different modes of direct-current applications. *Oxidation of Metals*, **43** (1995), 185. [doi:10.1007/BF01047027](https://doi.org/10.1007/BF01047027).
- ROY, S. K., MITRA, S. K., AND BOSE, S. K. Influence of an externally-applied static charge on the oxidation kinetics of copper. *Oxidation of Metals*, **49** (1998), 261. [doi:10.1023/A:1018882408550](https://doi.org/10.1023/A:1018882408550).
- RUIZ, E., ALVAREZ, S., ALEMANY, P., AND EVARESTOV, R. A. Electronic structure and properties of Cu<sub>2</sub>O. *Physical Review B*, **56** (1997), 7189. [doi:10.1103/PhysRevB.56.7189](https://doi.org/10.1103/PhysRevB.56.7189).
- RUSTAGI, K. C., PRADERE, F., AND MYSYROWICZ, A. Two-photon absorption in Cu<sub>2</sub>O. *Physical Review B*, **8** (1973), 2721. [doi:10.1103/PhysRevB.8.2721](https://doi.org/10.1103/PhysRevB.8.2721).
- SAMARASEKARA, P., ARACHCHI, M., ABEYDEERA, A., FERNANDO, C., DISANAYAKE, A., AND RAJAPAKSE, R. Photocurrent enhancement of d.c. sputtered copper oxide thin films. *Bulletin of Materials Science*, **28** (2005), 483. [doi:10.1007/BF02711241](https://doi.org/10.1007/BF02711241).
- SAMUELSON, A. G. Visualizing orbitals and bonds. *Current Science*, **77** (1999), 1131. Available from: <http://www.ias.ac.in/currsci/nov10/contents1.htm>.
- SANSON, A., ROCCA, F., DALBA, G., FORNASINI, P., GRISENTI, R., DAPIAGGI, M., AND ARTIOLI, G. Negative thermal expansion and local dynamics in Cu<sub>2</sub>O and Ag<sub>2</sub>O. *Physical Review B*, **73** (2006), 214305. [doi:10.1103/PhysRevB.73.214305](https://doi.org/10.1103/PhysRevB.73.214305).
- SANTRA, K., SARKAR, C. K., MUKHERJEE, M. K., AND GHOSH, B. Copper oxide thin films grown by plasma evaporation method. *Thin Solid Films*, **213** (1992), 226. [doi:10.1016/0040-6090\(92\)90286-K](https://doi.org/10.1016/0040-6090(92)90286-K).
- SANTUCCI, S. AND PICOZZI, P. Oxidation of very thin copper films investigated by optical transmittance. *Thin Solid Films*, **113** (1984), 243. [doi:10.1016/0040-6090\(84\)90227-X](https://doi.org/10.1016/0040-6090(84)90227-X).
- SCANLON, D. O., MORGAN, B. J., AND WATSON, G. W. Modeling the polaronic nature of p-type defects in Cu<sub>2</sub>O: The failure of GGA and GGA+U. *The Journal of Chemical Physics*, **131** (2009), 124703. [doi:10.1063/1.3231869](https://doi.org/10.1063/1.3231869).
- SCANLON, D. O., MORGAN, B. J., WATSON, G. W., AND WALSH, A. Acceptor levels in p-type Cu<sub>2</sub>O: Rationalizing theory and experiment. *Physical Review Letters*, **103** (2009), 096405. [doi:10.1103/PhysRevLett.103.096405](https://doi.org/10.1103/PhysRevLett.103.096405).
- SCHICK, J. D. AND TRIVICH, D. Photokinetics in single-crystal cuprous oxide. *Chemical Physics Letters*, **10** (1971), 465. [doi:10.1016/0009-2614\(71\)80335-4](https://doi.org/10.1016/0009-2614(71)80335-4).
- SCHICK, J. D. AND TRIVICH, D. Electron trapping in single crystal cuprous oxide. *Journal of the Electrochemical Society*, **119** (1972), 376. [doi:10.1149/1.2404206](https://doi.org/10.1149/1.2404206).
- SCHMIDT-WHITLEY, R. D., MARTINEZ-CLEMENTE, M., AND REVCOLEVSCHI, A. Growth and microstructural control of single crystal cuprous oxide Cu<sub>2</sub>O. *Journal of Crystal Growth*, **23** (1974), 113. [doi:10.1016/0022-0248\(74\)90110-9](https://doi.org/10.1016/0022-0248(74)90110-9).
- SCHRAMM, L., BEHR, G., LÖSER, W., AND WETZIG, K. Thermodynamic reassessment of the Cu<sub>2</sub>O phase diagram. *Journal of Phase Equilibria and Diffusion*, **26** (2005), 605. [doi:10.1007/s11669-005-0005-8](https://doi.org/10.1007/s11669-005-0005-8).

- SCHULZ, K. H. AND COX, D. F. Photoemission and low-energy-electron-diffraction study of clean and oxygen-dosed Cu<sub>2</sub>O (111) and (100) surfaces. *Physical Review B*, **43** (1991), 1610. [doi:10.1103/PhysRevB.43.1610](https://doi.org/10.1103/PhysRevB.43.1610).
- SCHWAB, C., DIFFINÉ, A., KOEHL, G., CARABATOS, C., SIESKIND, M., CALME, P., AND VIEL, C. Effets du recuit sur l'absorption optique de l'oxyde cuivreux. *Journal de Physique*, **29** (1968), 317. [doi:10.1051/jphys:01968002904031700](https://doi.org/10.1051/jphys:01968002904031700).
- SCHWAB, C., GOLTZENE, A., MEYER, B., AND NIKITINE, S. Isoelectronic broadening of the yellow exciton quadrupole absorption line of cuprous oxide. *Physica Status Solidi (b)*, **60** (1973), 651. [doi:10.1002/pssb.2220600221](https://doi.org/10.1002/pssb.2220600221).
- SCHWAB, C., HOTTIER, C., SIESKIND, M., AND NIKITINE, S. Étude quantitative du spectre d'absorption continu rouge et de la série excitonique jaune dans Cu<sub>2</sub>O dopé à l'argent. *Journal de Physique*, **28** (1967), 93. [doi:10.1051/jphys:0196700280109300](https://doi.org/10.1051/jphys:0196700280109300).
- SCHWAB, C., MARVILLET, F., ADLOFF, J. P., AND NIKITINE, S. Étude des séries excitoniques jaune et verte dans des cristaux de Cu<sub>2</sub>O, dopés à l'argent. *Journal de Physique*, **25** (1964), 381. [doi:10.1051/jphys:01964002504038100](https://doi.org/10.1051/jphys:01964002504038100).
- SEARS, W. M. AND FORTIN, E. Preparation and properties of Cu<sub>2</sub>O/Cu photovoltaic cells. *Solar Energy Materials*, **10** (1984), 93. [doi:10.1016/0165-1633\(84\)90011-X](https://doi.org/10.1016/0165-1633(84)90011-X).
- SEARS, W. M., FORTIN, E., AND WEBB, J. B. Indium tin oxide/Cu<sub>2</sub>O photovoltaic cells. *Thin Solid Films*, **103** (1983), 303. [doi:10.1016/0040-6090\(83\)90447-9](https://doi.org/10.1016/0040-6090(83)90447-9).
- SERIN, N. AND SERIN, T. The photocapacitance property of Cu/Cu<sub>2</sub>O/Au sandwich structures. *Semiconductor Science and Technology*, **17** (2002), 1162. [doi:10.1088/0268-1242/17/11/305](https://doi.org/10.1088/0268-1242/17/11/305).
- SERIN, N., SERIN, T., AND ÜNAL, B. The effect of humidity on electronic conductivity of an Au/CuO/Cu<sub>2</sub>O/Cu sandwich structure. *Semiconductor Science and Technology*, **15** (2000), 112. [doi:10.1088/0268-1242/15/2/305](https://doi.org/10.1088/0268-1242/15/2/305).
- SEYAMA, M., TAKAMASU, T., IMANAKA, Y., YAMAGUCHI, H., MASUMI, T., AND KIDO, G. Magneto-optical absorption spectra of Cu<sub>2</sub>O in an image map with fine structures at higher fields up to 25 T. *Journal of the Physical Society of Japan*, **72** (2003), 437. [doi:10.1143/JPSJ.72.437](https://doi.org/10.1143/JPSJ.72.437).
- SHEN, M. Y., YOKOUCHI, T., KOYAMA, S., AND GOTO, T. Dynamics associated with Bose-Einstein statistics of orthoexcitons generated by resonant excitations in cuprous oxide. *Physical Review B*, **56** (1997), 13066. [doi:10.1103/PhysRevB.56.13066](https://doi.org/10.1103/PhysRevB.56.13066).
- SHEN, Z.-X., LIST, R. S., DESSAU, D. S., PARMIGANI, F., ARKO, A. J., BARTLETT, R., WELLS, B. O., LINDAU, I., AND SPICER, W. E. Photoemission study of CuO and Cu<sub>2</sub>O single crystals. *Physical Review B*, **42** (1990), 8081. [doi:10.1103/PhysRevB.42.8081](https://doi.org/10.1103/PhysRevB.42.8081).
- SHERWOOD, P. M. A. Oxidation and corrosion studies by valence band photoemission. *Journal of Vacuum Science & Technology A*, **9** (1991), 1493. [doi:10.1116/1.577651](https://doi.org/10.1116/1.577651).
- SHESTATSKII, S. N. AND SOBOLEV, V. V. Elecroreflectance spectrum of cuprous oxide crystals. *Physica Status Solidi (b)*, **28** (1968), K131. [doi:10.1002/pssb.19680280254](https://doi.org/10.1002/pssb.19680280254).
- SHESTATSKII, S. N. AND SOBOLEV, V. V. Ultraviolet electroreflectance of cuprous oxide. *physica status solidi (b)*, **32** (1969), K109. [doi:10.1002/pssb.19690320181](https://doi.org/10.1002/pssb.19690320181).
- SHESTATSKII, S. N., SOBOLEV, V. V., AND LIKHOBABIN, N. P. Exciton electro-reflectance of cuprous oxide crystals. *Physica Status Solidi (b)*, **42** (1970), 669. [doi:10.1002/pssb.19700420220](https://doi.org/10.1002/pssb.19700420220).
- SHESTATSKII, S. N., SOBOLEV, V. V., LIKHOBABIN, N. P., AND VOLOVENKO, L. V. Electroabsorption in the green exciton series of Cu<sub>2</sub>O. *Physica Status Solidi (b)*, **38** (1970), A131. [doi:10.1002/pssb.19700380247](https://doi.org/10.1002/pssb.19700380247).
- SHIMADA, H. AND MASUMI, T. Hall mobility of positive holes in Cu<sub>2</sub>O. *Journal of the Physical Society of Japan*, **58** (1989), 1717. [doi:10.1143/JPSJ.58.1717](https://doi.org/10.1143/JPSJ.58.1717).

- SHINDO, K., GOTO, T., AND ANZAI, T. Exciton-LO phonon scattering in Cu<sub>2</sub>O. *Journal of the Physical Society of Japan*, **36** (1974), 753. doi:[10.1143/JPSJ.36.753](https://doi.org/10.1143/JPSJ.36.753).
- SHISHIYANU, S. T., SHISHIYANU, T. S., AND LUPAN, O. I. Novel NO<sub>2</sub> gas sensor based on cuprous oxide thin films. *Sensors and Actuators B: Chemical*, **113** (2006), 468. doi:[10.1016/j.snb.2005.03.061](https://doi.org/10.1016/j.snb.2005.03.061).
- SIEBERER, M., REDINGER, J., AND MOHN, P. Electronic and magnetic structure of cuprous oxide Cu<sub>2</sub>O doped with Mn, Fe, Co, and Ni: A density-functional theory study. *Physical Review B*, **75** (2007), 035203. doi:[10.1103/PhysRevB.75.035203](https://doi.org/10.1103/PhysRevB.75.035203).
- SIEGFRIED, M. J. AND CHOI, K.-S. Electrochemical crystallization of cuprous oxide with systematic shape evolution. *Advanced Materials*, **16** (2004), 1743. doi:[10.1002/adma.200400177](https://doi.org/10.1002/adma.200400177).
- SIEGFRIED, M. J. AND CHOI, K.-S. Directing the architecture of cuprous oxide crystals during electrochemical growth. *Angewandte Chemie International Edition*, **44** (2005), 3218. doi:[10.1002/anie.200463018](https://doi.org/10.1002/anie.200463018).
- SINGH, D. P., SINGH, J., MISHRA, P. R., TIWARI, R. S., AND SRIVASTAVA, O. N. Synthesis, characterization and application of semiconducting oxide (Cu<sub>2</sub>O and ZnO) nanostructures. *Bulletin of Materials Science*, **31** (2008), 319. Available from: <http://www.ias.ac.in/matersci/conjunto8.htm>.
- SIRBU, S. *Induced excitations in some metal oxides*. Ph.D. thesis, University of Groningen (2008). Available from: <http://irs.ub.rug.nl/ppn/316324507>.
- SIRIPALA, W., IVANOVSKAYA, A., JARAMILLO, T. F., BAECK, S.-H., AND MCFARLAND, E. W. A Cu<sub>2</sub>O/TiO<sub>2</sub> heterojunction thin film cathode for photoelectrocatalysis. *Solar Energy Materials and Solar Cells*, **77** (2003), 229. doi:[10.1016/S0927-0248\(02\)00343-4](https://doi.org/10.1016/S0927-0248(02)00343-4).
- SIRIPALA, W. AND JAYAKODY, J. R. P. Observation of n-type photoconductivity in electrodeposited copper oxide film electrodes in a photoelectrochemical cell. *Solar Energy Materials*, **14** (1986), 23. doi:[10.1016/0165-1633\(86\)90010-9](https://doi.org/10.1016/0165-1633(86)90010-9).
- SIRIPALA, W., PERERA, L. D. R. D., DE SILVA, K. T. L., JAYANETTI, J. K. D. S., AND DHARMADASA, I. M. Study of annealing effects of cuprous oxide grown by electrodeposition technique. *Solar Energy Materials and Solar Cells*, **44** (1996), 251. doi:[10.1016/0927-0248\(96\)00043-8](https://doi.org/10.1016/0927-0248(96)00043-8).
- ŠMITH, M., GOTOVAC, V., ALJINOVIC, L., AND LUČIĆ-LAVČEVIĆ, M. An investigation of the electrochemical and photoelectrochemical properties of the cuprous oxide/liquid phase boundary. *Surface Science*, **335** (1995), 171. Proceedings of the IUVSTA Workshop on Surface Science and Electrochemistry. doi:[10.1016/0039-6028\(95\)00577-3](https://doi.org/10.1016/0039-6028(95)00577-3).
- SMYTH, F. H. AND ROBERTS, H. S. The system cupric oxide, cuprous oxide, oxygen. *Journal of the American Chemical Society*, **42** (1920), 2582. doi:[10.1021/ja01457a017](https://doi.org/10.1021/ja01457a017).
- SNOKE, D. Coherent exciton waves. *Science*, **273** (1996), 1351. doi:[10.1126/science.273.5280.1351](https://doi.org/10.1126/science.273.5280.1351).
- SNOKE, D. Spontaneous bose coherence of excitons and polaritons. *Science*, **298** (2002), 1368. doi:[10.1126/science.1078082](https://doi.org/10.1126/science.1078082).
- SNOKE, D., BRAUN, D., AND CARDONA, M. Nonequilibrium exciton kinetics in Cu<sub>2</sub>O. *Journal of Luminescence*, **53** (1992), 415. doi:[10.1016/0022-2313\(92\)90187-E](https://doi.org/10.1016/0022-2313(92)90187-E).
- SNOKE, D. AND KAVOKIN, A. Are we there yet? Progress in condensation of quasiparticles. *Solid State Communications*, **144** (2007), 357. doi:[10.1016/j.ssc.2007.08.009](https://doi.org/10.1016/j.ssc.2007.08.009).
- SNOKE, D., WOLFE, J. P., AND MYSYROWICZ, A. Quantum saturation of a bose gas: Excitons in Cu<sub>2</sub>O. *Physical Review Letters*, **59** (1987), 827. doi:[10.1103/PhysRevLett.59.827](https://doi.org/10.1103/PhysRevLett.59.827).
- SNOKE, D. W., BRAUN, D., AND CARDONA, M. Carrier thermalization in Cu<sub>2</sub>O: Phonon emission by excitons. *Physical Review B*, **44** (1991), 2991. doi:[10.1103/PhysRevB.44.2991](https://doi.org/10.1103/PhysRevB.44.2991).
- SNOKE, D. W. AND NEGOITA, V. Pushing the Auger limit: Kinetics of excitons in traps in Cu<sub>2</sub>O. *Physical Review B*, **61** (2000), 2904. doi:[10.1103/PhysRevB.61.2904](https://doi.org/10.1103/PhysRevB.61.2904).

- SNOKE, D. W., SHIELDS, A. J., AND CARDONA, M. Phonon-absorption recombination luminescence of room-temperature excitons in Cu<sub>2</sub>O. *Physical Review B*, **45** (1992), 11693. [doi:10.1103/PhysRevB.45.11693](https://doi.org/10.1103/PhysRevB.45.11693).
- SNOKE, D. W. AND WOLFE, J. P. Picosecond dynamics of degenerate orthoexcitons in Cu<sub>2</sub>O. *Physical Review B*, **42** (1990), 7876. [doi:10.1103/PhysRevB.42.7876](https://doi.org/10.1103/PhysRevB.42.7876).
- SNOKE, D. W., WOLFE, J. P., AND MYSYROWICZ, A. Evidence for bose-einstein condensation of excitons in Cu<sub>2</sub>O. *Physical Review B*, **41** (1990), 11171. [doi:10.1103/PhysRevB.41.11171](https://doi.org/10.1103/PhysRevB.41.11171).
- SOLACHE-CARRANCO, H., JUÁREZ-DÍAZ, G., ESPARZA-GARCÍA, A., BRISEÑO GARCÍA, M., GALVÁN-ARELLANO, M., MARTÍNEZ-JUÁREZ, J., ROMERO-PAREDES, G., AND PEÑA SIERRA, R. Photoluminescence and X-ray diffraction studies on Cu<sub>2</sub>O. *Journal of Luminescence*, **129** (2009), 1483. [doi:10.1016/j.jlumin.2009.02.033](https://doi.org/10.1016/j.jlumin.2009.02.033).
- SOON, A., CUI, X.-Y., DELLEY, B., WEI, S.-H., AND STAMPFL, C. Native defect-induced multifarious magnetism in nonstoichiometric cuprous oxide: First-principles study of bulk and surface properties of Cu<sub>2</sub>O. *Physical Review B*, **79** (2009), 035205. [doi:10.1103/PhysRevB.79.035205](https://doi.org/10.1103/PhysRevB.79.035205).
- SOON, A., TODOROVA, M., DELLEY, B., AND STAMPFL, C. Thermodynamic stability and structure of copper oxide surfaces: A first-principles investigation. *Physical Review B*, **75** (2007), 125420. [doi:10.1103/PhysRevB.75.125420](https://doi.org/10.1103/PhysRevB.75.125420).
- SPYRIDELIS, J., STOIMENOS, J., AND ECONOMOU, N. Optical and photoconductive phenomena in cuprous oxide. *Physica Status Solidi (b)*, **20** (1967), 623. [doi:10.1002/pssb.19670200224](https://doi.org/10.1002/pssb.19670200224).
- STARR, C. The copper oxide rectifier. *Physics*, **7** (1936), 15. [doi:10.1063/1.1745338](https://doi.org/10.1063/1.1745338).
- STECKER, K. Über die halbleitereigenschaften des kupferoxyduls. XII Die leitfähigkeit des kupferoxyduls innerhalb des existenzgebietes bei hohen temperaturen im bereich kleiner drucke. *Annalen der Physik*, **458** (1959), 55. [doi:10.1002/andp.19594580106](https://doi.org/10.1002/andp.19594580106).
- SUEHIRO, T., SASAKI, T., AND HIRATAKE, Y. Electronic properties of thin cuprous oxide sheet prepared by infrared light irradiation. *Thin Solid Films*, **383** (2001), 318. [doi:10.1016/S0040-6090\(00\)01604-7](https://doi.org/10.1016/S0040-6090(00)01604-7).
- SUN, B.-Z., CHEN, W.-K., WANG, X., AND LU, C.-H. A density functional theory study on the adsorption and dissociation of N<sub>2</sub>O on Cu<sub>2</sub>O(111) surface. *Applied Surface Science*, **253** (2007), 7501. [doi:10.1016/j.apsusc.2007.03.042](https://doi.org/10.1016/j.apsusc.2007.03.042).
- SUN, F., GUO, Y., SONG, W., ZHAO, J., TANG, L., AND WANG, Z. Morphological control of Cu<sub>2</sub>O micro-nanostructure film by electrodeposition. *Journal of Crystal Growth*, **304** (2007), 425. [doi:10.1016/j.jcrysGro.2007.02.037](https://doi.org/10.1016/j.jcrysGro.2007.02.037).
- SUN, F., GUO, Y., TIAN, Y., ZHANG, J., LV, X., LI, M., ZHENG, Y., AND WANG, Z. The effect of additives on the Cu<sub>2</sub>O crystal morphology in acetate bath by electrodeposition. *Journal of Crystal Growth*, **310** (2008), 318. [doi:10.1016/j.jcrysGro.2007.11.010](https://doi.org/10.1016/j.jcrysGro.2007.11.010).
- SUN, J.-L., XU, J., AND ZHU, J.-L. Oxidized macroscopic-long Cu nanowire bundle photoconductor. *Applied Physics Letters*, **90** (2007), 201119. [doi:10.1063/1.2741131](https://doi.org/10.1063/1.2741131).
- SUN, L. AND YANG, J. C. The low-temperature initial oxidation stages of Cu(100) investigated by in situ ultra-high-vacuum transmission electron microscopy. *Journal of Materials Research*, **20** (2005), 1910. [doi:10.1557/JMR.2005.0236](https://doi.org/10.1557/JMR.2005.0236).
- SUN, Y., RIVKIN, K., CHEN, J., KETTERSON, J. B., MARKWORTH, P., AND CHANG, R. P. Strain splitting of 1s yellow orthoexciton of epitaxial orthorhombic Cu<sub>2</sub>O films on MgO [110]. *Physical Review B*, **66** (2002), 245315. [doi:10.1103/PhysRevB.66.245315](https://doi.org/10.1103/PhysRevB.66.245315).
- SUN, Y., WONG, G. K. L., AND KETTERSON, J. B. Study of the 1s orthoexciton luminescence in Cu<sub>2</sub>O under two-photon excitation. *Journal of Luminescence*, **110** (2004), 125. [doi:10.1016/j.jlumin.2004.05.003](https://doi.org/10.1016/j.jlumin.2004.05.003).
- SURNEV, L. On the long period photoconductivity of Cu<sub>2</sub>O. *Physica Status Solidi (b)*, **31** (1969), 557. [doi:10.1002/pssb.19690310215](https://doi.org/10.1002/pssb.19690310215).

- SUTTER, E. M. M., FIAUD, C., AND LINCOT, D. Electrochemical and photoelectrochemical characterization of naturally grown oxide layers on copper in sodium acetate solutions with and without benzotriazole. *Electrochimica Acta*, **38** (1993), 1471. doi:[10.1016/0013-4686\(93\)80085-E](https://doi.org/10.1016/0013-4686(93)80085-E).
- SWITZER, J. A., HUNG, C.-J., HUANG, L.-Y., MILLER, F. S., ZHOU, Y., RAUB, E. R., SHUMSKY, M. G., AND BOHANNAN, E. W. Potential oscillations during the electrochemical self-assembly of copper/cuprous oxide layered nanostructures. *Journal of Materials Research*, **13** (1998), 909. doi:[10.1557/JMR.1998.0124](https://doi.org/10.1557/JMR.1998.0124).
- SWITZER, J. A., HUNG, C.-J., HUANG, L.-Y., SWITZER, E. R., KAMMLER, D. R., GOLDEN, T. D., AND BOHANNAN, E. W. Electrochemical self-assembly of copper/cuprous oxide layered nanostructures. *Journal of the American Chemical Society*, **120** (1998), 3530. doi:[10.1021/ja974366w](https://doi.org/10.1021/ja974366w).
- SWITZER, J. A., MAUNE, B. M., RAUB, E. R., AND BOHANNAN, E. W. Negative differential resistance in electrochemically self-assembled layered nanostructures. *The Journal of Physical Chemistry B*, **103** (1999), 395. doi:[10.1021/jp983911s](https://doi.org/10.1021/jp983911s).
- TABUCHI, N. AND MATSUMURA, H. Control of carrier concentration in thin cuprous oxide Cu<sub>2</sub>O films by atomic hydrogen. *Japanese Journal of Applied Physics*, **41** (2002), 5060. doi:[10.1143/JJAP.41.5060](https://doi.org/10.1143/JJAP.41.5060).
- TAIZO, M. AND HIROSHI, S. Nonlinear optical phenomena in cyclotron resonance of positive holes and electrons in Cu<sub>2</sub>O. *Journal of the Physical Society of Japan*, **60** (1991), 3629. doi:[10.1143/JPSJ.60.3629](https://doi.org/10.1143/JPSJ.60.3629).
- TAIZO, M. AND HIROSHI, S. An observation of quantized series of step or clew temperatures in superconductive-conjugate photoconductivity of Cu<sub>2</sub>O. *Journal of the Physical Society of Japan*, **60** (1991), 3633. doi:[10.1143/JPSJ.60.3633](https://doi.org/10.1143/JPSJ.60.3633).
- TANAKA, H., SHIMAKAWA, T., MIYATA, T., SATO, H., AND MINAMI, T. Electrical and optical properties of TCO/Cu<sub>2</sub>O heterojunction devices. *Thin Solid Films*, **469** (2004), 80. doi:[10.1016/j.tsf.2004.06.180](https://doi.org/10.1016/j.tsf.2004.06.180).
- TANG, Y., CHEN, Z., JIA, Z., ZHANG, L., AND LI, J. Electrodeposition and characterization of nanocrystalline cuprous oxide thin films on TiO<sub>2</sub> films. *Materials Letters*, **59** (2005), 434. doi:[10.1016/j.matlet.2004.09.040](https://doi.org/10.1016/j.matlet.2004.09.040).
- TAPIERO, M., NOGUET, C., ZIELINGER, J. P., SCHWAB, C., AND PIERRAT, D. Conversion photovoltaïque dans Cu<sub>2</sub>O. *Revue de Physique Appliquée*, **14** (1979), 231. doi:[10.1051/rphysap:01979001401023100](https://doi.org/10.1051/rphysap:01979001401023100).
- TAPIERO, M., ZIELINGER, J. P., AND NOGUET, C. Conductibilité électrique de Cu<sub>2</sub>O. I. état actuel des recherches et méthodes de mesures. *Annales de Physique*, **7** (1972), 85. Available from: <http://www.anophys.org/>.
- TAPIERO, M., ZIELINGER, J. P., AND NOGUET, C. Electrical conductivity and thermal activation energies in Cu<sub>2</sub>O single crystals. *Physica Status Solidi (a)*, **12** (1972), 517. doi:[10.1002/pssa.2210120220](https://doi.org/10.1002/pssa.2210120220).
- TAPIERO, M., ZIELINGER, J. P., AND NOGUET, C. Photomemory effect in Cu<sub>2</sub>O single crystals. Phenomenology and interpretation. *Physica Status Solidi (a)*, **33** (1976), 155. doi:[10.1002/pssa.2210330116](https://doi.org/10.1002/pssa.2210330116).
- TAYAGAKI, T., MYSYROWICZ, A., AND KUWATA-GONOKAMI, M. The yellow excitonic series of Cu<sub>2</sub>O revisited by Lyman spectroscopy. *Journal of the Physical Society of Japan*, **74** (2005), 1423. doi:[10.1143/JPSJ.74.1423](https://doi.org/10.1143/JPSJ.74.1423).
- TAYLOR, J. C. W. AND WEICHMAN, F. L. Role of excitons in the luminescence of cuprous oxide. *Physical Review*, **185** (1969), 1214. doi:[10.1103/PhysRev.185.1214](https://doi.org/10.1103/PhysRev.185.1214).
- TAYLOR, J. C. W. AND WEICHMAN, F. L. Raman effect in cuprous oxide compared with infrared absorption. *Canadian Journal of Physics*, **49** (1971), 601. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=49&year=1971&issue=5&msno=p71-078>.
- TAYLOR, J. C. W., WEICHMAN, F. L., AND MCCLUNG, R. E. D. Electron paramagnetic resonance in Cu<sub>2</sub>O compared with other semiconducting properties. *Canadian Journal*

- of Physics*, **49** (1971), 1275. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=49&year=1971&issue=10&msno=p71-152>.
- TAYLOR, T. N. AND MARTIN, J. A. Reaction of vapor-deposited aluminum with copper oxides. *Journal of Vacuum Science & Technology A*, **9** (1991), 1840. doi:10.1116/1.577473.
- TAZENKOV, B. A. AND GRUZDEV, F. A. Positive and negative photomemory in cuprous oxide. *Soviet Physics - Solid State*, **16** (1974), 460. Original paper in Russian: *Fizika Tverdogo Tela*, **16** (1975).
- TEH, C. K., TIN, C. C., AND WEICHMAN, F. L. A new method of analysis of photoluminescence decay curves. *Journal of Luminescence*, **35** (1986), 17. doi:10.1016/0022-2313(86)90004-9.
- TEH, C. K. AND WEICHMAN, F. L. Photoluminescence and optical absorption studies of the effects of heat treatment on cuprous oxide. *Canadian Journal of Physics*, **61** (1983), 1423. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=61&year=1983&issue=10&msno=p83-182>.
- TENNAKONE, K., FERNANDO, C. A. N., KARIAPPER, M. S., AND DEWASURENDRE, M. Stabilisation of photoelectrochemical cells based on p type semiconductors by platinum deposition. *Journal of Physics D*, **19** (1986), L125. doi:10.1088/0022-3727/19/6/008.
- TERTIAN, L., HOKIM, D., AND RIVIÈRE, J. P. Transformations in thin foils of cuprous oxide as observed in an electron microscope. *Journal de Physique*, **39** (1978), 1135. doi:10.1051/jphys:0197800390100113500.
- THOBOR, A. AND PIERSON, J. F. Properties and air annealing of paramelaconite thin films. *Materials Letters*, **57** (2003), 3676. doi:10.1016/S0167-577X(03)00148-4.
- TIANO, W., DAPIAGGI, M., AND ARTIOLI, G. Thermal expansion in cuprite-type structures from 10K to decomposition temperature: Cu<sub>2</sub>O and Ag<sub>2</sub>O. *Journal of Applied Crystallography*, **36** (2003), 1461. doi:10.1107/S0021889803020818.
- TIMM, H. *Thermodiffusion in binären und ternären Oxiden*. Ph.D. thesis, University of Hannover (1999). Available from: <http://deposit.ddb.de/cgi-bin/dokserv?idn=955899796>.
- TIMM, H. AND JANEK, J. On the soret effect in binary non stoichiometric oxides — kinetic demixing of cuprite in a temperature gradient. *Solid State Ionics*, **176** (2005), 1131. doi:10.1016/j.ssi.2005.01.010.
- TOGASHI, T., HITAKA, H., OHARA, S., NAKA, T., TAKAMI, S., AND ADSCHIRI, T. Controlled reduction of Cu<sub>2</sub><sup>+</sup> to Cu<sup>+</sup> with an N,O-type chelate under hydrothermal conditions to produce Cu<sub>2</sub>O nanoparticles. *Materials Letters*, **64** (2010), 1049. doi:10.1016/j.matlet.2010.02.003.
- TOLSTOI, N. A. AND BONCH-BRUEVICH, V. A. Luminescence of oxygen vacancies in cuprous oxide. *Soviet Physics - Solid State*, **13** (1971), 1135. Original paper in Russian: *Fizika Tverdogo Tela*, **13** (1972), 1357.
- TOMLINSON, W. J. AND YATES, J. The diffusion of Cu in copper(I) oxide. *Journal of Physics and Chemistry of Solids*, **38** (1977), 1205. doi:10.1016/0022-3697(77)90050-6.
- TOTH, R. S., KILKSON, R., AND TRIVICH, D. Preparation of large area single-crystal cuprous oxide. *Journal of Applied Physics*, **31** (1960), 1117. doi:10.1063/1.1735756.
- TOTH, R. S., KILKSON, R., AND TRIVICH, D. Electrical conductivity of single-crystal cuprous oxide at high temperatures. *Physical Review*, **122** (1961), 482. doi:10.1103/PhysRev.122.482.
- TOYOZAWA, Y. Interband effect of lattice vibrations in the exciton absorption spectra. *Journal of Physics and Chemistry of Solids*, **25** (1964), 59. doi:10.1016/0022-3697(64)90162-3.
- TRAUERNICHT, D. P. AND WOLFE, J. P. Drift and diffusion of paraexcitons in Cu<sub>2</sub>O: Deformation-potential scattering in the low-temperature regime. *Physical Review B*, **33** (1986), 8506. doi:10.1103/PhysRevB.33.8506.
- TRAUERNICHT, D. P., WOLFE, J. P., AND MYSYROWICZ, A. Thermodynamics of strain-confined paraexcitons in Cu<sub>2</sub>O. *Physical Review B*, **34** (1986), 2561. doi:10.1103/PhysRevB.34.2561.

- TRETYAKOV, Y. D., KOMAROV, V. F., PROSVIRNINA, N. A., AND KUTSENOK, I. B. Nonstoichiometry and defect structures in copper oxides and ferrites. *Journal of Solid State Chemistry*, **5** (1972), 157. doi:[10.1016/0022-4596\(72\)90024-2](https://doi.org/10.1016/0022-4596(72)90024-2).
- TRIVICH, D. Photovoltaic cells and their possible use as power converters for solar energy. *The Ohio Journal of Science*, **53** (1953), 300. Available from: <http://hdl.handle.net/1811/4070>.
- TRIVICH, D. Cuprous oxide photovoltaic cells (fifth quarterly report). Tech. Rep. NSF-AER-75-23453-5, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1976).
- TRIVICH, D. Cuprous oxide photovoltaic cells (fourth quarterly report). Tech. Rep. NSF-AER-75-23453-4, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1976).
- TRIVICH, D. Cuprous oxide photovoltaic cells (fourth quarterly report). Tech. Rep. DOE/ET/23010-17, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1980).
- TRIVICH, D. Cuprous oxide photovoltaic cells (third quarterly report). Tech. Rep. DOE/ET/23010-12, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1980).
- TRIVICH, D. Cuprous oxide photovoltaic cells (final report). Tech. Rep. DOE/ET/23010-T10, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1981).
- TRIVICH, D. Cuprous oxide photovoltaic cells for solar-energy conversion (final report). Tech. Rep. DOE/ER/10825-1, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1982).
- TRIVICH, D., FISH, D. L., AND IWANOWSKI, R. J. Cu/Cu<sub>2</sub>O cells prepared by hydrogen bombardment. In *Proceedings of the 16th IEEE Photovoltaic Specialists Conference*, pp. 1072–1077 (1982).
- TRIVICH, D. AND PAPADIMITRIOU, L. Cuprous oxide photovoltaic cells (second quarterly report). Tech. Rep. DOE/ET/23010-9, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1979).
- TRIVICH, D. AND POLLACK, G. P. Preparation of single crystals of cuprous oxide in an arc-image furnace. *Journal of the Electrochemical Society*, **117** (1970), 344. doi:[10.1149/1.2407507](https://doi.org/10.1149/1.2407507).
- TRIVICH, D., RAKHSHANI, A. E., AND BAZZI, A. Measurement of minority carrier diffusion length in cuprous oxide. In *Proceedings of 15th IEEE Photovoltaic Specialists Conference, Kissimmee, FL, USA*, pp. 1199–1201 (1981).
- TRIVICH, D., WANG, E. Y., AND KOMP, R. J. Cuprous oxide photovoltaic cells (first quarterly report). Tech. Rep. DOE/ET/23010-T1, Department of Chemistry, Wayne State University, Detroit, Michigan 48202 (1979).
- TRIVICH, D., WANG, E. Y., KOMP, R. J., AND HO, F. Cuprous oxide Schottky barrier photovoltaic cells. In *Proceedings of 12th IEEE PhotoVoltaic Specialists Conference, Baton Rouge, LA, USA*, pp. 875–878 (1976).
- TRIVICH, D., WANG, E. Y., KOMP, R. J., AND KAKAR, A. S. Cuprous oxide photovoltaic cells. In *Proceedings of 13th IEEE Photo Voltaic Specialists Conference*, pp. 174–179 (1978).
- TSALI, T.-L., TÖPFER, J., AGGARWAL, S., CHEN, E., AND DIECKMANN, R. Cation tracer diffusion in oxides. In *Defect and Diffusion Forum* (edited by H. Mehrer, C. Herzog, N. A. Stolwijk, and H. Bracht), vol. 143–147, pp. 1183–1188 (1996). Proceedings of the International Conference 'DIMAT96', August 5–9, 1996, Nordkirchen, Germany. doi:[10.4028/www.scientific.net/DDF.143-147.1183](https://doi.org/10.4028/www.scientific.net/DDF.143-147.1183).
- TSELEPIS, E. AND FORTIN, E. Photovoltaic study of anodically grown oxide films on Ag–Cu alloys. *Thin Solid Films*, **161** (1988), 207. doi:[10.1016/0040-6090\(88\)90252-0](https://doi.org/10.1016/0040-6090(88)90252-0).
- TSELEPIS, E., FORTIN, E., AND MYSYROWICZ, A. Exciton-mediated photovoltaic effect in Cu<sub>2</sub>O/Cu. *Physical Review Letters*, **59** (1987), 2107. doi:[10.1103/PhysRevLett.59.2107](https://doi.org/10.1103/PhysRevLett.59.2107).
- TSUI, S., BAIKALOV, A., CMAIDALKA, J., SUN, Y. Y., WANG, Y. Q., XUE, Y. Y., CHU, C. W., CHEN, L., AND JACOBSON, A. J. Field-induced resistive switching in metal-oxide interfaces. *Applied Physics Letters*, **85** (2004), 317. doi:[10.1063/1.1768305](https://doi.org/10.1063/1.1768305).

- TSUR, Y. AND RIESS, I. Electrical conductivity of Co doped cuprous oxide. *Ionics*, **1** (1995), 488. doi:10.1007/BF02375295.
- TSUR, Y. AND RIESS, I. Impurity solubility limits in ionic crystals, with application to Cu<sub>2</sub>O. *Zeitschrift für Physikalische Chemie*, **207** (1998), 181.
- TSUR, Y. AND RIESS, I. Doping of ionic compounds: solubility limit and self-compensation. *Solid State Ionics*, **119** (1999), 37. doi:10.1016/S0167-2738(98)00480-9.
- TSUR, Y. AND RIESS, I. Self-compensation in semiconductors. *Physical Review B*, **60** (1999), 8138. doi:10.1103/PhysRevB.60.8138.
- TYLOCOTE, R. F. The composition and reduction of oxide films on copper. *Metallurgia*, **53** (1956), 191.
- UENO, T. On the contour of the absorption lines in Cu<sub>2</sub>O. *Journal of the Physical Society of Japan*, **26** (1969), 438. doi:10.1143/JPSJ.26.438.
- UIHLEIN, C., FRÖHLICH, D., AND KENKLIES, R. Investigation of exciton fine structure in Cu<sub>2</sub>O. *Physical Review B*, **23** (1981), 2731. doi:10.1103/PhysRevB.23.2731.
- UNO, R. AND OKADA, T. On the thermal expansion of cuprous oxide. *Journal of the Physical Society of Japan*, **5** (1950), 23. doi:10.1143/JPSJ.5.23.
- VAJDA, P. Radiation annealing in cuprous oxide. *Physica Status Solidi (b)*, **14** (1966), 287. doi:10.1002/pssb.19660140203.
- VATTUONE, L., SAVIO, L., GERBI, A., OKADA, M., MORITANI, K., AND ROCCA, M. High-resolution electron energy loss spectroscopy study of O-Cu(410). *The Journal of Physical Chemistry B*, **111** (2007), 1679. doi:10.1021/jp0667083.
- VERTEGEL, A. A., SHUMSKY, M. G., AND SWITZER, J. A. Electrochemical growth of a Cu<sub>2</sub>O/PbS epitaxial heterojunction on single crystal Au(100). *Chemistry of Materials*, **12** (2000), 596. doi:10.1021/cm9907054.
- VON RICHTHOFEN, A., DOMNICK, R., AND CREMER, R. Preparation of cuprite (Cu<sub>2</sub>O), paramelaconite (Cu<sub>3</sub><sup>2+</sup>Cu<sub>2</sub><sup>1+</sup>O<sub>4</sub>) and tenorite (CuO) with magnetron sputtering ion plating: characterization by EPMA, XRD, HEED and SEM. *Fresenius' Journal of Analytical Chemistry*, **358** (1997), 312. doi:10.1007/s002160050415.
- WADIA, C., ALIVISATOS, A. P., AND KAMMEN, D. M. Materials availability expands the opportunity for large-scale photovoltaics deployment. *Environmental Science & Technologies*, **43** (2009), 2072. doi:10.1021/es8019534.
- WAGNER, C. Equations for transport in solid oxides and sulfides of transition metals. *Progress in Solid State Chemistry*, **10** (1975), 3. doi:10.1016/0079-6786(75)90002-3.
- WAGNER, C. AND HAMMEN, H. *Zeitschrift für Physikalische Chemie*, **B40** (1938), 197.
- WALKER, A. V. AND YATES, J. T. Does cuprous oxide photosplit water? *The Journal of Physical Chemistry B*, **104** (2000), 9038. doi:10.1021/jp001568x.
- WANG, E. Y., TRIVICH, D., KOMP, R. J., HUANG, T.-F., AND BRINKER, D. J. Cuprous oxide MIS solar cells. In *Proceedings of the 14th IEEE Photovoltaic Specialists Conference*, pp. 458–461 (1980).
- WANG, J. Y., ODOM, T. W., BARTON, J. E., AND STENDER, C. L. Growth of Cu<sub>2</sub>O nanocubes from seeds in microwells. *Nanoscape*, **2** (2005), 57. Available from: <http://www.nanoscape.northwestern.edu/Vol2.htm>.
- WANG, L., HAN, K., AND TAO, M. Effect of substrate etching on electrical properties of electrochemically deposited CuO. *Journal of the Electrochemical Society*, **154** (2007), D91. doi:10.1149/1.2404913.
- WANG, L. AND TAO, M. Fabrication and characterization of p-n homojunctions in cuprous oxide by electrochemical deposition. *Electrochemical and Solid-State Letters*, **10** (2007), H248. doi:10.1149/1.2748632.
- WANG, L. AND YANG, J. C. Enhanced nucleation and decreased growth rates of Cu<sub>2</sub>O in Cu<sub>0.5</sub>Au<sub>0.5</sub> (001) thin films during in situ oxidation. *Journal of Materials Research*, **20** (2005), 1902. doi:10.1557/JMR.2005.0237.

- WANG, L. C., DE TACCONI, N. R., CHENTHAMARAKSHAN, C. R., RAJESHWAR, K., AND TAO, M. Electrodeposited copper oxide films: Effect of bath pH on grain orientation and orientation-dependent interfacial behavior. *Thin Solid Films*, **515** (2007), 3090. [doi:10.1016/j.tsf.2006.08.041](https://doi.org/10.1016/j.tsf.2006.08.041).
- WANG, W., VARGHESE, O., RUAN, C., PAULOSE, M., AND GRIMES, C. Synthesis of CuO and Cu<sub>2</sub>O crystalline nanowires using Cu(OH)<sub>2</sub> nanowire templates. *Journal of Materials Research*, **18** (2003), 2756. [doi:10.1557/JMR.2003.0384](https://doi.org/10.1557/JMR.2003.0384).
- WANG, Y., CAO, Y., WANG, M., ZHONG, S., ZHANG, M.-Z., FENG, Y., PENG, R.-W., HAO, X.-P., AND MING, N.-B. Spontaneous formation of periodic nanostructured film by electrodeposition: Experimental observations and modeling. *Physical Review E*, **69** (2004), 021607. [doi:10.1103/PhysRevE.69.021607](https://doi.org/10.1103/PhysRevE.69.021607).
- WANG, Y., LIANG, W., SATTI, A., AND NIKITIN, K. Fabrication and microstructure of Cu<sub>2</sub>O nanocubes. *Journal of Crystal Growth*, **312** (2010), 1605. [doi:10.1016/j.jcrysgro.2010.01.019](https://doi.org/10.1016/j.jcrysgro.2010.01.019).
- WANG, Z., WANG, H., WANG, L., AND PAN, L. Controlled synthesis of Cu<sub>2</sub>O cubic and octahedral nano- and microcrystals. *Crystal Research and Technology*, **44** (2009), 624. [doi:10.1002/crat.200900136](https://doi.org/10.1002/crat.200900136).
- WARREN, J. T., O'HARA, K. E., AND WOLFE, J. P. Two-body decay of thermalized excitons in Cu<sub>2</sub>O. *Physical Review B*, **61** (2000), 8215. [doi:10.1103/PhysRevB.61.8215](https://doi.org/10.1103/PhysRevB.61.8215).
- WARREN, S., FLAVELL, W. R., THOMAS, A. G., HOLLINGWORTH, J., DUNWOODY, P. M., DOWNES, S., AND CHEN, C. Adsorption of H<sub>2</sub>O on single crystal CuO. *Surface Science*, **436** (1999), 1. [doi:10.1016/S0039-6028\(99\)00690-1](https://doi.org/10.1016/S0039-6028(99)00690-1).
- WEI, M., BRADDON, N., ZHI, D., MIDGLEY, P. A., CHEN, S. K., BLAMIRE, M. G., AND MACMANUS-DRISCOLL, J. L. Room temperature ferromagnetism in bulk Mn-doped Cu<sub>2</sub>O. *Applied Physics Letters*, **86** (2005), 072514. [doi:10.1063/1.1869547](https://doi.org/10.1063/1.1869547).
- WEI, M. AND HUO, J. Preparation of Cu<sub>2</sub>O nanorods by a simple solvothermal method. *Materials Chemistry and Physics*, **121** (2010), 291. [doi:10.1016/j.matchemphys.2010.01.036](https://doi.org/10.1016/j.matchemphys.2010.01.036).
- WEICHMAN, F. L. Photoconductivity of cuprous oxide in relation to its other semiconducting properties. *Physical Review*, **117** (1960), 998. [doi:10.1103/PhysRev.117.998](https://doi.org/10.1103/PhysRev.117.998).
- WEICHMAN, F. L. AND CHEE, K. T. Pt-Cu<sub>2</sub>O-Cu single-carrier space-charge-limited diodes. *Canadian Journal of Physics*, **55** (1977), 735. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=55&year=1977&issue=7-8&msno=p77-101>.
- WEICHMAN, F. L. AND KUŽEL, R. Grain-boundary conductivity of Cu<sub>2</sub>O polycrystals and rectifiers. *Journal of Applied Physics*, **41** (1970), 3491. [doi:10.1063/1.1659447](https://doi.org/10.1063/1.1659447).
- WEICHMAN, F. L. AND MCINNIS, B. C. Temperature effects in the photoconductivity of high-resistance Cu<sub>2</sub>O. *Canadian Journal of Physics*, **43** (1965), 507. Available from: <http://rparticle.web-p.cisti.nrc.ca/rparticle/AbstractTemplateServlet?calyLang=eng&journal=cjp&volume=43&year=1965&issue=4&msno=p65-048>.
- WERNER, A. AND HOCHHEIMER, H. D. High-pressure X-ray study of Cu<sub>2</sub>O and Ag<sub>2</sub>O. *Physical Review B*, **25** (1982), 5929. [doi:10.1103/PhysRevB.25.5929](https://doi.org/10.1103/PhysRevB.25.5929).
- WHELAN, C., KINSELLA, M., HO, H., AND MAEX, K. In-situ cleaning and passivation of oxidized Cu surfaces by alkanethiols and its application to wire bonding. *Journal of Electronic Materials*, **33** (2004), 1005. [doi:10.1007/s11664-004-0027-8](https://doi.org/10.1007/s11664-004-0027-8).
- WIDMER, R., HAUG, F.-J., RUFFIEUX, P., GRÖNING, O., BIELMANN, M., GRÖNING, P., AND FASEL, R. Surface chirality of CuO thin films. *Journal of the American Chemical Society*, **128** (2006), 14103. [doi:10.1021/ja0640703](https://doi.org/10.1021/ja0640703).
- WIEDER, H. AND CZANDERNA, A. W. The oxidation of copper films to CuO<sub>0.67</sub>. *The Journal of Physical Chemistry*, **66** (1962), 816. [doi:10.1021/j100811a010](https://doi.org/10.1021/j100811a010).

- WIEDER, H. AND CZANDERNA, A. W. Optical properties of copper oxide films. *Journal of Applied Physics*, **37** (1966), 184. doi:10.1063/1.1707803.
- WIJESUNDARA, R. P., PERERA, L. D. R. D., JAYASURIYA, K. D., SIRIPALA, W., DE SILVA, K. T. L., SAMANTILLEKE, A. P., AND DHARMADASA, I. M. Sulphidation of electrodeposited cuprous oxide thin films for photovoltaic applications. *Solar Energy Materials and Solar Cells*, **61** (2000), 277. doi:10.1016/S0927-0248(99)00115-4.
- WIJESUNDERA, R. P., HIDAKA, M., KOGA, K., SAKAI, M., AND SIRIPALA, W. Growth and characterisation of potentiostatically electrodeposited Cu<sub>2</sub>O and Cu thin films. *Thin Solid Films*, **500** (2006), 241. doi:10.1016/j.tsf.2005.11.023.
- WIJESUNDERA, R. P., HIDAKA, M., SIRIPALA, W., CHOI, S.-H., SUNG, N. E., KIM, M. G., AND LEE, J. M. Electronic states and local structures of Cu ions in electrodeposited thin films of Cu and Cu<sub>2</sub>O from X-ray absorption spectra. *Physica Status Solidi (b)*, **243** (2006), 1791. doi:10.1002/pssb.200542075.
- WILHELM, S. M., TANIZAWA, Y., LIU, C.-Y., AND HACKERMAN, N. A photo-electrochemical investigation of semiconducting oxide films on copper. *Corrosion Science*, **22** (1982), 791. doi:10.1016/0010-938X(82)90014-2.
- WILLIAMS, P. F. AND PORTO, S. P. S. Symmetry-forbidden resonant Raman scattering in Cu<sub>2</sub>O. *Physical Review B*, **8** (1973), 1782. doi:10.1103/PhysRevB.8.1782.
- WOLFE, J. P. Imaging of excitonic transport in semiconductors. *Journal of Luminescence*, **53** (1992), 327. doi:10.1016/0022-2313(92)90166-7.
- WOLFE, J. P. AND JANG, J. I. New perspectives on kinetics of excitons in Cu<sub>2</sub>O. *Solid State Communications*, **134** (2005), 143. doi:10.1016/j.ssc.2004.06.046.
- WOUTERS, M. AND CARUSOTTO, I. Excitations in a nonequilibrium bose-einstein condensate of exciton polaritons. *Physical Review Letters*, **99** (2007), 140402. doi:10.1103/PhysRevLett.99.140402.
- WRIGHT, A. F. AND NELSON, J. S. Theory of the copper vacancy in cuprous oxide. *Journal of Applied Physics*, **92** (2002), 5849. doi:10.1063/1.1516620.
- XIANG, J. Y., WANG, X. L., XIA, X. H., ZHANG, L., ZHOU, Y., SHI, S. J., AND TU, J. P. Enhanced high rate properties of ordered porous Cu<sub>2</sub>O film as anode for lithium ion batteries. *Electrochimica Acta*, **In Press, Corrected Proof** (2010), . doi:10.1016/j.electacta.2010.03.091.
- XIAO, Q., ZHAO, X., HUANG, L., AND DENG, X. Primary study of the isothermal phase diagram of the Cu<sub>2</sub>O-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> ternary system at 1150 °C in air. *Rare Metals*, **26** (2007), 515. doi:10.1016/S1001-0521(07)60255-1.
- XU, H., WANG, W., AND ZHU, W. A facile strategy to porous materials: Coordination-assisted heterogeneous dissolution route to the spherical Cu<sub>2</sub>O single crystallites with hierarchical pores. *Microporous and Mesoporous Materials*, **95** (2006), 321. doi:10.1016/j.micromeso.2006.06.007.
- XUE, J. AND DIECKMANN, R. The non-stoichiometry and the point defect structure of cuprous oxide (Cu<sub>2-δ</sub>O). *Journal of Physics and Chemistry of Solids*, **51** (1990), 1263. doi:10.1016/0022-3697(90)90003-X.
- XUE, J. AND DIECKMANN, R. The high-temperature phase diagram of the Cu–O system in stability region of cuprous oxide (Cu<sub>2-δ</sub>O). *High Temperatures–High Pressures*, **24** (1992), 271.
- YANASE, A., MATSUI, H., TANAKA, K., AND KOMIYAMA, H. Optical observation of oxidation and reduction of small supported copper particles. *Surface Science Letters*, **219** (1989), L601. doi:10.1016/0167-2584(89)90274-0.
- YANG, H., OUYANG, J., TANG, A., XIAO, Y., LI, X., DONG, X., AND YU, Y. Electrochemical synthesis and photocatalytic property of cuprous oxide nanoparticles. *Materials Research Bulletin*, **41** (2006), 1310 . Available from: <http://www.sciencedirect.com/science/article/B6TXC-4J3WNWS-1/2/d76abb0eacd9fa1cebc877141cc4db85>, doi:DOI:10.1016/j.materresbull.2006.01.004.

- YANG, J. C., BHARADWAJ, M. D., ZHOU, G., AND TROPIA, L. Surface kinetics of copper oxidation investigated by in situ ultra-high vacuum transmission electron microscopy. *Microscopy and Microanalysis*, **7** (2001), 486. Available from: <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=95905#>. doi:10.1007/s10005-001-0018-y.
- YANG, J. C., EVAN, D., AND TROPIA, L. From nucleation to coalescence of Cu<sub>2</sub>O islands during in situ oxidation of Cu(001). *Applied Physics Letters*, **81** (2002), 241. doi:10.1063/1.1492007.
- YANG, J. C., KOLASA, B., GIBSON, J. M., AND YEADON, M. Self-limiting oxidation of copper. *Applied Physics Letters*, **73** (1998), 2841. doi:10.1063/1.122608.
- YANG, J. C., YEADON, M., KOLASA, B., AND GIBSON, J. M. Oxygen surface diffusion in three-dimensional Cu<sub>2</sub>O growth on Cu(001) thin films. *Applied Physics Letters*, **70** (1997), 3522. doi:10.1063/1.119220.
- YANG, J. C., YEADON, M., KOLASA, B., AND GIBSON, J. M. Surface reconstruction and oxide nucleation due to oxygen interaction with Cu(001) observed by in situ ultra-high vacuum transmission electron microscopy. *Microscopy and Microanalysis*, **4** (1998), 334. doi:10.1017/S1431927698980345.
- YANG, J. C., YEADON, M., OLYNICK, D., AND GIBSON, J. M. Anomalous desorption of copper oxide observed by in situ transmission electron microscopy. *Microscopy and Microanalysis*, **3** (1997), 121. doi:10.1017/S1431927697970082.
- YANG, W.-Y., KIM, W.-G., AND RHEE, S.-W. Radio frequency sputter deposition of single phase cuprous oxide using Cu<sub>2</sub>O as a target material and its resistive switching properties. *Thin Solid Films*, **517** (2008), 967. doi:10.1016/j.tsf.2008.08.184.
- YANG, W.-Y. AND RHEE, S.-W. Effect of electrode material on the resistance switching of Cu<sub>2</sub>O film. *Applied Physics Letters*, **91** (2007), 232907. doi:10.1063/1.2822403.
- YAO, K. X., YIN, X. M., WANG, T. H., AND ZENG, H. C. Synthesis, self-assembly, disassembly, and reassembly of two types of Cu<sub>2</sub>O nanocrystals unifaceted with {001} or {110} planes. *Journal of the American Chemical Society*, **132** (2010), 6131. doi:10.1021/ja100151f.
- YIN, M., WU, C.-K., LOU, Y., BURDA, C., KOBERSTEIN, J. T., ZHU, Y., AND O'BRIEN, S. Copper oxide nanocrystals. *Journal of the American Chemical Society*, **127** (2005), 9506. doi:10.1021/ja050006u.
- YOON, K. H., CHOI, W. J., AND KANG, D. H. Photoelectrochemical properties of copper oxide thin films coated on an n-Si substrate. *Thin Solid Films*, **372** (2000), 250. doi:10.1016/S0040-6090(00)01058-0.
- YOSHIMURA, M., REVCOLEVSCHI, A., AND CASTAING, J. Thermogravimetric study of the non-stoichiometry of cuprite Cu<sub>2</sub>O. *Journal of Materials Science*, **11** (1976), 384. doi:10.1007/BF00551450.
- YOUNG JR., F. W., CATHCART, J. V., AND GWATHMEY, A. T. The rates of oxidation of several faces of a single crystal of copper as determined with elliptically polarized light. *Acta Metallurgica*, **4** (1956), 145. doi:10.1016/0001-6160(56)90132-8.
- YU, P. Y. AND SHEN, Y. R. Multiple resonance effects on raman scattering at the yellow-exciton series of Cu<sub>2</sub>O. *Physical Review Letters*, **32** (1974), 373. doi:10.1103/PhysRevLett.32.373.
- YU, P. Y. AND SHEN, Y. R. Study of dispersive raman modes in Cu<sub>2</sub>O by resonant raman scattering. *Physical Review Letters*, **32** (1974), 939. doi:10.1103/PhysRevLett.32.939.
- YU, P. Y., SHEN, Y. R., PETROFF, Y., AND FALICOV, L. M. Resonance raman scattering at the forbidden yellow exciton in Cu<sub>2</sub>O. *Physical Review Letters*, **30** (1973), 283. doi:10.1103/PhysRevLett.30.283.
- YU, Y., MA, L.-L., HUANG, W.-Y., LI, J.-L., WONG, P.-K., AND YU, J. C. Coating MWNTs with Cu<sub>2</sub>O of different morphology by a polyol process. *Journal of Solid State Chemistry*, **178** (2005), 1488. doi:10.1016/j.jssc.2005.02.016.
- YUND, R. A. AND KULLERUD, G. Stable mineral assemblages of anhydrous copper and iron oxides. *The American Mineralogist*, **49** (1964), 689.

- Available from: [http://www.minsocam.org/msa/collectors\\_corner/amtoc/toc1964.htm](http://www.minsocam.org/msa/collectors_corner/amtoc/toc1964.htm).
- ZERBINO, J. O. AND GASSA, L. M. Electrochemical impedance spectroscopy study of cuprous oxide films formed on copper: effect of pH and sulfate and carbonate ions. *Journal of Solid State Electrochemistry*, **7** (2003), 177. doi:10.1007/s10008-002-0283-6.
- ZHANG, D. K., LIU, Y. C., LIU, Y. L., AND YANG, H. The electrical properties and the interfaces of Cu<sub>2</sub>O/ZnO/ITO p-i-n heterojunction. *Physica B*, **351** (2004), 178. doi:10.1016/j.physb.2004.06.003.
- ZHANG, J., LIU, J., PENG, Q., WANG, X., AND LI, Y. Nearly monodisperse Cu<sub>2</sub>O and CuO nanospheres: Preparation and applications for sensitive gas sensors. *Chemistry of Materials*, **18** (2006), 867. doi:10.1021/cm052256f.
- ZHANG, K., ROSSI, C., TENAILLEAU, C., ALPHONSE, P., AND CHANE-CHING, J.-Y. Synthesis of large-area and aligned copper oxide nanowires from copper thin film on silicon substrate. *Nanotechnology*, **18** (2007), 275607. doi:10.1088/0957-4484/18/27/275607.
- ZHAO, W., ET AL. Shape-controlled synthesis of Cu<sub>2</sub>O microcrystals by electrochemical method. *Applied Surface Science*, **256** (2010), 2269. doi:10.1016/j.apsusc.2009.10.051.
- ZHILICH, A. G., HALPERN, J., AND ZAKHARCHENYA, B. P. Magnetoabsorption oscillations and the Zeeman effect of excitons for forbidden interband transitions in Cu<sub>2</sub>O crystals. *Physical Review*, **188** (1969), 1294. doi:10.1103/PhysRev.188.1294.
- ZHOU, G. Temperature effect on the Cu<sub>2</sub>O oxide morphology created by oxidation of Cu(001) as investigated by in situ UHV TEM. *Applied Surface Science*, **210** (2003), 165. doi:10.1016/S0169-4332(03)00159-4.
- ZHOU, G. AND YANG, J. C. Formation of quasi-one-dimensional Cu<sub>2</sub>O structures by in situ oxidation of Cu(100). *Physical Review Letters*, **89** (2002), 106101. doi:10.1103/PhysRevLett.89.106101.
- ZHOU, G. AND YANG, J. C. In situ UHV-TEM investigation of the kinetics of initial stages of oxidation on the roughened Cu(110) surface. *Surface Science*, **559** (2004), 100. doi:10.1016/j.susc.2004.04.046.
- ZHOU, G. AND YANG, J. C. Temperature effects on the growth of oxide islands on Cu(110). *Applied Surface Science*, **222** (2004), 357. doi:10.1016/j.apsusc.2003.09.008.
- ZHOU, Y. AND SWITZER, J. A. Electrochemical deposition and microstructure of copper (I) oxide films. *Scripta Materialia*, **38** (1998), 1731. doi:10.1016/S1359-6462(98)00091-8.
- ZHOU, Y. C. AND SWITZER, J. A. Galvanostatic electrodeposition and microstructure of copper (I) oxide film. *Materials Research Innovations*, **2** (1998), 22. doi:10.1007/s100190050056.
- ZHU, Y., MIMURA, K., AND ISSHIKI, M. Oxidation mechanism of copper at 623-1073 K. *Materials Transactions*, **43** (2002), 2173. Available from: <http://www.jim.or.jp/journal/e/43/09/2173.html>.
- ZHU, Y., MIMURA, K., AND ISSHIKI, M. The effect of impurities on the formation of the inner porous layer in the Cu<sub>2</sub>O scale during copper oxidation. *Oxidation of Metals*, **61** (2004), 293. doi:10.1023/B:OXID.0000025336.56015.a2.
- ZHU, Y., MIMURA, K., AND ISSHIKI, M. Oxidation mechanism of Cu<sub>2</sub>O to CuO at 600-1050 °C. *Oxidation of Metals*, **62** (2004), 207. doi:10.1007/s11085-004-7808-6.
- ZHU, Y., MIMURA, K., AND ISSHIKI, M. Purity effect on oxidation kinetics of copper at 800-1050 °C. *Journal of The Electrochemical Society*, **151** (2004), B27. doi:10.1149/1.1633268.
- ZHU, Y., MIMURA, K., AND ISSHIKI, M. A study of the initial oxidation of copper in 0.1 MPa oxygen and the effect of purity by metallographic methods. *Corrosion Science*, **46** (2004), 2445. doi:10.1016/j.corsci.2004.02.002.
- ZHU, Y., QIAN, Y., ZHANG, M., CHEN, Z., XU, D., YANG, L., AND ZHOU, G. Preparation and characterization of nanocrystalline powders of cuprous oxide by using [gamma]-radiation. *Materials Research Bulletin*, **29** (1994), 377. doi:10.1016/0025-5408(94)90070-1.

- ZIELINGER, J. P., NOGUET, C., AND TAPIERO, M. Photomemory effect in Cu<sub>2</sub>O single crystals. Kinetics of the excitation and de-excitation processes. *Physica Status Solidi (a)*, **42** (1977), 91. doi:[10.1002/pssa.2210420107](https://doi.org/10.1002/pssa.2210420107).
- ZIELINGER, J. P., TAPIERO, M., AND NOGUET, C. Conductibilité électrique de Cu<sub>2</sub>O. II. Résultats expérimentaux. *Annales de Physique*, **7** (1972), 95. Available from: <http://www.annphys.org>.
- ZIELINGER, J. P., TAPIERO, M., AND NOGUET, C. Improved methods of measuring DC surface and bulk resistivities using guarded electrodes. *Journal of Physics E*, **6** (1973), 579. doi:[10.1088/0022-3735/6/6/028](https://doi.org/10.1088/0022-3735/6/6/028).
- ZIELINGER, J. P., TAPIERO, M., ROUBAUD, C., AND ZOUAGHI, M. Etude de la variation thermique de la conductivité électrique interne de monocristaux de Cu<sub>2</sub>O. *Solid State Communications*, **8** (1970), 1299. doi:[10.1016/0038-1098\(70\)90624-1](https://doi.org/10.1016/0038-1098(70)90624-1).
- ZIELINGER, J. P., WEICHMAN, F. L., ZOUAGHI, M., AND FORTIN, E. Préparation d'échantillons de Cu<sub>2</sub>O de forte résistivité et étude de leurs propriétés photogalvanomagnétiques aux basses températures. Description des méthodes et du montage utilisés. *Revue de Physique Appliquée*, **3** (1968), 143. doi:[10.1051/rphysap:0196800302014300](https://doi.org/10.1051/rphysap:0196800302014300).
- ZIELINGER, J. P., ZOUAGHI, M., AND CORET, A. Étude de l'effet photo-Hall dans la cuprite à 79 °K. *Journal de Physique*, **27** (1966), 166. doi:[10.1051/jphys:01966002703-4016600](https://doi.org/10.1051/jphys:01966002703-4016600).
- ZIELINGER, J. P., ZOUAGHI, M., FORTIN, E., AND WEICHMAN, F. L. Photomagnetorectification effect in Cu<sub>2</sub>O at 77 °K. *Physics Letters A*, **24** (1967), 397. doi:[10.1016/0375-9601\(67\)90947-4](https://doi.org/10.1016/0375-9601(67)90947-4).
- ZIOMEK, J. S. Multiphonon selection rules for cuprous oxide type crystalline systems. *Journal of Physics and Chemistry of Solids*, **43** (1982), 1037. doi:[10.1016/0022-3697\(82\)90219-0](https://doi.org/10.1016/0022-3697(82)90219-0).
- ZIRIN, M. H. AND TRIVICH, D. Thermoelectric effect in single-crystal cuprous oxide at high temperatures. *Journal of Chemical Physics*, **39** (1963), 870. doi:[10.1063/1.1734385](https://doi.org/10.1063/1.1734385).
- ZOU, B., ZHENG, X., TANG, G., ZHANG, G., AND CHEN, W. Excitonic properties of Cu<sub>2</sub>O microcrystals. *Physics Letters A*, **182** (1993), 130. doi:[10.1016/0375-9601\(93\)90066-9](https://doi.org/10.1016/0375-9601(93)90066-9).
- ZOUAGHI, M. Near infrared optical and photoelectric properties of Cu<sub>2</sub>O. II. Near infrared photoconductivity in Cu<sub>2</sub>O: Influence of annealing. *Physica Status Solidi (a)*, **11** (1972), 219. doi:[10.1002/pssa.2210110124](https://doi.org/10.1002/pssa.2210110124).
- ZOUAGHI, M., CORET, A., AND EYMANN, J. O. Infrared induced photoconductivity in cuprous oxide. *Solid State Communications*, **7** (1969), 311. doi:[10.1016/0038-1098\(69\)90408-6](https://doi.org/10.1016/0038-1098(69)90408-6).
- ZOUAGHI, M., FORTIN, E., AND ZIELINGER, J. P. Inversion of the PEM effect in thin Cu<sub>2</sub>O films. *Physics Letters A*, **25** (1967), 51. doi:[10.1016/0375-9601\(67\)90334-9](https://doi.org/10.1016/0375-9601(67)90334-9).
- ZOUAGHI, M., PREVOT, B., CARABATOS, C., AND SIESKIND, M. Near infrared optical and photoelectric properties of Cu<sub>2</sub>O. III. Interpretation of experimental results. *Physica Status Solidi (a)*, **11** (1972), 449. doi:[10.1002/pssa.2210110207](https://doi.org/10.1002/pssa.2210110207).
- ZOUAGHI, M., TAPIERO, M., ZIELINGER, J. P., AND BURGRAF, R. Hall mobility and hole density in photoactivated Cu<sub>2</sub>O single crystals. *Solid State Communications*, **8** (1970), 1823. doi:[10.1016/0038-1098\(70\)90325-X](https://doi.org/10.1016/0038-1098(70)90325-X).
- ZUCKER, R. S. Growth of single crystal cuprous oxide from the melt and luminescence of cuprous oxide. *Journal of the Electrochemical Society*, **112** (1965), 417. doi:[10.1149/1.2423559](https://doi.org/10.1149/1.2423559).
- ZUO, J. M., KIM, M., O'KEEFFE, M., AND SPENCE, J. C. H. Direct observation of *d*-orbital holes and Cu–Cu bonding in Cu<sub>2</sub>O. *Nature*, **401** (1999), 49. doi:[10.1038/43403](https://doi.org/10.1038/43403).